

Table of Contents

Foreword, Committees and Sponsors

Chapter 1: Raw Material

Evaluation of the Industrial Raw Material Used for Ceramic Production in São José de Uba, State of Rio de Janeiro, Brazil A.R.G. de Azevedo, J. Alexandre, R. Picanço Oliveira, R.C. de Souza, E. Barnabé Zanelato and S.N. Monteiro	3
Characterization of a Clay Body Used for Red Ceramics in São Sebastião, District of Campos dos Goytacazes, State of Rio de Janeiro, Brazil A.R.G. de Azevedo, J. Alexandre, E. Barnabé Zanelato, R. Picanço Oliveira, R.C. de Souza, G. de Castro Xavier and S.N. Monteiro	8
Performance of Precursor Materials and Fired Ceramics for Structural Blocks N.G. Azeredo, E. Barnabé Zanelato, J. Alexandre, A.R.G. de Azevedo, G. de Castro Xavier, V.S. Candido and S.N. Monteiro	13
New Route of Utilization of Pegmatites Tailings to Application as a Ceramics Raw Materials A.L. Silva and E.W.V. Sousa	18
Characterization of Clay Used in Structural Ceramic A.S. dos Reis, J.N. Oliveira, V.P. della Sagrillo and F.R. Valenzuela-Diaz	24
Study of Process Variables for Organofilization of the Bentonite Clay from Cubati, Pb C.D. Silva, J.M.R. Figueiredo, I.D.S. Pereira, J.M. Cartaxo, G.A. Neves and H.C. Ferreira	30
Characterization of Natural Clay Vermiculite, Expanded by Indirect Method for Energy and Microwave F.M.N. Silva, E.L. da Silva, I.F. dos Anjos, G. Fontgalland and M.G.F. Rodrigues	36
Study of a Typical Soil Used for Concrete Bricks in Miracema, State of Rio de Janeiro, Brazil N. Aguiar Cerqueira, J. Alexandre, A.R.G. de Azevedo, G. de Castro Xavier, V.S. Candido, C.M.F. Vieira and S.N. Monteiro	40
Influence of the Heating Rate on the Phase and Microstructural Transformations of Smectite Clays W.P. Gonçalves, V.J. da Silva, J. Gomes, G. de Araújo Neves, R.R. Menezes and L.N. de Lima Santana	46
Study of the Characterization of Smectitic Clays from a Town in the State of Paraíba I.A. Silva, I.D.S. Pereira, W.S. Cavalcanti, F.K.A. Sousa, G.A. Neves and H.C. Ferreira	51
Physico-Mineralogical Characterization: Bentonitic Clays Recently Found in Olivedos, Paraíba, Brazil F.K.A. Sousa, I.A. Silva, W.S. Cavalcanti, G.A. Neves and H.C. Ferreira	56
Characterization, Modification and Rheology of Green Clay L.V. da Rocha-Gomes, A.J. Santana, C.M. Matos, V.d.F. Justo, M.d.G. da Silva-Valenzuela and F.R. Valenzuela-Diaz	60
Bentonite Clays Characterization in the Town of Sossego – Paraíba State I.D.S. Pereira, V.N.F. Lisboa, I.A. Silva, J.M.R. Figueirêdo, G.A. Neves and R.R. Menezes	65

Chapter 2: Powder Synthesis

Effect of Solvothermal Treatment on Physical Properties of Nickel and Aluminum Based Oxide Powders Synthesized by Coprecipitation G.L. Cordeiro, W.K. Yoshito, V. Ussui, N.B. de Lima and D.R.R. Lazar	73
Ceramic Membrane Made of Alumina Synthesized by Pechini Method for Application in Microfiltration Processes M.C. da Silva, F.N. da Silva, H.d.L. Lira and N.L. de Freitas	79
Production of Mullite from Bentonite Clays and Alumina Residue V.J. da Silva, G. de Araújo Neves, W.P. Gonçalves, J. Gomes, R.R. Menezes, H.d.L. Lira and L.N. de Lima Santana	84

Influence of Power and Synthesis Time in the Formation of Mullite Obtained by Microwave Heating L.N. de Lima Santana, J. Gomes, V.J. da Silva, W.P. Gonçalves, H. de Lucena Lira, G. de Araújo Neves and R.R. Menezes	90
Synthesis of the MgAl_2O_4 Spinel Obtained via Combustion Reaction Using Glycerine from the Biodiesel as a Fuel for Producing Cellular Ceramics G.G. de Moraes and A.P. Novaes de Oliveira	96
Synthesis and Sulfating of the ZrO_2 for Obtaining of a Catalyst in Order to Future Use in Esterification for Biodiesel Production F.N. Silva, J. Dantas, A.S. Silva, E.M.J.A. Pallone and A.C.F.M. Costa	102
Synthesis of Mullite by the Pechini Method A. do Nascimento Simões Braga, R.M. da Costa Farias, D.L. Costa, G. Araújo Neves, H.d.L. Lira and R.R. Menezes	107
Evaluation of the Processing Conditions in the Transesterification for Biodiesel Production Using the Nanomagnetic Catalyst $\text{Ni}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$ J. Dantas, F.N. da Silva, K.R. de Oliveira Pereira, A.S. Silva and A.C.F.d.M. Costa	113
Synthesis of Magnetic Nanoparticles $\text{Ni}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$ and $\text{Ni}_{0.2}\text{Cu}_{0.3}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$ for Biodiesel Obtaining K.R.O. Pereira, J. Dantas, A.S. Silva, D.C. Barbosa, S.M.P. Meneghetti and A.C.F.M. Costa	119
Synthesis of the Magnetic Nanoferrites of Spinel Type and Use in Esterification Reaction for Biodiesel Obtaining K.R.O. Pereira, J. Dantas, R.d.C.L. Dutra, M.F. Diniz, A.S. Silva and A.C.F.d.M. Costa	125
Synthesis and Characterization of Pseudoboehmite and Gamma-Alumina A.H. Munhoz, H. de Paiva, L.F. de Miranda, E.C. de Oliveira, R.C. Andrades and A.C. Neto	131
Study of the Evolution of Phase Calcium Aluminate through the Method for Polymeric Precursors C_{12}A_7 F.C.T. Veiga, F.J.T. Veiga, M.L. Moreira, J. Jurado, V.C. Sousa and S. Cava	137
Chemical Synthesis and Sintering Behaviour of $\text{Ca}_3\text{Al}_2\text{O}_6$ Obtained by Polymeric Precursor Method F.C.T. Veiga, M. Gaier, C.R. Ratmann, M.L. Moreira, J. Jurado, E. Longo, V.C. Sousa and S. Cava	143
Sintering of Ca_2MgWO_6 Ceramic and its Stability Test in Crude Petroleum J.C. da Silva Oliveira, R.A. Sanguinetti Ferreira and Y.P. Yadava	149
High Energy Milling of Alumina Synthesized by Combustion Reaction Using a Vertical Shaft Attritor Mill: Influence of the Milling Time Length M.C. da Silva, N.C.O. Costa, D.S. Lira, J. Dantas, A.C.F.M. Costa and N.L. de Freitas	155
Immobilized Enzyme Gox with Ferrite CoFe_2O_4 and Hybrid $\text{CoFe}_2\text{O}_4/\text{APTS}$ P.T.A. Santos, P.M.A.G. Araújo, E. Leal, I.L.T. de Albuquerque, L.S. Conrado and A.C.F.d.M. Costa	161
Pure and $\text{La}^{3+}/\text{Nd}^{3+}$ Doped SrTiO_3 Powders Obtained by Solid State Reaction and Microwave Assisted Hydrothermal Synthesis A.S. Chaves, O. de Andrade Raponi, M.V. Gelfuso and D. Thomazini	167
Comparison of Different Alumina Powders for Aqueous Tape Casting Process F.P. Santos, E. Gambin, C.M.A. Lopes and R.M. Rocha	172

Chapter 3: Electrical, Electronic and Magnetic Ceramics

Influence on Doping of 0.4 mol of Co in ZnO Aiming their Application in DMS L.V.R. Machado, L.F. Mouzinho, M.R. Silva, E.M.J.A. Pallone and A.C.F.M. Costa	181
Dielectric Characterization at High Temperature of Iron Doped Potassium Strontium Niobate Ceramic by Impedance Spectroscopy C.V. de Lima, M.A. Lima Nobre and S. Lanfredi	187
$\text{ZnO-Nb}_2\text{O}_5\text{-TiO}_2$ Dielectric Resonators and Porosity Influence on Dielectric Constant Values M.C.A. Nono, P.J. Castro, E.G.L. Rangel and S.L. Mineiro	193
Application of Micromagnetic Models for Barium Ferrite Magnets M.F. de Campos and F.A. Sampaio da Silva	199
Hybrid Films Photoluminescence of Chitosan/ZnAl_2O_4 P.M.A.G. Araújo, P.T.A. Santos, P.T.A. Santos and A.C.F.d.M. Costa	205

Chapter 4: Ceramic Coverings

Mechanical and Microstructural Characterization of Al_2O_3 - ZrO_2 Ceramic Composite Reinforced with Rare Earth Oxides (Y_2O_3) for Inert Coating of Storage and Transport Systems of Crude Petroleum	
J.C. Silva, R.A. Sanguinetti Ferreira and Y.P. Yadava	213
Curvature Evolution of Porcelain Tile during Firing	
P. Henrique, A. Wanderlind and A. de Noni	218
Electrochemical Study of Ceramics Based on Niobium Oxide over Aluminum Alloy AA 3003	
M. Tussolini, T. Ichikawa, A.L. Gallina, E.d.P. Banczek and P.R.P. Rodrigues	225
The Usage of Ceramics in the Manufacture of the Lining of Temperature Sensors for the Oil Industry	
R.O. Domingues, Y.P. Yadava and R.A. Sanguinetti Ferreira	231

Chapter 5: Structural Ceramics

Mechanical Properties Evaluation of Al_2O_3-YAG Ceramic Composites	
E. de Sousa Lima, L.M. Itaboray, A.P.O. Santos, C. Santos and R.F. Cabral	239
Evaluation of the Thermomechanical Behavior of Metallic Interconnectors Coated with a Film of $\text{La}_{0.8}\text{Ca}_{0.2}\text{CrO}_3$ of Solid Oxide Fuel Cells (SOFC)	
C.R.C. de Sousa, W. Acchar, H.R. Paes and J.F. Timoteo	244
Pressureless Sintering of ZrB_2 with β-SiC Addition	
M. Oliveira Juliani, C.D. Oliveria and R.M. Rocha	250
Phase Stability - Structural and Microstructural Characterization of Al_2O_3-TiO_2 Ceramic Composites Reinforced with La_2O_3 Addition	
A.G. de Sousa, S.A.B.C. Rego, R.A.S. Ferreira, A.H. Shinohara and Y.P. Yadava	256
Hot Pressing Sintering of ZrB_2 with β-SiC Addition	
M. Oliveira Juliani and R.M. Rocha	262
Microstructure and Thermal Conductivity of Porous Al_2O_3-ZrO_2 Ceramics	
T. Delbrücke, R.A. Gouvêa, C.W. Raubach, E. Longo, V.C. Sousa, S.M. Tebcheranic, E.T. Kubaski, M.L. Moreira, J.R. Jurado and S. Cava	268
Thermocracking of Sunflower Oil over Acid Vermiculite	
J.R. Scheibler, F.M. do Nascimento Silva, K.R. Moraes Ferreira, M.G. Freire, E.L. Duarte, I.H. Azevedo Ramires and M.A. da Silva	274
The Influence of Dopants in the Grain Size of Alumina - A Review	
P. Milak, F.D. Minatto, C. Faller, A. de Noni Jr. and O.R.K. Montedo	280

Chapter 6: Ceramics in Biomedicine

Effect of Sonochemical Technique on the Morphology and Crystallinity of Hydroxyapatite Nanoparticles	
J.d.N. Lunz, K.P.M. Licona, A. Antunes Ribeiro, J.A. Delgado, L.M. Alonso and M.V. de Oliveira	287
Electrochemical Impedance Spectroscopy: Evaluation of Drug Delivery System of Alpha-Tricalcium Phosphate Cement	
J.C. Colpo, C. Pigatto, C.F. Escobar, T. Delbrücke, J.R. Jurado, V.C. Sousa and L.A. Santos	293
Aging Behavior of Commercial and Synthesized Dental Y-TZP Ceramics	
A. Arata, T. Moreira Bastos Campos, J.P.B. Machado, W.K. Yoshito, V. Ussui, N.B. de Lima, R. Nisie Tango and D.R.R. Lazar	297
Evaluation of the Cytotoxicity of $\text{NiFe}_2\text{O}_4/\text{SiO}_2$ Hybrid Nanoparticles Aiming its Application as Drug Carriers	
E. Leal, J. Dantas, P.T. de Araújo Santos, S.M. de Castro Máximo Bicalho, D.M. Brandão and A.C.F.d.M. Costa	303

Production of Hydroxyapatite/Polyhydroxybutirate Based Composites for Biomaterials Applications	
G.A. Santos, A.C.S. Dantas, L.M. Oliveira, A. de Vasconcelos Ferraz, W. Acchar and N.C. Olivier	309
Evaluation of Morphology and Roughness of the Surface of a Ceramic Based on Lithium Disilicate, after Conditioning with Acid Hydrofluoric the 5% and 10%	
C.L. Melo-Silva, T.C.F. Melo-Silva, C.F. Carvalho, J.P.S. Sudré, R.X. Freitas, J.P. de Gouvêa and J.F.C. Lins	315
Evaluation of Mechanical Properties of Composite Materials Used in Dentistry Varying the Inorganic Composition	
T.C.F. Melo-Silva, C.L. Melo-Silva, C.F. Carvalho, Á.B. Teixeira, J.F.C. Lins and J.P. de Gouvêa	320
Analysis of Flexural Strength of Ceramics Based on Zirconia Stabilized by Yttria with Ceramic Cover	
C.F. Carvalho, C.L. Melo-Silva, T.C.F. Melo-Silva, R.X. Freitas, J.P.S. Sudré and J.F.C. Lins	325
Phase Stability of 3Y-TSZ Ceramics after Different Surface Treatments	
C.P. Heidi, A.M. Patricia and G.L. Beatriz	330
Europium-Doped Hydroxyapatite: Influence of Excitation Wavelength on the Eu^{3+} Luminescence in the Hydroxyapatite	
F.R.O. Silva, N.B. de Lima, D.S. Gouveia, N.A.M. Ferreira, V. Ussui, L.C. Courrol and A.H.A. Bressiani	335
Sinterization of Alumina and of the Alumina/Zirconia System in Microwave Ovens	
M.Z.A.A. Maia, A.M.A. Maia, V.J. da Silva, R.C. Santos, G. de Araújo Neves, R.R. Menezes and L.N. de Lima Santana	341

Chapter 7: Nanotechnology

Evaluation of Organoclay Addition in Surface Modified Sintered UHMWPE Membranes for Oil Separation	
N.D.S. Gomes, A.L. Pontes, R.C.N. Leite and L.H. Carvalho	349
PP/EPDM Blends Compatibilized by Organically Modified Clays	
K.R.M. Ferreira, D.L.A.C.S. Andrade, E.L. Canedo, C.M.O. Raposo and S.M.L. Silva	355
Selective Occupancy of Sites by Rare Earths in $\text{K}_2\text{Nd}_{(1-X)}\text{Eu}_X\text{Nb}_5\text{O}_{15}$ Nanopowders, where X = 0, 0.0025, 0.025, 0.05 and 0.1, Prepared by Modified Polyol Method	
E.A. Namikuchi, M.A. Lima Nobre and S. Lanfredi	361
Changing of the Spontaneous Polarization in Niobate Nanoparticles Induced by Non Isovalent Doping	
C.V. de Lima, M.A. Lima Nobre and S. Lanfredi	367
Particle Size Analysis of Fe_3O_4 Nanoparticles Coated by Polyethyleneglycol	
F.A. Sampaio da Silva, E.E.G. Rojas and M.F. de Campos	373
Study of the Influence of Eu^{3+} Ions in the Bandgap of $\text{K}_2\text{NdNb}_5\text{O}_{15}$ Nanopowders	
E.A. Namikuchi, A.M. Pires, M.A. Lima Nobre and S. Lanfredi	378
New Additive Type Amorphous-Carbon/Zn Modifier of the Thermal Conductivity of Alcohol Fuel	
B.S. Potensa, G.O. Martins, S. Lanfredi and M.A. Lima Nobre	384

Chapter 8: Composites

Multilayered Ceramic Composites – A Review	
F.D. Minatto, P. Milak, E.S. Gislón, K. Coelho, A. de Noni Jr. and O.R.K. Montedo	393
Study of Sintering Behavior of Ceramic Composite Al_2O_3-TiO_2 Rare Reinforcing with La_2O_3 Possible Application as Ceramic Cutting Tools	
A.G. de Sousa, R.A.S. Ferreira and Y.P. Yadava	399
Evaluation of the Hydrophobicity on Silicon Rubber Coating with Loads of Alumina Trihydrate and Nanosilica for Use in Electrical Insulation Coatings	
D.C. Bezerra, I.P. Almirall, E.G. da Costa, A.C.F. de Melo Costa and E.M. Araújo	405
Iron-Rich Glass-Ceramics Obtained from Mill Scale	
I.T. Alves, C. Faller, D.H. Piva, R.H. Piva, F.M. Bertan and O.R.K. Montedo	411

Chapter 9: Earthenware

Addition of Ornamental Stone Waste to Improve Distinct Formulations of Clayey Ceramics C.M.F. Vieira, T. Samarão Motta, V. Scarpini Cândido and S.N. Monteiro	419
Residual Coal Characterization for Addition to Red Clay Ceramics C.M.F. Vieira and S.N. Monteiro	425
Improvement of Clay Ceramic Properties by Glass Polishing Sludge Incorporation J.S.C. Licurgo, C.M.F. Vieira, V.S. Candido and S.N. Monteiro	432
Characterization of Precursor Clay Body and Weibull Analysis of the Compressive Strength of Structural Blocks N.G. Azeredo, J. Alexandre, A.R.G. de Azevedo, G. de Castro Xavier, V.S. Candido and S.N. Monteiro	438
Characterization of Clayey Soils from Visconde Do Rio Branco for Fired Ceramic Bricks R.C. de Souza, A.R.G. de Azevedo, G. de Castro Xavier, J. Alexandre, L.G. Pedroti, F. de Andrade Silva and S.N. Monteiro	443
Assessment of the Technological Properties of High Temperature Fired Clayey Ceramics Incorporated with Glass Waste A. Sardinha Cordeiro Moraes, T. Mardegan Louzada, V.S. Candido, S.N. Monteiro and C.M.F. Vieira	449
Statistical Analysis of Degradation Data of Red Ceramic Pieces Incorporated with Ornamental Stone Waste C.B. Piazzarollo, G. de Castro Xavier, F.S. Albuquerque, P.C. de Almeida Maia, J. Alexandre, A.R.G. de Azevedo and S.N. Monteiro	455
Influence of Particle Size in Brick's Waste Reuse I.L.M. Gonçalves, E.M. Gripa, R.L. Manfro and V.C. Almeida	462
Microstructural Analysis of Clayey Ceramics Incorporated with Fluorescent Lamp Glass Waste T. Mardegan Louzada, A.S.C. Moraes, C.M.F. Vieira, V.S. Candido and S.N. Monteiro	468
Mathematical Simulation of Thermal and Moisture Gradients in Ceramic Blocks O. del Puppo Pereira Fernandes, G.R. de Oliveira, J.J. da Silva Nascimento, A.R.G. de Azevedo, J. Alexandre, F. de Andrade Silva and S.N. Monteiro	474

Chapter 10: Plaster and Cement

Effect of Superplasticizer Additives for Class Type Cpii E32 Cements H.F. Grillo, N.A. Mariano, A.S. Ramos, F. Ferraço, K.V.F. Grillo and S.C. Maestrelli	483
Study of Water Retention in Mortars Produced with Foundry Powder A.R. Coelho, H.R.S. Pereira, L. Faganello and L.V.O.D. Valentina	488
Effect of Heat Treatment on Properties of Portland Cement Pastes: Determination through Ultra-Microhardness Test D.C.S. Garcia, R.B. Figueiredo and M.T.P. Aguilar	492
Evaluation of the Addition of α-Al₂O₃ on the Mechanical and Thermal Properties in Binding Geopolymer D.L. da Costa, R.M. da Costa Farias, A.N.S. Braga, R.R. Menezes and G. de Araujo Neves	497
Granite Waste from Diamond Wire Sawing Addition into Concrete for Civil Construction L.G. Pedroti, C.M.F. Vieira, J. Alexandre, G. de Castro Xavier, V.S. Candido and S.N. Monteiro	503
Concrete with Addition of Hollow Glass Microspheres C.Y. Ueki Peres, A.H. Munhoz, L.F. Miranda, A.C. Neto, A.R. Zandonadi, R.M. Peres and F.R.V. Diaz	509
Pozzolanic Activity of Wastes from Fired Clay Ceramic Industry for Incorporation into Concrete M. de Souza Furriel Dias, L.G. Pedroti, C.M.F. Vieira, S.N. Monteiro, G. de Castro Xavier and V.S. Candido	515
Modeling of Two-Dimensional Orthotropic Heat Conduction in Porous Gypsum C.R.N. Souza, J.P. Alencar, A.C.S. Dantas, A. de Vasconcelos Ferraz and N.C. Olivier	520

Study of the Stabilization/Solidification of Oily Sludge of Oil through of Scanning Electron Microscopy and Diffraction of X-Rays	
J. Dias, A.L.F. de Brito, A. de Alcântara e Souza Bandeira, A.C.L. Patrício and A.C. Silva Muniz	526

Chapter 11: Recycling and Environment

Removal of Toxic Substances (Pb^{2+} and Zn^{2+}) in Water Using Clay as Natural Smectite Bofe Adsorbent	
R.S.S. Cunha, J.D. Mota and M.G.F. Rodrigues	535
Evaluation of Bentonite Clay Type in the Chocobofe Zinc Adsorption in Finite Bath System	
J.V.d.N. Silva, J.R. Scheibler and M.G.F. Rodrigues	539
Sodium Ions Uptake by Hydroxyapatite from Bovine Bone	
L. Domínguez, S. Patiño, A.A. Ribeiro, M.V. de Oliveira and M. Monteiro	545
Results of the Leaching, Water Absorption and Mold Release for Concrete Blocks with the Addition of the Concentration Tailings of Iron Ore	
F.L. da Silva, F.G. da Silva Araújo, C. Gonçalves Castro and F.L. von Krüger	549
Feasibility of Using Clay Ceramic Residue in Substitution of Washed Sand for Concrete Manufacturing	
M. Godinho Ornelas, T.L. Almeida Souza, A. Medeiros Rocha, S.C. Cabral, A.L.D. Skury and S.N. Monteiro	553
Evaluation of Incorporation of a Leather Waste Powder in Mortars for Construction Industry	
V.R.V. Mendes, R.d.C.S. Sant'ana Alvarenga, C.L. da Silva, J.M.F. de Carvalho, A.A.P. Rezende, D.P. Fassoni and C.F.R. Santos	558
Evaluation of Technological Properties of Ceramic Bodies Made of Kaolinite Clay and Steatite	
H.S.S. Torres, A.F.D.C. Varajão and A.C.S. Sabioni	564
Evaluation of the Presence of Aluminum Sulphate Used in the Generation of WTP Sludge when Incorporated to the Clay	
B.E.D.B.S. Martins, A.C. Cunha, L. Yokoyama and V.C. Almeida	570
Use of Leather Residue in the Manufacturing of Soil-Cement Bricks	
C.F.R. Santos, R.d.C.S. Sant'ana Alvarenga, B.C. Ribeiro, C.L. da Silva, A.A.P. Rezende and D.P. Fassoni	576
Evaluation of the Potential of Waste from Pulp Production (Grits) in its Use in Mortar: Physical and Chemical Characterization	
L. Carvalho Mesquita, R.d.C.S. Sant'ana Alvarenga, C.F.R. Santos, A.N. Oliveira Alvares, A.A.P. Rezende, M.L. Gravino, J.M.F. de Carvalho and L.G. Pedroti	583
Assessment of the Addition of Electric Arc Furnace Dust in Hot Metal at Temperature of 1,350 °C	
V. de Paulo Ferreira Marques Sobrinho, J.R. de Oliveira, E.A. Vieira, V.B. Telles, F. Fardin Grillo, J.A.S. Tenório and D.C.R. Espinosa	588
TiO₂ Supported in Ceramic Foams Used for Photocatalytic Applications	
G. da Silva Falk, Ê.L. Machado, D. Rodríguez, W. Acchar and A. de Assis Lawisch Rodriguez	594
Evaluation of Incorporation of Special Vitreous Residues in Mass for Porcelain Stoneware: Physical and Mechanical Properties	
A.M.B. Araújo, V.S. Porto, C.R.S. Morais and M.S.L. Cavalcanti	600
Preparation of Membrane Zeolite MCM-22 and Evaluation Process Oil/Water Separation	
A.S. Barbosa, A.S. Barbosa and M.G.F. Rodrigues	605
Addition of Paper Sludge Waste into Lime for Mortar Production	
A.R.G. de Azevedo, J. Alexandre, G. de Castro Xavier, F.C. Coelho França, F. de Andrade Silva and S.N. Monteiro	609