

Table of Contents

Preface, Committees, Sponsors

The Effect of Fiber Surface Treatment on the Water Absorption and Morphological Properties of Linear Low Density Polyethylene/Poly(Vinyl Alcohol)/Kenaf Composites A.L. Pang, H. Ismail and A.A. Bakar	1
Influence of Catalyst in Synthesizing Brookite Thin Film Coating N.D. Johari, Z. Mohd Rosli, J.M. Juoi and M.A. Musa	5
Characterization of Nanocrystalline Cellulose Isolated from Empty Fruit Bunch Using Acid Hydrolysis P.G. Gan, S.S. Ting, M.F. bin Abdullah, N.N. bin Zulkepli and Y.F. Yeong	9
Microstructural Analysis on Biochar Obtained from Rubber Wood Sawdust via Slow Pyrolysis N. Farhaneem, S.M. Se, M.F. Dimin and A. Shaaban	13
A Transmission Electron Microscopic Evaluation of Natural Rubber/Graphene Nanocomposite K.S. Tan, A. Aziz, K.L. Mok, H.M. Lim and R. Ramli	17
Electron Microscopy Studies on the Growth of Well-Aligned NiSi/SiC Core-Shell Nanowires Synthesized by HWCVD N. binti Hamzan, M.F. Omar, H.N. Ming and B.T. Goh	21
Crystallization Kinetics and Morphology of Poly(Lactic Acid)/Ethylene Acrylate Copolymer Blends M.T. Razaina and C.Y. Tham	25
Mechanical Properties of Hydroxyapatite Reinforced 45S5 N.F. Ibrahim, H. Mohamad, S.N.F. Mohd Noor and A. Nurazreena	29
Microscopic Characterization and Analysis of Electrospun TiO₂-PVP and TiO₂-PVDF Fibers J.Z. Soo, B.C. Ang and B.H. Ong	33
Characterization of TiO₂ Coating Deposited on Ceramic Substrate M.A. Musa, J.M. Juoi, Z. Mohd Rosli and N.D. Johari	38
Poly(lactic Acid) Scaffold Fabricated by Combination of Solvent Casting and Salt Leaching Techniques: Influence of β-Tricalcium Phosphate Contents R. Md Isa and M. Mustapha	42
Effect of Particle Size of Cordierite Powder on Pore Structure of Porous Cordierite A.K.F. Mokhtar and H. Mohamad	46
Fabrication of Carbonate Apatite Based on Hydrothermal Reaction Using Freeze-Casted β-TCP Precursor N. Mamat, M. Mustapha and Z.A.A. Hamid	50
Microstructural Study of Newly Designed Ti-6Al-1Fe Alloy through Deformation A.O. Abdalla, A. Amrin, R. Mohammad and M.A. Azmah Hanim	54
Influence of Hydroxyl and Carboxyl Functionalized Multi-Walled Carbon Nanotube and Filler Loading on the Tensile Properties of Epoxy Composites E. Junaidi, M. Mustapha and S. Hamdan	58
Enhanced Dielectric Properties of Polyimide Matrix Using Modified Electrospun Barium Titanate Nanofibers S.P. Meng, Z. Ahmad, H. bin Ismail, T.S. Huat, K. Nallis and M. Todo	62
Effect of Different Solutions on Hydrothermal Treatment of β-Tricalcium Phosphate Scaffold F. Darus and M. Mustapha	66
Fabrication of PEDOT:PSS/Graphene Conductive Ink Printed on Flexible Substrate N. Eawwiboonthanakit, M. Mustapha, Z. Ahmad, N. Ohtake and B. Lila	70
Synthesis and Characterisation of Novel Chitosan-Hydroxyapatites Composites Doped with Zinc I. Abdullahi and I. Zainol	74
Fish Scales Hydroxyapatite as Potential Fillers in HDPE Composites for Bone Replacement Applications C.N. Aiza Jaafar, I. Zainol and M. Mohd Amin	79

Comparison and Characterization of Acid Functionalization of Multi Walled Carbon Nanotubes Using Various Methods N. Janudin, L.C. Abdullah, N. Abdullah, F. Md Yasin, N.M. Saidi and N.A.M. Kasim	83
A Comparison Study between ZnO Nanorods and WO₃/ZnO Nanorods in Bromocresol Green Dye Removal Y.L. Ying, S.Y. Pung, M.T. Ong and Y.F. Pung	87
The Effect of Heating Rate and Temperature on Mechanical and Microstructure Properties of β-TCP by Microwave Sintering C. Mangkonsu, A.F. Mohd Noor, B. Lila and K. Masakazu	91
Hydrothermal Growth of 1D ZnO Nanorods Thin Films for Hydrogen Gas Production through Water Splitting Reaction M.Y. Chia, W.S. Chiu, N.H.M. Hasnan, P.S. Khiew and M.A.A. Hamid	95
Effect of Pressure and Temperature in Solid State Sintering Approach Producing Porous Tricalcium Phosphate Bioceramics F. Jaafar, R. Othman and A.F. Mohd Noor	99
Characteristics of FeCuAl Powder Compacts Formed through Uniaxial Die Compaction Route M.M. Rahman, M.A. Ismail and H.Y. Rahman	103
The Influences of Chemical and Mechanical Treatment on the Morphology of Carbon Nanofibers N. Mohamad Saidi, N.A.M. Kasim, M.J. Osman, N. Janudin, I.S. Mohamad and N. Abdullah	107
Effect of Nanocellulose Loading on Tensile Properties of Nitrile Rubber E.S. Abdul Rashid, W.A. Yehye, N. Muhd Julkapli and S.B.O.A. Abdul Hamid	112
Thermal Gravimetric Analysis of Unsaturated Polyesters Filled with Alumina Trihydrate and Silica Aerogel Z.A. Abdul Halim, M.A. Mat Yajid, M.H. Idris and H. Hamdan	116
Studies on Tensile Properties of Compatibilized and Uncompatibilized Low-Density Polyethylene/Jackfruit Seed Flour (LDPE/JFSF) Blends at Different JFSF Content S.S. Ting, O.S. Dahham, P.G. Gan, N.Z. Noimam, J.Y. Kuan and A.M. Alakrach	120
Microstructures of Nanocellulose and Reinforcement in Nitrile Butadiene Rubber (NBR) Composites M.N.A. Mohammad Taib, N. Muhd Julkapli, W.A. Yehye and S.B.O.A. Abdul Hamid	124
Surface Modification of Poly(Lactic Acid) Microspheres via Gamma Irradiation Z.H.A. Ninaya and Z.A.A. Hamid	128
Effect of Calcination Temperatures on Phase Transformation and Stability of β-Tricalcium Phosphate Powder Synthesized by a Wet Precipitation Method R. Othman, Z. Mustafa, J. Mohd Juoi, P.T. Kien and A.F. Mohd Noor	132
Bacto-Agar and Commercial Agar as Binder for Porous Zinc Anode S.N.A. Muhammad Zamri, M.A. Sulaiman, S. Ismail and M.N. Masri	136
Surface Morphology and Hydrophilicity Evaluation of PLA Microspheres Treated with Boronhydride (NaBH₄) at Different Concentrations Z.A.A. Hamid and N. Ali	140
The Morphology and Mechanical Study on <i>Neolamarckia cadamba</i> and <i>Endospermum diadenum</i> in Wood Composite for Particleboard Application S. Kahar, M.N. Masri and M. Mohamed	144
Moisture Absorption Behavior and Morphology of Thermoplastic Starch via Ascorbic Acid Hydrolysis Technique A.H. Mohd Zain and A.W.M. Kahar	148
Effect of NaOH Concentration on the Formation of TiO₂ Nanotube Arrays by Anodic Oxidation Process for Photoelectrochemical Cell N. Nyein, M.A. Zulkifli, T.W. Kian, A. Matsuda and Z. Lockman	152
Acidolysis Effect on Starch in Polylactic Acid (PLA)/Thermoplastic Starch (TPS) Blend N. Ibrahim and A.W.M. Kahar	156
Behaviour of T91 Steel Oxide Scale Exposure to Temperature at 540°C for Different Exposure Duration M.N. Suraya, A. Astuty, B. Hariffin and R. Mohammad	160
Microstructure and Mechanical Properties of TiO₂ Coatings Prepared by Plasma Spray Technique M. Siti Mariam, M.N. Ahmad Fauzi and A. Ahmad Nizam	165

Morphology of CuO-Doped Activated Carbon from Kenaf Core Fiber M.S. Shamsuddin, M.A. Sulaiman, N.R. Nik Yusoff, M. Yusoff and N.S. Subki	169
Effect of Sintering Heating Rate on $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Formation J.J. Mohamed, M.A. Sulaiman, M.Q. Saari, M.M. Zain, S.A. Sharif, S. Abdul Karim, A.K.F. Mokhtar, H. Mohamad, M.F. Ain, M.F. Ab Rahman and F.K. Bahanurudin	173
Effect of Fly Ash Composition on Electrodeposited Nickel-Fly Ash Composite Coatings on Aluminium Alloy 7075 Substrate M.K. Ahmad, I.S. Othman, M.Z. Zainal Abidin, Q. Ahsan, J. Abd Razak and N. Kamarudin	177
Optimization of Fluidised Bed Granulation Process Parameters for Urea Granule Manufacturing Using the Response Surface Method M.A. Zainal Abidin, M.F. Dimin, M.R. Said, S.M. Se, A. Shaaban and M.N. Abd Rahman	182
Characterization of Phase Formation in Al-20%Mg₂Si-2%Cu Metal Matrix Composite N.A. Nordin, T.A. Abu Bakar, E. Hamzah, S. Farahany and A. Ourdjini	186
Effect of Sintering Temperature on the Morphology and Adhesion Strength of Eggshell Coating on Mild Steel N.M. Jafar, T. Abubakar, C.Y. Chong and N.H. Ahmad	190
Effect of Microwave Plasma Power on Topographical Change in Epoxy Composites L.F. Choong and K.Y. Cheong	194
Utilization of <i>Metroxylan sagu</i> Pith Waste as Biodegradable Filler for Natural Rubber (NR) Latex Films A.R. Azura, N.S. Adzami and H.A. Tajarudin	198
Corrosion of Aluminum Alloy Used as Sacrificial Anode for Steel Embedded Concrete Transmission Tower in Brackish Mud Z. Yahya, M.M. Rahman and M. Daud	202
Microstructural, Mechanical and Dielectric Properties of CCTO/Epoxy Composite S. Abdul Karim, M.A. Sulaiman, M.N. Masri, J.J. Mohamed, Z.A. Ahmad and M.F. Ain	206
Formation of Cobalt Doped Zinc Oxide Photocatalyst for Methyl Orange Degradation F.I. Abu Bakar, K.A. Birang, M.A. Mohd Adnan, J. Abd Razak and S. Ismail	211
Microstructure of CuO Assisted Activated Carbon Adsorbent from Rubber Wood Sawdust Produced by Mechanochemical Processing M.A. Sulaiman, M.S. Shamsuddin, N.R. Nik Yusoff, M. Yusoff and N.S. Subki	215
The Effect of Addition of Polysaccharide Materials on the Morphology of Freeze Fracture Surface of Natural Rubber Latex Films A.R. Azura and M.A. Misman	220
Anodic ZrO_2 Nanotube Arrays Formation by Anodisation in Ethylene Glycol with Varying Amount of Water N. Bashir, A.R. Khairunisak, T.W. Kian, A. Matsuda and Z. Lockman	224
Processability and Thermo-Mechanical Properties of Epoxy as Reactive Plasticizer of Polyetherimide N. Marzuki, M.A.A. Mohd Alias, R. Arjulizan and Z. Ahmad	228
Effect of Hydrothermal Treatment in Calcium Phosphate Solution on SUS304 Substrate M.N. Nur Faiqa and A. Nurazreena	232
Photodegradation Improvement of Low-Density Polyethylene Thin Film with $\text{gC}_3\text{N}_4/\text{5ZnO}/\text{TiO}_2$ Photocatalysts N. Sutanto and S. Sreekantan	236
The Effects of Deposition Time and Seed Layer on Morphological Properties of Zinc Oxide by Chemical Bath Deposition M.R. Yusof Hamid, S.B.O.A. Abdul Hamid and B.H. Ong	240