

# Table of Contents

## Preface and Committees

|                                                                                                                                                                                                                                                     |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Numerical Schemes for Modelling Two Phase Flow with Interfaces</b><br>J. Minár                                                                                                                                                                   | 1   |
| <b>Diffusion Induced Changes in Eutectic Carbides in Wrought M2 High-Speed Steel at Austenitising</b><br>A.S. Chaus, M. Beznák and M. Sahul                                                                                                         | 5   |
| <b>Analysis of Freeze-Drying and Rehydration of Açai (<i>Euterpe oleracea</i> Martius)</b><br>R.J. Brandão, M.M. Prado and L.G. Marques                                                                                                             | 11  |
| <b>Dynamic Analysis of Delaminated Beams</b><br>A. Mahieddine, M. Ouali and A. Mazouz                                                                                                                                                               | 17  |
| <b>The Stability of CeNi<sub>3</sub>-Based Intermetallic Hydrides</b><br>S.A. Lushnikov and T.V. Filippova                                                                                                                                          | 24  |
| <b>The Effect of Heat Treatment on Morphology and Phase Composition of Grain Boundary Phases in Mg-Zn-Y-Nd-Zr</b><br>O. Melikhova, J. Čížek, M. Vlček, F. Lukáč, M. Vlach, B. Smola, I. Stulíková, R. Kužel, I. Procházka, H. Kudrnová and A. Jäger | 30  |
| <b>Hydrogen Trapping at Defects in Pd and Thermally Activated Desorption</b><br>M. Vlach, J. Čížek, O. Melikhova, V. Kodetova, I. Stulíková and I. Procházka                                                                                        | 36  |
| <b>Influence of Natural Ageing on Precipitation Processes during Isochronal Annealing in MgGd Alloys</b><br>T. Kekule, H. Kudrnová, M. Vlach, J. Čížek, O. Melikhova, I. Stulíková and B. Smola                                                     | 42  |
| <b>Characterisation of Defects in ZnO Implanted by Hydrogen</b><br>I. Procházka, J. Čížek, J. Valenta, V. Havránek, P. Hruška, M. Novotný and J. Lančok                                                                                             | 49  |
| <b>Hydrogen-Induced Buckling of Pd Films Deposited on Various Substrates</b><br>M. Vlček, F. Lukáč, M. Vlach, I. Procházka, S. Wagner, H. Uchida, A. Pundt, R. Gemma and J. Čížek                                                                   | 55  |
| <b>Modeling and Experimental Investigations of the Surface Layer Temperature of Titanium Alloys during AEDG Processing</b><br>A. Golabczak, M. Golabczak, A. Konstantynowicz, R. Swiecik and M. Galant                                              | 63  |
| <b>Cracking Response of a Concrete Wall to Cryogenic Temperature</b><br>L. Dahmani, R. Hammar and M.O. Mechiche                                                                                                                                     | 71  |
| <b>Drying of Rough Rice in Oven: An Experimental Study</b><br>J.V. Silva, E.M.A. Pereira, T.H.F. Andrade and A.G.B. de Lima                                                                                                                         | 77  |
| <b>Wheat Convective Drying: An Analytical Investigation via Galerkin-Based Integral Method</b><br>J.P.S. Santos, I.B. Santos, E.M.A. Pereira, J.V. Silva and A.G.B. de Lima                                                                         | 82  |
| <b>Numerical Analysis of the Resin Transfer Molding Process via PAM-RTM Software</b><br>I. Rodrigues, S.C. Amico, J.A. Souza and A.G.B. de Lima                                                                                                     | 88  |
| <b>Analysis of Pollutant Emissions of Diesel Engine Operating with Mixture of Diesel, Biodiesel and Natural Gas</b><br>F.J. da Silva, A.G.B. de Lima, Y.J.R. da Costa and C.R.B. Filho                                                              | 100 |
| <b>Experimental Drying of Ceramics Bricks Including Shrinkage</b><br>J.J.S. Nascimento, F.A. Belo and A.G.B. de Lima                                                                                                                                | 106 |
| <b>Characteristics of Composite Produced with Different Fractions of Wood Waste and High Density Polyethylene (HDPE)</b><br>M.C. Terence and J.M. Melo                                                                                              | 112 |
| <b>Analysis of the Cutting Temperatures along the Macrostructure of a Directionally Solidified Al-7wt%Si Alloy</b><br>A.P. Silva, I.R. Prado, J.S. Barros, C.A.P. Silva, A.L. Moreira and O.L. Rocha                                                | 116 |
| <b>Study and Properties of a Steel Microalloyed Hardened Superficially</b><br>N. López-Perrusquia, M.A. Doñu Ruiz, C.R. Torres San-Miguel, M. Flores-Báez and I. Flores-Báez                                                                        | 122 |
| <b>The Percolation Phenomenon and Fractal Dimension of Natural Silicates</b><br>M.A. Vasilyeva, Y.A. Gusev, V.G. Shtyrilin and Y.N. Osin                                                                                                            | 128 |

|                                                                                                                                                                                                                                             |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Correlation between Thermal Parameters, Primary Dendrite Arm Spacing and Microhardness on a Directionally Solidified Ternary Al-6wt%Cu-8wt%Si Alloy</b><br>O.L. Rocha, A.L. Moreira, T.A. Costa, J.M.D. Filho, S.L. Paula and A.P. Silva | 136 |
| <b>Mechanical Behavior of Iron Boride Formed in the Surface of an AISI W2</b><br>T. de la Mora-Ramírez, D. Sánchez Huerta, N. López-Perrusquia, M.A. Doñu Ruiz, E.A. Cerrillo-Moreno and J.V. Cortes-Suarez                                 | 142 |
| <b>Mechanical Behavior on Cr Base Steels Surface Treatment</b><br>M.A. Doñu Ruiz, N. López-Perrusquia, G. Urriolagoitia-Sosa, L.H. Hernández-Gómez and D. Sánchez Huerta                                                                    | 148 |
| <b>Implementation and Monitoring of Higreregulated Wall Base Ventilation Systems to Control Rising Damp</b><br>A.S. Guimarães, J.M.P.Q. Delgado and V.P. de Freitas                                                                         | 154 |
| <b>Influence of Mortar Joints on the Moisture Transfer in Layered Materials</b><br>A.S. Guimarães, J.M.P.Q. Delgado and V.P. de Freitas                                                                                                     | 160 |
| <b>Hygrothermal Material Properties Database</b><br>J.M.P.Q. Delgado                                                                                                                                                                        | 166 |
| <b>Wood Dimensional Changes due to Hygrothermal Behaviour</b><br>V.P. de Freitas, J.M.P.Q. Delgado and N. Machado                                                                                                                           | 172 |
| <b>The Influence of Mn, Zr and Pb Promoters on the Performance of Cu/ZnO/SBA-15 Catalyst for Hydrogenation of CO<sub>2</sub> to Methanol</b><br>S.F.H. Tasfy, N.A.M. Zabidi, M.S. Shaharun and D. Subbarao                                  | 178 |
| <b>Improved Surface Quality by the Process of Vibratory Grinding</b><br>S. Dehbi and K. Hamouda                                                                                                                                             | 183 |
| <b>Using the Fractional Advection Dispersion Equation to Improve the Scale Effect in the Sampling Process of Column Tests with Lateritic Soils</b><br>R.M. de Moraes and A.L.B. Cavalcante                                                  | 188 |
| <b>Application of Artificial Neural Network for Prediction of Boride Layer Depth Obtained on XC38 Steel in Molten Salts</b><br>K. Rayane and O. Allaoui                                                                                     | 194 |
| <b>Effective Modeling of Phenomena in Over-Moisture Zone Existing in Porous Sand Mould Using the Simplified Simulation Systems Applied in Foundry</b><br>Z. Ignaszak and P. Popielarski                                                     | 200 |
| <b>Hydrolysis to Produce Etanol Macambira (<i>Bromélia laciniosa</i>)</b><br>C.S.S. Lima, L.S. Conrado, D.A.S. Leão, M.M. Conceição and F.L.H. Silva                                                                                        | 207 |
| <b>Catalytic Hydrolysis of Pretreated Sugarcane Bagasse over Acid-Activated Vermiculite Catalysts</b><br>B.R.P. Nunes, L. de Sousa Conrado and C.R.S. Moraes                                                                                | 212 |
| <b>Physical - Chemistry Characterization of Sweet Sorghum Bagasse in Nature and Delignificate with NaOH to Produce Bioethanol</b><br>D.B. da Cunha Campos, L. de Sousa Conrado and C.R. Silva Moraes                                        | 219 |
| <b>The Synthesis of Pseudoboehmite Using Factorial Experimental Design</b><br>A.H. Munhoz, T.J. Masson, L.F. de Miranda, A. Cabral Neto, R.C. Andrades and M.V. Rossi                                                                       | 226 |
| <b>Investigation of Defects in Hydrogen-Saturated Titanium by Means of Positron Annihilation Techniques</b><br>R.S. Laptev, A.M. Lider, Y. Bordulev, V.N. Kudiiarov, G.V. Garanin, W. Wang and P.V. Kuznetsov                               | 232 |
| <b>Influence of Degassing and Nanoclay Loading on Physical and Flexural Properties of Epoxy</b><br>Y. Ali, M. Al-Qadhi, N. Merah and A. Rafiq                                                                                               | 237 |
| <b>Size Effect of CaCO<sub>3</sub> Filler on the Mechanical Properties of SMC Composites</b><br>Y.J. Lee, Y. Kim, S.R. Kim, D.G. Shin, S.C. Oh and W.T. Kwon                                                                                | 244 |
| <b>Beta Irradiation Effect on Cu(In, Ga)Se<sub>2</sub> Thin-Films</b><br>Ş. Akyol, U.C. Matur, N. Baydogan and H. Çimenoglu                                                                                                                 | 249 |
| <b>Biodiesel Production via Transesterification: Effect of the Types of Oil/Alcohol and Alcohol Concentrations on Settling Behaviour of Byproduct of Glycerol</b><br>P. Rattanapoltee, D. Poomprasit and P. Kewkannetra                     | 255 |
| <b>Hardening Palladium Using Hydrogen as a Catalytic Alloying Element</b><br>Y.Z. Chen, X.Y. Ma, X.H. Shi and F. Liu                                                                                                                        | 262 |
| <b>First-Principles Study of Hydrogen Storage in Fe-Ti System</b><br>A. Khadraoui and F.Z. Bentayeb                                                                                                                                         | 266 |

|                                                                                                                                                                                                                                                                                             |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Towards a Study of Effects on Hydrogen Diffusion into T40 Titanium Alloys</b><br>S. Dejardin, V. Duquesnes, N. Creton, I. Bezverkhyy, T. Montesin and R. Oltra                                                                                                                           | 272 |
| <b>Corrosion Behaviour of Steel Nitrided and Nitrocarburized in Gas, Respectively</b><br>H. Fujikawa, H. Iwamura and M. Uramoto                                                                                                                                                             | 278 |
| <b>Heat and Mass Transfer during Drying of Lentil Based on the Non-Equilibrium Thermodynamics: A Numerical Study</b><br>J.C.S. Melo, A.G.B. de Lima, W. Pereira Silva and W.M.P.B. de Lima                                                                                                  | 285 |
| <b>Building Pathology and Rehabilitation Techniques – A Rising Damp Treatment Catalogue</b><br>A.S. Guimarães and J.M.P.Q. Delgado                                                                                                                                                          | 291 |
| <b>Hydrogen-Induced Hardening in Palladium</b><br>J. Čížek, O. Melikhova and I. Procházka                                                                                                                                                                                                   | 297 |
| <b>Effect of Heat Treatment in the Structure and Microstructure of Ti-15Zr-XMo Alloys</b><br>D.R.N. Correa, P.A.B. Kuroda, M.L. Lourenço and C.R. Grandini                                                                                                                                  | 305 |
| <b>Development of Technology of Leucoxene Concentrates Processing</b><br>A.N. Dmitriev, L. Leontiev and S.V. Shavrin                                                                                                                                                                        | 311 |
| <b>Study on <math>\text{Cu}_{48}\text{Zr}_{43}\text{Al}_9</math> and <math>\text{Cu}_{54}\text{Zr}_{40}\text{Al}_6</math> Amorphous Matrix Alloys by Mechanical Spectroscopy</b><br>O. Florêncio, P.W.B. Marques, P.S. Silva, J.A. Muñoz Chaves, L.C. Rodriguez Aliaga and W.J. Botta Filho | 317 |
| <b>Cellulase Production under Solid State Fermentation in Cashew Apple Bagasse by <i>Trichoderma reesei</i> LCB 48</b><br>S.A. da Silva Lins and L. de Sousa Conrado                                                                                                                        | 323 |