

Table of Contents

Preface

I. Ferroelectric and Piezoelectric Ceramics

Preparation of Barium Titanate Grain-Oriented Ceramics and their Piezoelectric Properties

R. Mori, P. Pulpan, H. Hayashi, Y. Nagamori, Y. Yamamoto, T. Uchikoshi, T.S. Suzuki and S. Wada 3

Crystal Growth and Ferroelectric Properties in $\text{Bi}_{0.5}\text{K}_{0.5}\text{TiO}_3\text{-Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ Crystals

A. Morishita, Y. Kitanaka, M. Izumi, Y. Noguchi and M. Miyayama 7

Enhanced Piezoelectric Properties of Barium Titanate-Potassium Niobate Solid Solution System Ceramics by MPB Engineering

S. Shimizu, P. Pulpan, N. Kumada, D. Tanaka, M. Furukawa, Y. Kuroiwa, T.S. Suzuki, T. Uchikoshi and S. Wada 11

Fabrication and Microstructure of Grain-Oriented $(\text{Bi}_{1/2}\text{K}_{1/2})\text{TiO}_3$ Ceramics

M. Saitoh, Y. Hiruma, H. Nagata and T. Takenaka 15

Effect of Al_2O_3 Additives in PZT-Pb($\text{Mn}_{1/3}\text{Nb}_{2/3}$) O_3 Ceramics

K. Teranishi, T. Azuma and M. Hirose 19

Crystal Structure Analysis of High T_C Barium Titanate – Bismuth Perovskite-Type Oxide System Ceramics and their Piezoelectric Property

K. Yamato, N. Kumada, P. Pulpan, S. Ohno, C. Moriyoshi, Y. Kuroiwa, B.Y. Lee, T. Iijima and S. Wada 23

Dielectric Properties of Barium Titanate Ceramics with Nano-Sized Domain

Y. Kigoshi, S. Hatta, T. Teranishi, T. Hoshina, H. Takeda, O. Sakurai and T. Tsurumi 27

Evolution of Internal Stress and Influence on Dielectric Properties by Number of Dielectric Layers in MLCC

S. Yokomizo, T. Hoshina, H. Takeda, K. Taniguchi, Y. Mizuno, H. Chazono, O. Sakurai and T. Tsurumi 31

Degradation of Resistance over Time for Multilayer Ceramic Capacitors

K. Morita, Y. Mizuno and H. Chazono 35

Analysis of Oxygen Vacancy Trapping at [001] Symmetric Tilt Grain Boundaries in Barium Titanate by Atomistic Simulations

T. Oyama, N. Wada and H. Takagi 39

Improvement of Compact X-Rays Source Using Uniaxially Polarized LiNbO_3 Single Crystal

Y. Guan, S. Fukao, K. Ito, Y. Nakanishi, Y. Sato, Y. Ito and S. Yoshikado 43

Nonlinear Shear Response in $(\text{K},\text{Na})\text{NbO}_3$ -Based Lead-Free Piezoelectric Ceramics

M. Hagiwara, S. Takahashi, T. Hoshina, H. Takeda, O. Sakurai and T. Tsurumi 47

Discharge Current Measurement and Depolarization Property of Lead-Free Niobate Piezoceramics

H. Matsudo, K. Kakimoto and I. Kagomiya 51

Dielectric and Piezoelectric Properties of $(\text{Na},\text{Ba})(\text{Nb},\text{Ti})\text{O}_3$ Lead-Free Piezoelectric Ceramics

R. Aoyagi, M. Iwata and M. Maeda 55

Materials Design and Characterization of $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3\text{-Bi}(B',B'')\text{O}_3$ Ceramics

Y. Oshima, Y. Kitanaka, Y. Noguchi and M. Miyayama 59

II. Energy and Environmental Ceramics

Ion Exchange of Layer Structured Niobate $\text{Cs}_4\text{Nb}_6\text{O}_{17}\bullet3\text{H}_2\text{O}$ and its Application as Cathode Material in a Rechargeable Lithium Battery

M. Ohashi 65

Fabrication of Dye-Sensitized Solar Cells with Electrolyzed TiO_2 Nanotube Array Films

T. Nakamura, K. Hayashi, A. Masahiro and T. Ogihara 69

Fabrication of Nanostructured NiO Thick Films by Facile Printing Method and their Dye-Sensitized Solar Cell Performance	74
K. Sakurai and S. Fujihara	
Advantageous Effect of Macroporous TiO₂ Particles on Dye-Sensitized Solar Cells	78
N. Hitachi and S. Fujihara	
Synthesis and Characterization of La_{0.8}Sr_{0.2}Ga_{0.8}Mg_{0.2}O_{3-δ} Nano-Particle by Aerosol Plasma Pyrolysis	82
K. Myoujin, A. Toriyama, T. Kodera and T. Ogihara	
Preparation and Characterization of La_{0.8}Sr_{0.2}Ga_{0.8}Mg_{0.2}O_{3-δ} Film by Electrophoretic Deposition Method	86
A. Toriyama, K. Myoujin, T. Kodera and T. Ogihara	
Synthesis and Electrochemical Properties of Porous LiAl_{0.05}Mn_{1.95}O₄ for High Power LIB by Spray Pyrolysis	91
T. Kodera, S. Hirose and T. Ogihara	
Preparation and Electrochemical Properties of C/LiMnPO₄ for Lithium-Ion Battery by Spray Pyrolysis	95
Y. Suetsugu, A. Hujita, T. Kodera and T. Ogihara	
Preparation and Characterization of Pd-Based Optical Hydrogen Sensor Operated at Room Temperature by Using Photodeposition Process	100
J. Hamagami, R. Araki, H. Oda, M. Sakai and A. Matsuda	
Synthesis and Lithium Ion Conductivities of Zirconium Phosphate-Based Solid Electrolytes	105
K. Ide, S. Suzuki and M. Miyayama	
Development of Positive Electrode Materials for the High Rate Lithium Ion Battery by Nanostructure Control	109
E. Hosono, H. Matsuda, M. Okubo, T. Kudo, S. Fujihara, I. Honma and H.S. Zhou	
Preparation of Cathode Materials for a Lithium-Ion Battery Using an Industrial Microwave Furnace	113
M. Higuchi, K. Suzuki, K. Katayama, T. Nakamura, A. Kagohashi, A. Kinoshita and H. Suzuki	
Influence of Sintering Behavior of ZnO Nanoparticles on J-V Characteristics of ZnO-Based Dye-Sensitized Solar Cells	117
S. Ueno and S. Fujihara	

III. Thin Films

Rapid Low-Temperature Synthesis of Porous ZnO Nanoparticle Film by Self-Hydrolysis Technique	123
X.L. Hu, Y. Masuda, T. Ohji and K. Kato	
Magnetic and Dielectric Properties of Cr₂O₃/LiNbO₃/Cr₂O₃ Multi Layer	127
T. Yokota, Y. Tsuboi, S. Murata, S. Kito and M. Gomi	
Dielectric Properties of Highly (001)-Plane Oriented SrBi₄Ti₄O₁₅ Thin Films	131
Y. Mizutani, H. Uchida, H. Funakubo and S. Koda	
Preparation and Evaluation of TiO₂ Nanoparticle Thin Films by Electrophoresis Deposition	135
K. Ito, Y. Sato, M. Adachi, Y. Mori and S. Yoshikado	
Effect of Metal-Dielectric Interfaces on Tunability in Barium Strontium Titanate Thin-Film Capacitor	140
N. Horiuchi, T. Hoshina, H. Takeda, O. Sakurai and T. Tsurumi	
Ferroelectric Properties of Magnetoferroelectric YMnO₃ Epitaxial Films at around the Neel Temperature	144
T. Yoshimura, K. Maeda, A. Ashida and N. Fujimura	
Evaluation of the Structures and Oxidation Resistances of MoSi₂-Si Composite Thin Films	148
T. Hayashi, Y. Sato and S. Yoshikado	
Relationships between Negative Differential Resistances and Resistance Switching Properties of SrFeO_{2+x} Thin Films with Excess Oxygen	152
T. Yokota, S. Kito, S. Murata, Y. Tsuboi and M. Gomi	
Tunable Barium Strontium Titanate Thin Films by CSD	156
D. Iwasaki, M. Maruyama, N. Sakamoto, D.S. Fu, N. Wakiya and H. Suzuki	
Comparison of Thermal Stability of Epitaxially Grown (La_{0.5}Sr_{0.5})CoO₃ and (La_{0.6}Sr_{0.4})MnO₃ Thin Films Deposited on Si Substrate	160
S. Sawamura, N. Sakamoto, D.S. Fu, K. Shinozaki, H. Suzuki and N. Wakiya	

Dielectric Properties of HfO₂ Films Prepared on Flexible Polymer Substrates Using UV Irradiation

K. Suzuki and K. Kato

164

IV. Nanocrystals and Processing

Preparation of Barium Titanate Nanoparticles by Particle Growth Control

S. Kondo, T. Kita, P. Pulpan, C. Moriyoshi, Y. Kuroiwa and S. Wada

171

Preparation of Strontium Titanate / Barium Titanate Complex Nanoparticles Using New Titanium Chelate Compounds

T. Goto, P. Pulpan, T. Takei, Y. Kuroiwa and S. Wada

175

Thermal Property of BaO-TiO₂-GeO₂ Glass and the Crystallization Behavior

Y. Yamazaki, H. Masai, Y. Takahashi and T. Fujiwara

179

Dispersion of Barium Titanate and Strontium Titanate Nanocubes and their Selective Accumulations

S. Wada, A. Nozawa, S. Iwatsuki, T. Kuwabara, T. Takei, N. Kumada, P. Pulpan and H. Uchida

183

Synthesis and Characterization of CaZnGe₂O₆

H. Hatakeyama, Y. Narumi, K. Uematsu, T. Ishigaki, K. Toda and M. Sato

187

Synthesis and Characterization of Low-Dimensional Structure Photocatalyst BaGeGa₆O₁₂

M. Nishiya, K. Uematsu, T. Ishigaki, K. Toda and M. Sato

191

V. Electroceramics in General

Composite Electromagnetic Wave Absorber Made of Both Sendust and Aluminum Particles Dispersed in Polystyrene Resin

K. Sakai, Y. Guan, Y. Sato and S. Yoshikado

197

Effects of H₂O Addition on One-Step Liquid-Phase Synthesis of Highly Aligned Carbon Nanotubes

S. Yamashita, T. Kikitsu, Y. Yamaguchi, K. Yamagiwa and J. Kuwano

201

Relationship between Aluminum and Lithium and Annealing for Reducing Lithium Contamination in Aluminum-Implanted Zinc Oxide

I. Sakaguchi, K. Matsumoto, T. Ohgaki, S. Hishita, Y. Adachi, T. Nakagawa, K. Watanabe, N. Ohashi and H. Haneda

205

Effect of Substrate on Growth Mechanism of Flower Structured InN Fabricated by APHCVD

N. Sakamoto, H. Sugiura, D.S. Fu, N. Wakiya and H. Suzuki

209

Characteristics of Hot Spot Oxygen Sensor Using GdBa₂Cu₃O_{7-δ} Ceramic Rod with Gd₂BaCuO₅ Core

S. Fujihara, Y. Kuroki, T. Okamoto and M. Takata

213

Low Temperature Synthesis Method of La₂O₂S₂ and Evaluation of the Photocatalytic Activity

M. Ohashi, T. Ishigaki, K. Uematsu, K. Toda and M. Sato

217

Photoluminescence in Bazirite Crystal by Addition of Impurity Ions

K. Iwasaki, Y. Takahashi, H. Masai and T. Fujiwara

221

Low-Frequency Inelastic Light Scattering of Glassy Ba₂TiGe₂O₈ during Heating Process

Y. Takahashi, H. Masai, T. Fujiwara and M. Osada

225

Effects of LiF Addition in Lithium Ion Conductor La_{0.56}Li_{0.33}TiO₃

I. Komiya, K. Nakao, K. Yamagiwa and J. Kuwano

229

Morphology Control of Phosphors Synthesized by Microwave Heating Method

A. Toda, K. Uematsu, T. Ishigaki, K. Toda and M. Sato

233

Effects of Zr and Y Addition on the Electrical Degradation Characteristics of ZnO Varistors

Y. Akiyama, A. Fukumori, M. Takada, Y. Sato and S. Yoshikado

237

Effect of Ba Addition on Electrical Characteristics of Bi-Based ZnO Varistors

A. Fukumori, M. Takada, Y. Akiyama, Y. Sato and S. Yoshikado

241