

Table of Contents

Preface

I. Dielectric, Piezoelectric and Ferroelectric Ceramics

| | |
|--|----|
| Domain Contribution to Elastic Nonlinearity in Pb(Zr, Ti)O₃-Based Piezoelectric Ceramics | 3 |
| M. Hagiwara, T. Hoshina, H. Takeda and T. Tsurumi | |
| Fabrication of Lead Zirconate Titanate Thin Films by Inkjet Printing | 7 |
| A. Shimofuku, O. Machida, A. Takeuchi, Y. Akiyama and E. Ohta | |
| Preparation and Characterization of Spherical Fine Nickel Particles by Ultrasonic Spray Pyrolysis | 11 |
| T. Kodera, T. Oomura, Q. Wu, R. Minami and T. Ogihara | |
| One-Axis-Oriented Crystal Growth of Lead Zirconate Titanate Thin Films on Metal Substrates Using Perovskite-Type Oxide Nanosheet Layer | 15 |
| Y. Minemura, Y. Kondoh, H. Funakubo and H. Uchida | |
| TEM Analysis of the Nanostructure of Pb(Mg_{1/3}Nb_{2/3})O₃ Thin Films by MOD Method | 19 |
| Y. Misaka, T. Kiguchi, K. Sato, T. Nishimatsu, T. Yamada, N. Usami and T.J. Konno | |
| Preparation of Barium Titanate Nanoparticles with Necking Structure/Polymer Complex and their Dielectric Properties | 23 |
| S. Tsukamoto, I. Fujii, K. Nakashima, T. Takei, N. Kumada, S. Wada, T.S. Suzuki, T. Uchikoshi and Y. Sakka | |
| Preparation of Barium Titanate Grain-Oriented Ceramics by Electrophoresis Deposition Method under High Magnetic Field Using Single-Domain Nanoparticles | 27 |
| S. Wada, T. Kita, I. Fujii, K. Nakashima, T. Takei, N. Kumada, T. Suzuki, T. Uchikoshi, Y. Sakka, Y. Miwa, S. Kawada, M. Kimura and Y. Kuroiwa | |
| Microstructure Control of Porous Barium Titanate Ceramics and their Sensor Properties | 32 |
| K. Maeda, I. Fujii, K. Nakashima, G. Fujimoto, K. Suma, T. Sukigara and S. Wada | |
| Synthesis and Characterization of BaTiO₃ Fine Powders by Pulse Jet Spray Pyrolysis | 36 |
| K. Myoujin, T. Kodera, R. Minami, T. Omura, T. Ogihara and N. Yamada | |
| Domain Dynamics under Unipolar Electric Fields for BaTiO₃ Single Crystals | 40 |
| S. Ishikawa, Y. Kitanaka, Y. Noguchi, M. Miyayama, C. Moriyoshi and Y. Kuroiwa | |
| Improvement of Insulation Reliability of BaTiO₃-Based Ceramics Using Mixed Conductive Electrode | 44 |
| D. Yoshidome, T. Hoshina, H. Takeda, Y. Sakabe and T. Tsurumi | |

II. Lead-Free Piezoelectric Ceramics

| | |
|---|----|
| Polarization Switching Dynamics of Ferroelectric (Bi_{0.5}Na_{0.5})TiO₃ Single Crystals | 51 |
| K. Yanai, H. Onozuka, Y. Kitanaka, Y. Noguchi, M. Miyayama, C. Moriyoshi and Y. Kuroiwa | |
| Preparation of BiFeO₃-BaTiO₃ Based Thick Films by Screen Printing | 55 |
| T. Futakuchi, T. Kakuda and Y. Sakai | |
| Synthesis and Properties of Mn-Doped (Bi_{0.5}Na_{0.5})TiO₃ Thin Films by Chemical Solution Deposition | 59 |
| N. Makino, B.Y. Lee, M. Moriya, W. Sakamoto, T. Iijima and T. Yogo | |
| Mossbauer Spectra of ⁵⁷Fe-Enriched BiFeO₃ Thin Films Fabricated on SiO₂/Si Substrates by Chemical Solution Deposition Process | 63 |
| K. Tanaka, Y. Tsukamoto, S. Okamura and Y. Yoshida | |
| Preparation of Barium Titanate/Strontium Titanate Accumulation Ceramics with Necking Structure of Strontium Titanate Nanocubes | 67 |
| K. Nakashima, S. Iwatsuki, I. Fujii and S. Wada | |
| Preparation of Bismuth Based Perovskite Oxides and their Electric Properties | 71 |
| I. Fujii, A. Shimamura, K. Nakashima, N. Kumada, H. Funakubo, Y. Kuroiwa and S. Wada | |

Preparation of Potassium Niobate/Barium Titanate Nanocomposite Ceramics with a Wide Barium Titanate Particle Size Distribution and their Dielectric Properties

I. Fujii, K. Yamashita, K. Nakashima, Y. Fujikawa, D. Tanaka, M. Furukawa, E. Magome, C. Moriyoshi, Y. Kuroiwa and S. Wada

76

Preparation of Grain-Oriented Ceramics with Bismuth Potassium Titanate-Barium Titanate and their Piezoelectric Properties

K. Inaba, I. Fujii, K. Nakashima, H. Hayashi, Y. Yamamoto, Y. Kuroiwa and S. Wada

80

Chemical Composition of Dielectric and Piezoelectric Properties for BaTiO₃-Bi(Mg_{1/2}Ti_{1/2})O₃-BiFeO₃ System Ceramics

R. Mitsui, I. Fujii, K. Nakashima, N. Kumada, Y. Kuroiwa and S. Wada

84

Preparation of (Bi_{1/2}K_{1/2})TiO₃-Bi(Mg_{1/2}Ti_{1/2})O₃-BiFeO₃ Ceramics Withnanodomain Structure and their Piezoelectric Properties

H. Kamei, I. Fujii, K. Nakashima, Y. Kuroiwa, H. Minemoto and S. Wada

88

Origin of Semiconducting Behavior of CaO Added BaTiO₃-(Bi_{1/2}Na_{1/2})TiO₃ Ceramics

H. Akutsu, M.A. Zubair, T. Hoshina, H. Takeda and T. Tsurumi

92

Leakage Current and Polarization Properties of (Bi_{0.5}Na_{0.5})TiO₃-BaTiO₃ Single Crystals

K. Hirano, H. Onozuka, Y. Kitanaka, Y. Noguchi and M. Miyayama

96

III. Energy Related Ceramics

Electrode Properties of Defect-Introduced Graphenes for Lithium-Ion Batteries

W.Y. Lee, S. Suzuki and M. Miyayama

103

Relationship between Phonon Parameters and Oxygen Ion Conductivity for Al-Yb Co-Doped Zirconia

T. Teranishi, N. Matsubara, H. Hayashi and A. Kishimoto

107

Fabrication and Evaluation of Titanium Dioxide Nanotube Thin Films by Anodic Oxidation on Transparent Electrodes

Y. Okumoto, R. Kawakami, Y. Sato and S. Yoshikado

111

Synthesis and Electrical Properties of La Doped SrTiO₃ Powders by Ultrasonic Spray Pyrolysis

K. Genji, K. Myoujin, T. Kodera and T. Ogihara

115

Preparation and Characterization of Mesoporous Silica and Lithium-Ion-Conductive Halocomplex Salt Composite

Y. Tomita, M. Morishita, T. Okada, Sahara, A. Ichikawa, S. Ishimaru, Y. Kohno, Y. Maeda and K. Kobayashi

119

Synthesis of Carbons Added LiFePO₄ Powders by Two-Fluid Nozzle Spray Pyrolysis and Measurement the Charge-Discharge Properties

T. Nakamura, T. Kodera, R. Minami and T. Ogihara

123

Effect of Surface Fluorination on the Charge/Discharge Properties of High Potential Negative Electrode TiO₂(B) for LIBs

M. Saito, Y. Nakano, M. Takagi, T. Maekawa, A. Tasaka, M. Inaba, H. Takebayashi and Y. Shodai

127

Synthesis of Titania Nanotubes with Different Diameters for Dye-Sensitized Solar Cells

J. Tang, T. Nakamura, T. Ogihara and J. Xiong

131

Thermally Stimulated Depolarization Current in 3 Mol% Yttria-Doped Zirconia

N. Horiuchi, Y. Tsuchiya, K. Nozaki, M. Nakamura, A. Nagai and K. Yamashita

135

IV. Thin Film and Nanocrystal

Fabrication of Nanoporous Titanium Dioxide Films Using Aerosol Deposition

K. Yuuki, Y. Sato and S. Yoshikado

141

Dipole-Dipole Interaction Model for Oriented Attachment of BaTiO₃ Nanocrystals Revisited

K. Yasui and K. Kato

145

Structure and Properties of Thin Films Consisting of Single Crystalline BaTiO₃ Nanocubes

K. Mimura and K. Kato

149

Crystal Structures and Surface Morphologies of LaGaO₃-Based Epitaxial Thin Films Grown by a Pulse Laser Deposition Method

A. Matsunaga, Y. Kitanaka, R. Inoue, Y. Noguchi, M. Miyayama and K. Itaka 153

Characterization of Cu₂O Thin Film Grown by Molecular Beam Epitaxy

T. Oshima, M. Nohara, T. Hoshina, H. Takeda and T. Tsurumi 157

Temperature Dependence of Resistivity of MoSi₂-Si Composite Thin Films

R. Kanai, S. Hikita, Y. Sato and S. Yoshikado 161

Preparation of BaZrO₃ Nanocrystals at Low Temperature

K. Nakashima, I. Fujii and S. Wada 165

Preparation of Barium Titanate/Strontium Titanate Nanocube Accumulation Ceramics and their Dielectric Property

S. Tsukamoto, S. Iwatsuki, I. Fujii, K. Nakashima and S. Wada 169

Improvement of the Stability of X-Ray Emission by Thermal Excitation of a Pyroelectric Single Crystal

F. Naruse, H. Honda, Y. Nakanishi, S. Fukao, Y. Sato, Y. Ito and S. Yoshikado 174

V. Semiconductor, Magnetic, Optical, and Sensor Ceramics

Analysis of Grain-Boundary in SrCoO₃-Doped ZnO Varistors and its Electrical Characteristics

E. Koga, M. Hogiri and Y. Higashi 181

TEM Study for Self-Orientated LaNiO₃ Film along [100]

N. Sakamoto, K. Ozawa, K. Murakoshi, T. Ohno, T. Kiguchi, T. Matsuda, T.J. Konno, N. Wakiya and H. Suzuki 185

Oxygen Diffusion in Rare-Earth Doped BaTiO₃ Ceramics

I. Sakaguchi, S. Hirose, T. Furuta, K. Watanabe, K. Kageyama, S. Hishita, H. Haneda and N. Ohashi 189

UV-Visible Faraday Rotators Based on Rare-Earth Fluoride Single Crystals: LiREF₄ (RE=Tb, Dy, Ho, Er and Yb), PrF₃ and CeF₃

V. Vasyliev, E.G. Villora, M. Nakamura, Y. Sugahara and K. Shimamura 194

Fabrication of Bismuth-Based Zinc Oxide Varistors with High Varistor Voltage by Addition of Tin and Yttrium Oxides

Y. Tokoro, T. Watanabe, Y. Sato and S. Yoshikado 198

Low-Temperature Fabrication of Dye-Sensitized ZnO Electrodes via Zinc Hydroxide Acetate by Utilizing Liquid Phase

S. Ueno, H. Utsunomiya and S. Fujihara 202

Fabrication of Nanostructured Zinc Oxide Films on Plastic Substrates by Pyrolysis Method and their Application to Dye-Sensitized Solar Cells

H. Utsunomiya, S. Ueno and S. Fujihara 206

Influence of Catalyst Loading Method on Titania-Based Optical Hydrogen Gas Sensing Properties

J. Hamagami, R. Araki, S. Onimaru, G. Kawamura and A. Matsuda 210

Synthesis and the Luminescent Properties of Silicate NaAlSiO₄:Eu²⁺ Phosphor Using SiO Powder as a Silica Source

T. Abe, K. Toda, K. Uhematsu, M. Sato, T. Ishigaki, K.B. Sung, D.S. Jo, T. Masaki and D.H. Yoon 214

Effects of Thermal Annealing for Barium and Silicon-Added Bismuth Based Zinc Oxide Varistors on Electrical Properties and Grain Boundary Structure

A. Kubota, Y. Sato and S. Yoshikado 218