Table of Contents

Preface

| Effect of Mutual Coupling Action between K_1 and K_3 on Fracture Toughness of Materials in a Mixed Mode Fracture | 1 |
|---|-----|
| Y.S. Zhao Compliance Controlled Stress Intensity Factor Changes in Rivetted Repairs | 1 |
| D.P.W. Horrigan and J.F. Williams | 7 |
| Study on the J-Integral Failure Assessment Curve of Heterogeneous Welded Joints L.X. Huo, X.Q. Yang and Y.F. Zhang | 13 |
| Mode I and Mode II Plane-Stress Near-Tip Fields for Cracks in Materials with Strain-Gradient Effects | 19 |
| J.Y. Chen, Y.Y. Huang and K.C. Hwang | 19 |
| Interacting Circular Inhomogeneities X.L. Han and T.C. Wang | 29 |
| Effect of Material Character on Fundamental Solutions for Three Dimensional Transversely Isotropic Media M.H. Zhao, Y.P. Shen, Y.J. Liu and G.N. Liu | 35 |
| On J Integral as Fracture Parameter in Heterogeneous Welded Joints | |
| J.D. Kang, L.X. Huo and Y.F. Zhang | 41 |
| Evaluation of T Stress for a Finite Internally Cracked Plate by Using EEVM Method Y.H. Chen, Y.B. Luo and X.Y. Lin | 47 |
| On Several Problems of Macro / Micro Failure Mechanics S.W. Yu, X.Q. Feng and Q.H. Qin | 51 |
| Effect of a Circular Inclusion on Crack Propagation Path in a Plate under Tension H. Nisitani and A. Saimoto | 61 |
| Bifurcation in Growth Patterns for Arrays of Parallel Griffith, Edge and Sliding Cracks K.T. Chau, H Muhlhaus and A. Ord | 71 |
| Analysis of Newly Defined Stress Intensity Factors at the End of Rectangular and Cylindrical Inclusions | |
| N. Noda, Q. Wang, T. Morodomi and Y. Uemura | 77 |
| A Method for Calculating T-Stress in Mixed Mode Problems M.R. Ayatollahi, D.J. Smith and M.J. Pavier | 83 |
| J ₂ -Integral and its Application in Estimates of Stress Intensity Factors Y.J. Xie, B.Z. Chen, H.B. Xu and P.N. Li | 89 |
| Elastic-Plastic Stress Singularity Near the Tip of V-Notch D.H. Chen and K. Ushijima | 95 |
| Stress Intensity Factor Equation for Center Cracked Tension (CCT) Specimens of Fiber Reinforced Metal Laminates under Cyclic Loading | 101 |
| Y.J. Guo and X.R. Wu | 101 |
| Fractal Dimension of Fracture Surface Profiles in an Austenite Steel Fatigued by Repeated Bending | |
| M. Tanaka, A. Kayama, R. Kato and A. Muto | 107 |
| Dislocation Emission and Cleavage Process at Crack Tip T.C. Wang | 113 |
| Molecular Dynamics Simulation of Hydrogen Enhancing Dislocation Emission G.H. Zhou, F.X. Zhou, F.R. Wan and W.Y. Chu | 123 |
| Investigation of Atomic Structure Ahead of Crack Tip by STM and AFM X.D. Li, Y.B. Wang, W.Y. Chu, C.M. Wang, F. Tian, Y. Zhang, R.D. Xia and C.L. Bai | 129 |
| Fundamentals of Mode III Fracture: A Discrete Dislocation Simulation Approach S.B. Lee | 135 |
| Fractal Description of Fractured Surfaces in Materials C.W. Lung | 145 |
| Crevice Formation in Thin Plates by Stress Driven Mass Rearrangement A.N. Norris and C. Vemula | 151 |

| Emission of an Edge Dislocation from a Thin-Film-Covered Crack | 161 |
|--|-------|
| C Qian, T.Y. Zhang and P. Tong Vibration of Cracked Kirchhoff's Plates | 101 |
| | 167 |
| Analysis of Breathing Cracks Using a Cracked Beam Element D.P.W. Horrigan and J.F. Williams | 173 |
| A Numerical Simulation of the Crack Growth in a Smooth CT Specimen W Yan, G Shan, O. Kolednik and F.D. Fischer | 179 |
| Introduction to Composite Element Method for Structural Analysis in Engineering P. Zeng | 185 |
| Development of Hybrid Finite Elements for Stress Analysis of Composite Structures S.V. Hoa and W. Feng | 191 |
| Meshless Method on Massively Parallel Processors with Application to Fracture Mechanics G. Yagawa and T. Yamada | 201 |
| A Finite Element Analysis on Isotropic Damage Propagation in Axisymmetric Structures S.J. Kim, S.W. Chung and J.H. Kim | 211 |
| Effect of Shape and Arrangement of Inclusions on the Elastic Modulus of Composite Materials | |
| | 221 |
| Shape Optimization Analysis for Frequency Response Problems of Solids with Proportional Viscous Damping | |
| Z.Q. Wu, Y. Sogabe and H. Azegami | 227 |
| | 233 |
| Finite Element Analysis of Porous Materials Fracture Toughness Z.H. Shan and Y. Leng | 243 |
| Prediction of the Effect of Craze Damage on Apparent Elastic Properties of Polystyrene by FEM | |
| | 249 |
| Steady State Analysis for Dynamic Crack Propagation in Gas Pipelines L. Zhuang and P.E. O'Donoghue | 255 |
| Dynamic Fracture Characteristics of Metallic Materials under Impact Loading S. Bahk, M.K. Park and D.J. Sun | 261 |
| The Transition Method of Geometrically Similar Element for Dynamic Crack Problem C.B. Hu, Y.L. Li, Y.T. Li and J.M. Gong | 267 |
| Dynamic Fracture Feature in Metals under Very High Strain Rate Induced by Shock Loading | . = 0 |
| | 273 |
| | 279 |
| | 285 |
| | 291 |
| | 301 |
| č | 311 |
| | 317 |
| | 323 |
| , , , | 329 |
| Dynamically Propagating Crack in Graded Particle Dispersed Composite Modeled by Neuro-Fuzzy Inference M. Nakagaki, Y.D. Wu and S. Hagihara | 333 |

| A Very High Strain Rate Compression Test Using a Modified Split Hopkinson Pressure Bar Technique | |
|--|-----|
| O.S. Lee, J.H. Chong, S.S. You, S.S. Choi, H.S. Kang, M.J. Han and M.S. Han | 343 |
| Analysis of Impact Fracture Behavior of Laminated Glass of Bi-Layer Type Using Discrete Element Method J. Oda and M.Y. Zang | 349 |
| Modelling of Dynamic Behaviour of Elastic-Plastic Structures under Impact K.Q. Wu and T.X. Yu | 355 |
| Higher Order Solutions of the Near-Tip Fields for a Rigid Flat Inclusion in a Damaged Nonlinear Material T.J. Wang and K. Kishimoto | 361 |
| A Method of Damage Mechanics Analysis for Solder Material H.E. Fang, C.L. Chow and F. Yang | 367 |
| Some Advances in Study of Crack Identification Problems C.T. Liu and W.J. Chen | 375 |
| Interacting Multiple Cracks X.L. Han and T.C. Wang | 381 |
| A Geometrical Description in Finite Elasto-Plastic Deformation F. Song, Y. Sun and D. Wang | 387 |
| Artificial Neural Network Assessment System for Fatigue Life P. Zeng | 393 |
| Analysis of Damage Moments in the Collective Evolution of Short Fatigue Cracks Y.S. Hong and Y. Qiao | 399 |
| Crack Identification by Artificial Neural Network C.B. Hwu and Y.C. Liang | 405 |
| Dynamic Function of Damage and Its Implications Y.L. Bai, M.F. Xia, F.J. Ke and J. Bai | 411 |
| An Interface for Implicit Constitutive Modelling T. Furukawa and G. Yagawa | 421 |
| Estimation of Bending Strength of CFRP Cross-Ply Laminates from Damping Capacity Using by Neural Network | |
| O.I. Byon(Goichi Ben), Y. Nishi, K. Mori and T. Yamaguchi | 427 |
| A Method of Damage Mechanics for the Prediction of Fatigue Lives X.R. Zhang, J.H. Zhao and K.C. Hwang | 433 |
| Neural Network Based Inverse Analysis for Defect Identification with Laser Ultrasonics S. Yoshimura, G. Yagawa, A. Oishi and K. Yamada | 443 |
| Prediction of Fracture Limits of Sheet Metals by Using a Damage Mechanics Criterion C.Y. Tang, W.H. Tai, L.C. Fung and T.C. Lee | 453 |
| Damage Evolution and Energy Dissipation in the Crazing of Polymers C.Y. Tang, M. Jie and W.B. Lee | 459 |
| Influence of Fiber/Matrix Interface Properties on Complementary Energy and Composite Damage Tolerance V.C. Li, T. Kanda and Z.C. Lin | 465 |
| The Effect of Interface Damage on the Microbuckling of Unidirectional Fiber-Reinforced Composites | 472 |
| Y.Y. Huang, C. Liu, M.G. Stout and K.C. Hwang Closed-Form Interacting Solutions for Overall Elastic Moduli of Composite Materials with Multi-Phase Inclusions, Holes and Microcracks | 473 |
| Q.S. Zheng and D.X. Du | 479 |
| On the Modeling of Interfacial Zone Containing a Griffith Crack: Plane Problem Z.Z. Zou, X.Y. Wang and D. Wang | 489 |
| Singular Integral Equation Approach to Push-In Tests in Fiber-Reinforced Composites Q. Wang and S.X. Sun | 495 |
| Influence of Interfacial Debonding on the Elastic Property of a Particle-Reinforced Composites | |
| Y.H. Zhao | 501 |
| A Tensile Strength Model for AVCO Mod 3a C/C Composite J. Liang, S.Y. Du and X.F. Chen | 507 |

| An Analysis of a Crack Normal to Bimaterial Interface Using Cubic Isoparametric Finite Elements | |
|--|-----|
| W.K. Lim, K.C. Jeong and C.H. Song | 513 |
| Application of Shear Lag Analysis to Tensile Behaviour of Fiber-Composites S. Ochiai | 519 |
| The Singularity of Stress Field Near the Axisymmetric Interface End of Push-In Test Specimen of Composites | |
| X. Ji, B.L. Zheng, Y.G. Wang and P.F. He | 529 |
| Damage Tolerance of Adhesively Bonded Composites Single Lap Joints L. Tong, X.C. Zhu and G.P. Steven | 537 |
| Analytical Techniques for Bonded Repairs Y.C. Lam and C.S. Zhu | 543 |
| A 4-Cylinder Model to Evaluate Interfacial Properties of Fibre-Reinforced Composites H.R. Daghyani, A. Hosseini Monnazah and L. Ye | 553 |
| Evaluation of Interfacial Bonding Strength of Films J.W. He, K.W. Xu and N.S. Hu | 559 |
| An Application of Conservation Integrals to Elastic T-Stresses of Interface Crack H.J. Moon and Y.Y. Earmme | 567 |
| Intensity of Singular Stress Field at the Interface Edge Point of a Bonded Beam D.H. Chen and K. Nonomura | 577 |
| Elastoplastic Constitutive Law for Particle Dispersed Composite Material Accounting for | |
| Mesoscopic Inhomogeneity M. Nakagaki and Y.D. Wu | 583 |
| Stress Intensity Factors of Three-Dimensional Interface Crack under Mixed-Mode Loading by Finite Element Analysis | 500 |
| K. Machida An Analysis of Singularity in Single Fibre Pull Out Test Using PEM | 589 |
| An Analysis of Singularity in Single Fibre Pull-Out Test Using BEM Y. Dai, J.K. Kim, X. Ji and S.T. Xue | 595 |
| Computational Modeling and Analysis of a Center-Cracked Panel Repaired by Bonded Composite Patch R.W.T. Chau and S.W.R. Lee | 601 |
| Tensile Failure of Short Fiber-Reinforced Composites | 001 |
| B. Mu and Z.J. Li | 607 |
| Finite Element Analysis of Stress Distributions in a Fibre/Matrix Fragment H.Y. Liu, Y.W. Mai and L. Ye | 613 |
| Theoretical Consideration on Cavity Growth Process under Creep-Fatigue Condition M. Arai and T. Ogata | 621 |
| Incorporating the Effect of Stress-Free Thermal Ageing into Creep Damage Models J.K.L. Lai | 627 |
| Fatigue Crack Growth in 316L Stainless Steel G. Wheatley, R. Niefanger, Y. Estrin and X.Z. Hu | 631 |
| Analysis of Crack Closure by Different Measurement Methods X.Y. Huang, M. Lang, X.R. Wu and H. Döker | 637 |
| Prediction of Fatigue Life of MIG Welded Cruciform Joints Failing from the Root LOP Region | |
| V. Balasubramanian and B. Guha | 643 |
| Damage Analysis of High Temperature Isothermal and Thermomechanical Fatigue on a TZM Alloy H.J. Shi and G. Pluvinage | 649 |
| Cyclic Creep Behavior of SiCw/6061Al Composites at High Temperatures | 017 |
| P.L. Liu, Z.G. Wang, H. Toda and T. Kobayashi | 655 |
| Correlations Among Curves Equations and Materials Parameters in the Whole Process on Fatigue-Damage-Fracture of Components Y.G. Yu, W.G. Pan and Z.H. Li | 661 |
| Characteristics and Miromechanism of Low Cycle Fatigue under Non-Proportional | |
| Loading for 316L Stainless Steel G.Q. He, C.S. Chen, X.Y. Zhang, Q. Gao and X.F. Sun | 669 |
| | |

| Fatigue Properties of Self-Fusing-Alloy-Sprayed Steel K. Sonoya and M. Kitagawa | 675 |
|--|-----|
| Evaluation of Fatigue Life in Microelectronics Solder Joints of a Surface-Mounted Type K. Kaminishi, M. Iino and M. Taneda | 681 |
| A Study on Fatigue Crack Growth Behavior of Aged Stainless Steel at Elevated Temperatures J.K. Lim, D.W. Seo and Z.S. Li | 687 |
| Analysis of Fatigue Crack Closure Behavior for Various Cracked Geometries J.Z. Liu and X.R. Wu | 693 |
| Evaluation of Cumulative Fatigue Lives under Different Biaxial Loading Mode Sequences for Notched Specimens M.C. Yip and Y. Jen | 699 |
| Fatigue Damage Repair by Artificial Introduction of Crack Closure C.S. Shin, K.C. Huang and R.Z. Li | 705 |
| Creep Behavior and Rupture Life of Short Fiber Reinforced Metal Matrix Composites H.W. Nam, S.W. Jung, J.S. Lee and K.S. Han | 711 |
| Fatigue Crack Propagation in Titanium Single Crystals Y. Mine, T. Yamada, S. Ando, K. Takashima, H. Tonda, Y. Higo and P. Bowen | 721 |
| Unidirectional Carbon Fibre/Epoxy Laminates Interleaved by Film Adhesives and Chopped Kevlar Fibres M. Sohn and X.Z. Hu | 727 |
| Load History Effects on Composites Laminates and Composite Repairs W.K. Chiu, S. Galea and R. Jones | 733 |
| Fracture Behavior of ABS Resin under Mixed Mode Loading K. Kishimoto, H.M. Notomi and T. Shibuya | 743 |
| Advanced Composites for Medical Applications B.S. Kim | 749 |
| Mode II Fracture Behaviour of PBT Modified Brittle Epoxies H.S. Kim and P. Ma | 759 |
| Improvement of Mechanical Properties of Materials by Biomimetic Treatment B.L. Zhou | 765 |
| Effects of Thermal Cycling on Microscopic Damage Progress in Laminated Composites S. Ogihara, N. Takeda and A. Kobayashi | 775 |
| Static Mechanical Behavior of Bamboo/Aluminum Composites for Applications in Industrial Structures G.X. Sui, T.X. Yu, J.K. Kim and B.L. Zhou | 781 |
| Effect of Blending Sequence on the Impact Strength of PET/PC Blends J.S. Wu and Y.W. Mai | 787 |
| Impact Strength and Failure Mechanisms of PBT/PC Blends J.S. Wu and Y.W. Mai | 793 |
| Interlaminar Properties of Glass Woven Fabric Composites: Mode I and Mode II Fracture M.L. Sham, J.K. Kim and J. Wu | 799 |
| Interface Modification of PC/LCP in Situ Composites and its Influence of Impact Strength N.F. Kong and Y. Leng | 805 |
| Interphase Morphology and Fibre Pull-Out Behaviour of Carbon Fibre PEEK Composites S.L. Gao and J.K. Kim | 811 |
| A Study of the Elastic Storage Moduli of Glass Bead Filled LDPE Composites J.Z. Liang, C.Y. Tang, R.K.Y. Li, S.C. Tjong and K.C. Yung | 817 |
| Mechanical Properties of Glass Beads Filled Polypropylene Composites C.Y. Tang, J.Z. Liang, K.C. Yung, R.K.Y. Li and S.C. Tjong | 823 |
| Effects of Cyclic Thermal Loadings on Fatigue Behavior of Carbon/PEEK Laminates M.C. Yip, C.M. Tseng and N.H. Tai | 829 |
| Fatigue Crack Growth in Carbon Fiber Filled PEEK under Mixed Mode Conditions D.J. Lee | 835 |
| Stretch Strength of Al-Li Alloy Sheet K. Sato, T. Sakamoto, Y. Sawa, T. Yokoyama and S. Fujimoto | 841 |
| | |

| Method for Determination of the Strain Hardening Law and for Analysis of Early Fracture Stages of Some Structural Components V.P. Shveikin and S.V. Smirnov | 847 |
|--|------------|
| An IFS Constitutive Description of the Fractal Microcrack Evolution for SiC _p Reinforced Al Alloy Matrix Composite in Large Plastic Deformation S.C. Shin, S. Grünert and L.L. Wang | 853 |
| Development of New Welding Pattern in Order to Minimise Distortions in Marine Structure D. Ischenko and R.N. Ibrahim | 859 |
| Effect of Thermo-Mechanical Conditioning Cycle on Retardation of Crack Growth in Cylinders Manufactured from an Aluminium Alloy R.N. Ibrahim and D. Ischenko | 865 |
| Effects of Orientation and Loading Mode on Short Fatigue Crack Growth in Ni ₃ Al Alloy Single Crystals G.P. Zhang and Z.G. Wang | 871 |
| Mechanical Behavior of Two-Dimensional Carbon Fiber Fabrics Reinforced Carbon Matrix Composites S.S. Tzeng and W.C. Lin | 877 |
| A Study on Deformation Behaviour of Ultrafine Grained Materials W.Y. Yeung | 883 |
| Effect of Microstructure and Several Parameters on J_i and δ_i Q.F. Li, G.Z. Chen, X.B. Liu, P. Long, S.H. Tan and J.H. Wu | 889 |
| Evaluation of the Interaction Effects of SiC Particles During Damage Process of MMC M. Kikuchi and M. Gheni | 895 |
| Fracture and Damage at Interfaces of Ceramic Laminates X.Z. Hu and H. Wang | 901 |
| Division and Delamination Processes of WC+Co Film Coated by High-Velocity Flame Spraying K. Nakasa, M. Kato and D. Zhang | 907 |
| An Inverse Analysis Approach to Identify the Elastic-Plastic Material Properties of Al- Based Functionally Graded Materials H. Okada, Y. Fukui, N. Kumuzawa and Y. Nakagawa | 913 |
| Oxidation Behavior of Si-Ti-C-O Fiber-Bonded-Ceramics N. Tohyama, B.N. Kim, M. Enoki and T. Kishi | 919 |
| Simulation of Crack Propagation with Microcracking in Al ₂ O ₃ Particle-Dispersed SiC Composites | |
| M. Watanabe, B.N. Kim, M. Enoki and T. Kishi | 925 |
| Mechanical Properties of a NiTi-Based Smart Composite W.B. Lee, M. Jie and C.Y. Tang | 931 |
| Experimental Study on Dynamic Crack Propagation of Steel Fiber Reinforced Concrete Y. Ma, X.H. Guo, Y.M. Sun and X.F. Shu | 937 |
| Fracture Systems Caused by Mechanical Indentation in Medium or Hard Rocks S.Q. Kou | 941 |
| Computational Estimation of Tensile Strength of Lightweight Concrete and its Application to Material Design M. Katagiri and H. Sekine | 947 |
| Peak Strength of Replicated and Real Rocks Containing Cracks R.H.C. Wong and K.T. Chau | 953 |
| Nondestructive Evaluation of Cracks and Elastic Constants of Concrete Using Transient Elastic Waves T.T. Wu and J.S. Fang | 959 |
| Tensile Strain Hardening Behavior of Cementitious Composites Reinforced with Short Steel Fibres | 065 |
| F.M. Li and Z.J. Li Electroelastic Analysis of a Partially Debonded Inhomogeneity in Piezoelectric Materials Z. Zhong | 965 971 |
| A Nonlinear Constitutive Theory for Ferroelectrics X.Q. Chen and D.N. Fang | 977 |
| A Constitutive Theory for Ferroeletric Ceramics W. Lu, D.N. Fang and K.C. Hwang | 983 |

| Fracture, Fatigue and Domain-Switch of Ferroelectrics under Electric and Mechanical | |
|---|------|
| Loading T. Zhu and W. Yang | 989 |
| On Multiple Circular Piezoelectric Inclusions Embedded in an Intelligent Material C.K. Chao | 999 |
| Electromechanical Response of Cracks in Piezoelectric Materials under Combined Mechanical and Electrical Loadings | 1005 |
| S. Kumar and R.N. Singh Makariaal Propagation Analysis of Pional actuin Smooth Structures | 1005 |
| Mechanical Properties Analysis of Piezoelectric Smart Structures Y.P. Shen, C.Q. Chen, X.M. Wang, Z.K. Wang and Y.C. Zhang | 1011 |
| Energy Release Rate for a Crack or a Cavity in a Piezoelectric Material T.Y. Zhang | 1021 |
| Environmental Embrittlement of a Ni-22.6Al(at%) Intermetallics S.J. Gao, J.Q. Su and Z.Q. Hu | 1031 |
| Effects of Stress Concentration Factors on Corrosion Fatigue Strength of a Steel Plate for Ship Structures Y. Kobayashi, Y. Tanaka, H. Goto, K. Matsuoka and Y. Motohashi | 1037 |
| Retrogression and Reaging Revisited | 1057 |
| W. Wallace, R.T. Holt, C. Butler and D.L. DuQuesnay | 1043 |
| In Situ TEM Observations of Liquid Metal Embrittlement of Al Single Crystals in HG + 3 atm% Ga | |
| Y.J. Su, Y.B. Wang and W.Y. Chu | 1053 |
| Investigation of Tensile Stress Induced by Oxide Film During Corrosion Process for α -Ti H. Lu, K.W. Gao and W.Y. Chu | 1059 |
| Analysis and Design of Pressure Washer Drums for Pulp and Paper Industry M.S. Gadala, S. Fok and M. Tayler | 1065 |
| Several Issues Concerning Reliability Assurance of Equipment for Nuclear Power Plants Q.K. Wu, B.G. Nie, C.Q. Li and P. Li | 1071 |
| Estimations of Total Life in Whole Fatigue-Damage-Fracture Process of Structures and their Components under Many-Stage Loading Conditions Y.G. Yu, Z.H. Li and W.G. Pan | 1077 |
| Adjustable Real-Time Interval Digital Shearography and its Applications J.B. Dai, Z.D. Liu and Z.Y. Peng | 1083 |
| Applications of Long Distance Microscope (LDM) in the Testing of Fracture Mechanics X.W. Sun, H.M. Jin, X. Hua and N.H. Liu | 1089 |
| A Study on the Development of Photoelastic Experimental Hybrid Method for Fracture Mechanics | |
| J.S. Hawong, D.C. Shin and H.J. Lee | 1095 |
| Methodology and Illustrations for Material Design against Fractures J.M. Xiao | 1105 |
| Self-Organization of Mechanical Structure by Cellular Automata N. Inou, T. Uesugi, A. Iwasaki and S. Ujihashi | 1115 |
| Experimental Measurement of Fast Branching Cracks T. Nishioka, T. Kishimoto and K. Sakakura | 1121 |
| Thermal Stress Analysis of a PQFP Moulding Process: Comparison of Viscoelastic and Elastic Models | |
| J.H. Park, J.K. Kim, M.M.F. Yuen, S.W.R. Lee, P. Tong and P.C.H. Chan | 1127 |
| Effects of Temperature Profile on the Life Prediction of PBGA Solder Joints under Thermal Cycling X.W. Zhang and S.W.R. Lee | 1133 |
| Detection and Characterization of Cracks and Corrosion in Aging Aircraft Structures (Part | |
| 1) J.D. Achenbach | 1139 |
| Detection and Characterization of Cracks and Corrosion in Aging Aircraft Structures (Part 2) | |
| J.D. Achenbach | 1149 |
| Evolution of Orientation Hardening in the Cold Rolling of an AA3003 Aluminium Alloy Sheet | |
| W.B. Lee and X.Y. Wen | 1161 |

| Mode III Crack in the Piezoelectric Layer of Two Dissimilar Materials | |
|--|------|
| J.X. Liu, B.S. Wang and S.Y. Du | 1167 |
| Strengthening of Wire Electro-Discharge Machined SiAlON Ceramic by Quenching | |
| T.C. Lee, J.H. Zhang and C.Y. Tang | 1173 |
| | |