

# Table of Contents

## Preface, Committees and Sponsors

## Chapter 1: Materials Engineering

|  |    |
|--|----|
| <b>Atom Transfer Radical Polymerization of 3-O-Methacryloyl-Diacetone-D-Glucose</b><br>J.B. Qu, H.H. Shao and X.X. Zhang   | 3  |
| <b>Studies on the Processing Conditions for Preparation of Polyol Using Beet Pulp</b><br>X.L. Yan and K.B. Wang  | 7  |
| <b>The CT Mountings' Quality Control Produced by Furan Resin Self-Hardening Sand</b><br>H.Y. Hao and Q.S. Ji   | 12 |
| <b>Continuous Preparation of Low-Molecular-Weight Chitosan by the Combination of Ozone Treatment and Membrane Separation</b><br>C. Wei, J.T. Liang, W. Yue and P.J. Yao  | 16 |
| <b>Optimization of Sanding Parameters for Surface of Laminated Veneer Lumber of <i>Eucalyptus</i></b><br>C.W. Su, J.D. Huang, J.M. Zhang, Y. Ren and Z.K. Wang   | 21 |
| <b>Study on Electrospinning of Polyvinyl Butyral/Ethanol Solution</b><br>L. Wang and X.H. Zhang  | 26 |
| <b>Development of Constitutive Model of EA4T High-Speed Train Shaft Steel Based on Internal-State-Variable Method</b><br>Y.M. Huo, B.Y. Wang and J.G. Lin  | 31 |
| <b>Corrosion Behavior of Copper in Halide Solutions</b><br>H.J. Yang, S.T. Zhang and L. Zhang  | 36 |
| <b>Research on the Control of Oxide and Nitride Inclusions in Steelmaking</b><br>D.G. Zhao, S.H. Wang and H.J. Zhang   | 40 |
| <b>Recovery of Lubricating Oil for Cold Strip Rolling</b><br>Y.Z. Wang, Q.B. Yan, J.J. Huang, B. Li and J.L. Gao   | 44 |
| <b>Temperature Sensibility of Epoxy-Matrix Carbon Fiber Smart Layer</b><br>H.S. Zheng, J. Li, S.R. Zhu and Z.Q. Li   | 48 |
| <b>Photo-Degradation of Acid Red 18 by Using <math>\text{TiO}_2/\text{SO}_4^{2-}</math> Nanoparticles under UV Light</b><br>J.F. Wang, J.H. Zhao, X.X. Liu, S.H. Zhang, D.Y. Wei and L. Han                        | 52 |
| <b>The Present Situation and the Development Trend of New Materials Used in Automobile Lightweight</b><br>H. Li and X. Li  | 58 |
| <b>Effect of Deposition Conditions on the Characterization of <math>\text{Cu}(\text{In,Ga})\text{Se}_2</math> Precursor Films by Sputtering Process</b><br>Y.C. Lin, J.H. Ke and C.C. Chen                         | 63 |
| <b>Research of Adsorption Performance of V (V) and Mo (VI) on Collagen Fiber Immobilized Bayberry Tannin</b><br>W. Hu, Z. Zhang, H.Y. Liu and R. Wang  | 69 |
| <b>Extraction Behavior of Rare Earths in Ion Liquid Extraction System Using 1-Butyl-3-Methyl-Imidazolium Hexafluorophosphate and 5,7-Dichloro-8-Hydroxy Quinoline</b><br>Z.W. Pan, S.G. Zhao, T.C. Wu and J.D. Pan | 75 |
| <b>Raman Spectrometry Study on the Composite of Bamboo Charcoal Pottery</b><br>W.B. Zhang, W.Z. Li, G.Q. Yan, M. Zhang and H.X. Yan  | 80 |
| <b>Largely Enhanced Figure of Merit for <math>\text{CoSb}_3</math> Thermoelectric Material by Introducing Disordered Structure</b><br>P.X. Lu and M.M. Lu  | 87 |
| <b>Effect of Drying Methods on Physical Property of the Ultrafine <math>\text{CeO}_2</math> Powder</b><br>Y.H. Hu, M. Li, Z.G. Liu, M.T. Wang and J.X. Wu  | 92 |
| <b>Environmental Friendship Synthesis of Ultra-Fine Silver Particles for Electromagnetic Shielding Materials</b><br>M.S. Yang and L.K. Li  | 97 |

|   |     |
|---|-----|
| <b>Preparation of Single-Phase and High Purity Nanophase TiO<sub>2</sub> by Microwave Hydrothermal Method</b>                       |     |
| Z.Q. Chen, S.S. Luo, S.J. Zhang, Z.H. Zhou and W.K. Li  | 101 |
| <b>Effects of Ar Gas Pressure on Characterization of Nano-Structured Silver Films Deposited on the Surface of Polyester Fabric</b>  |     |
| X.M. Huang, Q.W. Wang and Y.L. Li   | 105 |
| <b>Electrical and Optical Properties of Indium Tin Zirconium Oxide Films at Different Annealing Treatment Temperatures</b>          |     |
| J.G. Chai and B. Zhang  | 110 |
| <b>Influence of Post-Processing Methods on the Conductive Properties of Nano-Silver Conductive Ink</b>                              |     |
| W.W. Li, L.X. Mo, J.L. Fu, W.B. Li, X.M. Fan, J. Ran and L.H. Li  | 115 |
| <b>An Investigation on the Structure of Amorphous Nano-Silica by XRD Method</b>   |     |
| H.Y. Xie, C.W. Ma, J.R. Wang, S.W. Chen and N.C. Bing   | 119 |
| <b>Characteristics of TiCN Film on AZ31 Magnesium Alloy Deposited by Radio Frequency Magnetron Sputtering</b>                       |     |
| J.M. Huang, X. Meng, W. Chen and S.Y. Sui   | 124 |
| <b>Plastic Anisotropy Research of As-Rolled 7050 Aluminum Alloy Plate with T7451 Temper</b>   |     |
| D.B. Chen, H.E. Hu and X.D. Kong  | 130 |
| <b>Effects of Aging Treatment on the Damping Capacities of ZA84-xSb Magnesium Alloys</b>  |     |
| J.Q. Wang, S. Guan and H. Zhu   | 134 |
| <b>Effect of Solution Pressure on Microstructure of AM60 Magnesium Alloy</b>  |     |
| X.Q. Yue, D.J. Li and H.J. Fu   | 139 |
| <b>Compressive Properties of AM60 Magnesium Alloy by High-Pressure Solution and Subsequent Atmospheric-Pressure Aging Treatment</b> |     |
| S.Y. Wang   | 143 |
| <b>Thickness of Magnesium Alloy Cylindrical Cup in Pressure-Lubricating Deep Drawing</b>  |     |
| X.C. Mao and H.Y. Lin   | 147 |
| <b>Study on the Preparation Technique and Magnetostriction of Sinter Tb<sub>0.7</sub>Pr<sub>0.3</sub>Fe<sub>1.80</sub> Alloy</b>    |     |
| H.Y. Yin, X. Liu, R. Wang, J.J. Liu, R.R. Lin, X.C. Liu and P.Z. Si   | 152 |
| <b>Effect of Antimony on Microstructure of Mischmetal-Containing AZ31 Magnesium Alloy</b>   |     |
| B.F. Zhang, X.W. Chen, Y.J. Zhou and Q.K. Li  | 157 |
| <b>Research on Properties Improvement of Composite Aluminum Alloy Foil Based on Cold-Rolling Cladding</b>                           |     |
| Q. Tai  | 162 |
| <b>Synthesis of Diamond-Like Carbon Film on Copper and Titanium Interlayer by Vacuum Cathode Arc Evaporation</b>                    |     |
| B. Zhou, X.H. Jiang, Z.B. Liu, A.V. Rogachev, R.Q. Shen and D.G. Piliptsov  | 167 |
| <b>Synthesis of Layered AlPO<sub>4</sub>-5 in Polyacrylamide Hydrogels</b>  |     |
| C.B. Guo, L. Han, Q. Wang, J.F. Wang, Y.Z. Zhan, S.L. Guo, Y.L. Chen and R. Zhang   | 172 |
| <b>Research and Option in the Preparation of PVA-Alginate-Ca</b>  |     |
| X.H. Wang   | 176 |
| <b>Ferrocene-Based with Thiadiazole Antibacterial Agents: Synthesis, Characterization, and Biological Evaluation</b>                |     |
| D.W. Yin, X.M. Sun and Y.T. Liu   | 181 |
| <b>Preparation and Performances of Li<sub>4</sub>Ti<sub>5</sub>O<sub>12</sub>/C as Anode Material for Lithium-Ion Batteries</b>     |     |
| F. Gu   | 185 |
| <b>Effect of Boron on the Melting Dynamics of Iron Base</b>   |     |
| D.G. Zhao, S.H. Wang and Q.J. Li  | 189 |
| <b>Influence of Oxygen Plasma Treatment on Properties of Polyester Fabrics Coated with Copper Films</b>                             |     |
| L.L. Meng, Q.F. Wei and Y.L. Li   | 193 |
| <b>The Effect of Nano-Graphite Particle to the Friction and Wear Performance of Al-Mg Matrix Composite Material</b>                 |     |
| S.Y. Tang, X.X. Liu, Y.R. Lin and C. Wen  | 197 |
| <b>Study on the Mechanical Property of the Spun Silk and T-400 Interlaced Fabric with Different Weaves</b>                          |     |
| X.H. Ma   | 201 |

|  |     |
|--|-----|
| <b>Experimental Researches on Relation between Martens Hardness and Traditional Mechanical Properties</b>              |     |
| W. Yang, J. Wang, Y.L. Zhang and Y. Liu  | 205 |
| <b>Anti-Friction Effect of Graphite Nonasheets Formed by Sonicating Expanded Graphite</b>                              |     |
| Z.G. Liu   | 210 |
| <b>Tribological Behavior of Graphite Encapsulated Nickel Nanoparticles Formed by Ball-Milling and Annealing Method</b> |     |
| Z.G. Liu   | 214 |
| <b>Research on Fatigue Properties of Grade B Steel Casted by the Resin Sand Process</b>                                |     |
| N.J. Fu, J.L. Xie, C.W. Huang and Y. Teng  | 218 |
| <b>Density Functional Theory Calculations of the Radical Scavenging Activity of Alkannin Derivatives</b>               |     |
| X.P. Guo and R.F. Jin  | 225 |
| <b>The Application on Laser Welding in the Welding of Hot Rolled Sheet</b>   |     |
| Y. Yang and A.M. Wang  | 232 |

## Chapter 2: Mechanical Engineering

|   |     |
|---|-----|
| <b>Investigations on Broken Rules of the 20# Cylindrical Steel Shell under Inside-Explosion Loading</b>               |     |
| D.W. Wang, X.J. Qin, S.Y. Tang, W.X. Liu and H. Wang  | 239 |
| <b>Dynamic Fracture of the 20# Cylindrical Steel Shell under Inside-Explosion Loading</b>                             |     |
| D.W. Wang, X.J. Qin, S.Y. Tang and W.X. Liu   | 245 |
| <b>Effect of Process Parameters on Dimensional Accuracy of the Part in Hot Press Forming Process</b>                  |     |
| A. Long, R. Ge, H. Wang and Y. Chen   | 250 |
| <b>Research of Non-Destructive Testing of Wire Rope Using Magnetic Flux Leakage</b>                                   |     |
| X.Y. Zhong and X.H. Zhang   | 255 |
| <b>E-Shape Steel Damper Destruction Mechanism Research</b>  |     |
| Y.Q. Zheng, H.M. Zheng and X.W. Tong  | 260 |
| <b>Research on SAFT Imaging Method of Array Probes in Concrete Structures</b>   |     |
| Q.F. Li, P. Huang and Y. Liao   | 265 |
| <b>The Research on Analysis and Control of Cracks of Masonry Structure</b>  |     |
| S.C. Ma   | 270 |
| <b>Ring-Shaped Silicon Resonator Using (2,1) In-Plane Resonance Mode</b>  |     |
| K. Suzuki, K. Ioka and Y. Nishioka  | 274 |
| <b>Research and Implementation of Vibration Based on Analysis of Vehicle Ride Comfort</b>                             |     |
| J.Q. Xiong, J.H. Huang and L. Qun   | 281 |
| <b>Analysis of a Novel SAW Acceleration Sensor with Cantilever Beam Using ST-X Quartz</b>                             |     |
| H. Jiang, W.K. Lu, Y.Y. Li and S.G. Shen  | 285 |
| <b>Experimental Investigation of Water Flow Heat Transfer in Metal Foams</b>  |     |
| T. Sun, S. Bu, Y.H. Xu and Z.Y. Wang  | 290 |
| <b>Analysis and Simulation Evaluation of a Novel Metallic-Disc Flexible Coupling</b>                                  |     |
| X.G. Min and G.L. Hu  | 295 |
| <b>Analysis on Trajectory of Combination Mechanism of Double Cranks and Gears</b>                                     |     |
| L.F. Shentu and J.L. Yu   | 300 |
| <b>The Effect of Structural Geometric Nonlinearities on the Flutter of the Straight and Swept Wing Configurations</b> |     |
| Q. Guo and B.F. Song  | 306 |
| <b>Sensitivity Analysis of Vibration Suppression Based on the Multiple-Mode Negative Impulses Input Shapers</b>       |     |
| Y.Z. Wang, Q.B. Yan, B. Li and Y.L. Wei   | 312 |
| <b>Design of Intelligent Winding Machine for Tassel Thread Based on Stepping Motor</b>                                |     |
| H. Shen, F. Shao and J.P. Xu  | 317 |
| <b>Schematic Design and Research on Steering Mechanism of Drilling Robot</b>  |     |
| X.G. Jian, Y.F. Wang and P.C. Yang  | 321 |
| <b>Study on the Design of Ultrasonic Vibration Petrol Atomizer Vibrator</b>   |     |
| Z. Yin, H. Li, Z.Y. Cao, J.J. Zhao and Y.R. Chen  | 326 |

|   |     |
|---|-----|
| <b>Crank and Slide Rebar Cutting Machine</b><br>S.Y. Jin, N. Wu, Y.J. Jia and G.Z. Cheng  | 330 |
| <b>The Fatigue Strength Assessment for Hull Structure of Steel Fishing Vessel</b><br>G.S. Yang and Y.H. Xie   | 334 |
| <b>Statics Analysis on Workbenches of Three Kinds of Electromaglev Linear Feed Unit</b><br>L.X. Xiao, G.Q. Wu, X.D. Zhang, W.N. Zhu, J.F. Mao and X.L. Qian                     | 340 |
| <b>Vibration Response of a Thin-Walled Cylindrical Pipe with Liquid</b><br>Y.L. Wei, B. Li, L. Gao and Y.J. Dai   | 345 |
| <b>Calculation about the Effect of Stress Concentration Coefficient on the Fatigue Properties for Welded Cruciform Joints of 16MnR Steel</b><br>Y.X. Yu, B.L. He and X.D. Zhang | 350 |
| <b>Improvement of Quality and Efficiency in Mineral Material Processing under Extreme Dynamic Environments</b><br>W.L. Lian, B. Xiang and P. Zhou                               | 355 |
| <b>Modeling and Simulation of BLDCM Drive System Based on Z-Source Converter</b><br>W.G. Gao, X.L. Yuan and H.Y. Zhang  | 359 |
| <b>Back Stepping Control of the Magnetic Suspension System</b><br>Z.Y. Wang and G.Q. Wu   | 364 |
| <b>An Intelligent MPPT Algorithm for Vertical-Axis Wind Turbine System</b><br>K. Yang, G.Q. Wu, J.F. Mao and X.D. Zhang   | 369 |
| <b>Electromagnetic Drive of Room-Temperature Ionic Liquids and Application</b><br>J. Wan, C.C. Liang, F. Yan, K. Gu, S. Zhang, Z.G. Xie and M.S. Lin                            | 374 |
| <b>Influence of the Ink-Jet Condition to the Piezoelectric Drop State of Edible Ink-Jet Ink</b><br>J.M. Sun, X.F. Wei and B.Q. Huang  | 379 |
| <b>An Improved Randomized Hough Transform Method for the Cotton Recognition</b><br>K. Liu, S.M. Fei and M.L. Wang   | 383 |
| <b>The Research on the Zero-Tooth-Difference Internal Gear Measuring Method</b><br>Y.L. Wei, B. Li, Y.Y. Fan and M.D. Jin   | 388 |
| <b>A Study on Static Features of a High-Speed Solenoid Valve Used in Diesel Engine</b><br>N. Chen, Y.S. Wang, H. Guo, J. Lei and T. Zhang                                       | 393 |

### **Chapter 3: Computer Aided Design, Modeling and Analysis**

|  |     |
|--|-----|
| <b>Study on Improved Computed Tomography Algorithm in Concrete Structure</b><br>Q.F. Li, H.G. Liu, H.C. Ma and Z.H. Chen                                     | 401 |
| <b>Finite Element Analysis of Cross Helical Gear Transmission Based on ANSYS Workbench</b><br>H.J. Li and Y. Zhao  | 406 |
| <b>Design of a Logging Tool Valve Based on Finite Element Analysis</b><br>M.Q. Dai, S.D. Zhao and W. Cai   | 411 |
| <b>The Analysis of Fault Diagnosis on Motor Devices</b><br>H. Wang, X.S. Men and Y.X. Zhang  | 415 |
| <b>Feasibility Study on Tilt Double Steel Arch Tower Segment Cantilever Assembling at the Site</b><br>D.R. Zeng and C.W. Song                                | 419 |
| <b>Rebound Analysis for the Diesel Engine Pre-Tightened Bolt Using ABAQUS</b><br>Y.Q. Zheng, Y.X. Cheng and Y.X. Zheng                                       | 424 |
| <b>Numerical Analysis on Sealing Properties of Mechanical Seals with a Laser-Textured Face</b><br>H.Q. Hao, X.Q. Yu, Q.G. Liu and J.H. Yu                    | 429 |
| <b>Force Analysis and Numerical Simulation of Screw Mechanism for Subsurface Robotic Exploration</b><br>X.G. Jian, P.C. Yang and Y.F. Wang                   | 433 |
| <b>FEA on Vibration Characteristics of an Aero-Engine Compressor Disc</b><br>W.Q. Zhao, Y.X. Liu and M.W. Lu   | 438 |
| <b>FEA on Vibration Characteristics of a Shrouded Turbine Blade</b><br>W.Q. Zhao, Y.X. Liu and M.W. Lu   | 443 |
| <b>Numerical Research on the Characteristics of Lift-Drag Type Vertical Axis Wind Turbine</b><br>Y.J. Chen, G.Q. Wu, Y. Cao, D.G. Huang, Q. Wang and S.Q. Wu | 448 |

|  |     |
|--|-----|
| <b>Application of Computer Simulation in Materials Science</b><br>S.P. You   | 453 |
| <b>Simulation Techniques in the Research of Structure and Performance of Nanosized Materials</b><br>D.W. Seng                  | 457 |
| <b>Finite Element Analysis of Temperature Field of Traction Motor</b><br>A.X. Zhu, Z.X. Yang and Y. Cui                        | 461 |
| <b>Development and Application of 16MnR Materials Database of Pressure Vessel in Software DEFORM-3D</b><br>B.L. He and B. Wang | 465 |
| <b>Simulation on Structures and Characteristics of Functional Materials</b><br>S.Q. Lu   | 470 |
| <b>Computational Simulation of Failures in Brittle Materials</b><br>S.Q. Lu  | 474 |
| <b>Visualization of Composite Materials' Microstructure with OpenGL</b><br>D.W. Seng   | 478 |
| <b>Application of Computer in Material Science and Engineering</b><br>D.W. Seng  | 482 |
| <b>The Research on Modal Analysis and Topology Optimization in Car Clutch Parts</b><br>G.H. Zhang                              | 486 |
| <b>The Research and Analysis of R-Tree Spatial Index Based on K-Means Clustering</b><br>R.H. Diao                              | 491 |
| <b>Research and Application on Automotive Aluminum Bumper Based on Topology Optimization</b><br>Q. Tai and X.Y. Zhang          | 495 |