

Table of Contents

Preface and Committees

Chapter 1: Chemical Engineering and Technologies

| | |
|--|----|
| The Study on Application of N-P Intumescence Flame Retardant Agent in Waterborne Polyurethane X.C. Wang and L. Wang | 3 |
| Antihypertensive Evaluation of Lignin Related High-Added-Value 4-Aryl-Hexahydroquinolines X.H. Yang, G.M. Xiao, Z.M. Wang, Y.H. Zhou and G.D. Feng | 7 |
| Application of the Enzymolysis and Membrane Technology in Glucan Extraction and Purification from <i>Grifola frondosa</i> C.B. Zhou, Z.P. Xu, W.J. Feng and X.Q. Zhang | 11 |
| Chemical Composition of the Essential Oil of Fresh Wild <i>Syringa pubescens</i> Flowers from China A.N. Yu and X.Z. Yang | 15 |
| Chemical Reaction and Fluid Flow in a Carbon Monoxide Boiler(II) Chemical Reaction Analysis C.L. Yeh | 19 |
| A Continuous Process for the Preparation of Pyridine from Tetrahydrofurfuryl Alcohol with (MoO₃-NiO) / Al₂O₃ as Catalyst L. Zhang, S.X. Meng, Y.Q. Feng, B. Zhang and Z. Xu | 27 |
| Adsorption of Methyl Orange from Solution by IOCZ in Batch Mode: Equilibrium Study S.H. Chen, Y.B. Jiao, X.N. Zhang, Y.Y. Su and R.P. Han | 33 |
| Advances Research on Identification Method of Fluidized Bed Flow Pattern T. Zeng, S.B. Liu and W. Yang | 37 |
| Analytical Heterogeneous Extended Langmuir Model: Effect of Unilan Parameters Q.L. Feng, Y. Jia, J.C. Yu, L. Yang and P. Ning | 41 |
| Analytical Method of Gliotoxin Content by HPLC X.Q. Zhang, Z.P. Xu, C.L. Yang, J.P. Wang and Z. Wei | 46 |
| Applicability of Emulsion Viscosity Models to Crude Oil Emulsion L.P. Guo, L. Wang and Y.M. Zhang | 50 |
| Concentration of DHA and EPA from Marine Fish Oil by Urea Complexation C.Z. Zhang, M. Chen, Z.G. Mao and G.R. Zu | 54 |
| Decolorization of Direct Yellow R Dye from Aqueous Solution by Aluminum Anode Electrochemical Q.P. Nguyen, Z.N. Sun and X.M. Hu | 58 |
| Degradation of Polyacrylamide in Oil Wastewater by Electrocatalytic Oxidation L.J. Yang, Y.Y. Li, M. Tian, J. Wang and H.H. Cui | 64 |
| Determination of Paeoniflorin and Paeonol in Houyinan Tablet by UPLC C.Q. Yu, H.Q. Lin, Y.H. Hou, Z.F. Shi and D.S. Lin | 68 |
| Dissolution Behaviour and the Solution Property of Cellulose in NaOH/Urea/Thiourea Aqueous Solvent H. Li, H.F. Li, X. Zhong, M.E. Gibril, X.D. Li, Y. Zhang, K.Q. Han and M.H. Yu | 73 |
| Effect of Carrier Surface Modification on the Resultant Antibody to Folic Acid Q.S. Tang, H.T. Lei, L.B. Huang, Y.M. Sun and J.Y. Yang | 77 |
| Evaluation of the Thermal Stabilization Effect of the Bis (Mercaptoethanol Oleate) Dimethyl Tin on Polyvinyl Chloride J.P. Liu, H.Z. Shang, X. Song, W. Yuan and S.M. Zhou | 81 |
| Evaluation of Thixotropic Models of Waxy Crude L.P. Guo, L. Wang and Y.M. Zhang | 85 |
| Experimentation and Mathematical Model Research on Air Gap Membrane Distillation Y. Guan and H.J. Cui | 89 |

| | |
|---|-----|
| Extraction and the Chemical Composition Analysis of the Essential Oil Flowers of <i>Ficus hookeriana</i> Corner | 94 |
| G.Q. Wei, R. Zheng and X.H. Yang | |
| Green Synthesis of Poly(<i>p</i>-Dioxanone)-Modified Cellulose by Lipase-Catalyzed Ring-Opening Polymerization in Ionic Liquid | 100 |
| J. Zhu and X.L. Wang | |
| Influence of Sulfide on Oxygen Reduction Reaction in 3.5% Sodium Chloride Solution | 104 |
| S.Q. Chen, D. Zhang and J.J. Wu | |
| Injectable Surfactant Included-Virgin Coconut Oil with and without Ibuprofen | 108 |
| S. Anuchatkidjaroen and T. Phaechamud | |
| Kinetics on the Isothermal Decomposition of Oil Shale | 112 |
| H.Q. Xue, H.Y. Wang, G. Yan, W. Guo, X.B. Li and H.C. Wang | |
| Mercury's Leaching Contamination in Soil Environment | 117 |
| L.Z. Ma, J.M. Guo, Y.J. Zhang, Q.F. Cui, M.H. Liu, H.B. Wang and W. Bai | |
| Novel Biobased Materials from Tung Oil-Based Monomer and Tung Oil-Modified Unsaturated Polyester | 121 |
| C.G. Liu, Y.H. Zhou and L.H. Hu | |
| Perspectives on Physicochemical Properties and Application of Biodiesel Blends | 125 |
| Y.H. Zhao and J.X. Zhang | |
| Preparation and Application of the Amino Silicone Oil / Acrylic Emulsion | 129 |
| Y.J. Tan, C.N. Liu and X.N. Chen | |
| Preparation of Biodiesel from Crude Rubber Seed Oil by Alkaline Transesterification | 133 |
| H. Wang, Y.L. Sun and L. Zhang | |
| Protein Hydrolysate from Brewer's Spent Grain and its Inhibitory Ability of α-Glucosidase | 138 |
| H.J. Lin, L. Li, Y.J. Tian, X. Zhang and B. Li | |
| Research on the Utilization and Industry Development Strategies of Fluorite Resources in China's Fluorine Chemical Industry | 142 |
| S.Y. CHEN and S.T. Zhang | |
| Role of Colloidal Silicon Dioxide in Eudragit <i>In-Situ</i> Forming Gel | 146 |
| J. Mahadlek and T. Phaechamud | |
| Simultaneous Determination of Hydrochlorothiazide and Propranolol Hydrochloride in Powder Mixture and Matrix Tablet Using First Derivative Ultraviolet Spectrophotoscopy | 150 |
| C.E. Choncheewa and T. Phaechamud | |
| Study on "Vacuum Migration" of the Desorption of Ethanol-Loaded Activated Carbon by Microwave Irradiation | 154 |
| Q.L. Feng, L. Yang, Y. Jia, J.C. Yu and P. Ning | |
| Study on Processing of Plantation Fir Scrap Liquefaction by Ionic Liquids | 160 |
| H.L. Xie, Y.L. Wu, J.H. Huang and L.L. Zheng | |
| Study on Synthesis of Cationic Water in Water Polyacrylamide Emulsion Strength Agent | 164 |
| Y.S. Ma, L.T. Wang, X.H. Sun, N. Liu and G.L. Song | |
| Study on the Gelation Properties of the Glucan from <i>Sclerotium rolfsii</i> | 168 |
| B.Q. Wang, Z.P. Xu and N.N. Liu | |
| Study on Vanadium Solution Dissolved Sediment in Wastewater from Vanadium Precipitation | 172 |
| Z.X. Wu | |
| Supramolecular Assembly of Functional Cholestryl Substituted Luminol Derivative in Organized Molecular Films | 176 |
| J.X. Zhou, T.F. Jiao, A. Li and Y.Y. Xing | |
| Synthesis and Adsorption Properties for Ag(I) of Pyridinedicarbonyl Thiourea Resin | 180 |
| Z.N. Wang, H. Zhong and S. Wang | |
| Synthesis and Characterization of Hyaluronic Acid for Biomedical Application | 185 |
| D. Lee, M. Nurunnabi, J. Hwang, E.S. Chung, M. Rahmatullah, K.M. Huh, K.S. Kwak and Y.K. Lee | |
| Synthesis and Crystal Structure of 2-Hydroxyl-4-Methyl-Thioxanthone | 189 |
| Y.Z. Jiang, K. Xiong, Y. Zou and X.L. Gao | |
| Synthesis and Crystal Structure of a New Cu²⁺ Complex | 193 |
| H.Y. Xu, Y.Z. Jiang, Y. Zou and L.Q. Zhang | |

| | |
|--|-----|
| Synthesis of Biodiesel by Different Carriers Supported KOH Catalyst | 197 |
| L.M. Yang, P.M. Lv, Z.H. Yuan, W. Luo, H.W. Li, Z.M. Wang and C.L. Miao | |
| Synthesis of n-Amyl Chloroacetate Catalyzed by Activated Carbon Supported Phosphotungstic Acid | 202 |
| S.P. Wang, Y.F. Wang, H.N. Wang and J.J. Li | |
| Synthesis Study of the Antioxidant of Tetrakis(2,4-di-tert-butyl phenyl)-4,4'-Biphenylenediphosphonite Esters | 206 |
| Y. Li, J. Zhao, Q. Yu and Z.W. Wang | |
| Synthesis, Characterization and Antitumor Activities of Cis-Ammine Gallic Acid(cyclohexylamine)Platinum(II) | 210 |
| Q.K. Wang, S.P. Pu, Y.N. Li, J. He, L.M. Zhou, Z.B. Zhu, X.J. Li and Q. Jin | |
| Study on Decolorization for Dye Wastewater by Adsorption - Microwave Degradation Activated Carbon from Bean Dregs | 214 |
| Y.H. Shui, H.Y. Song, X.L. Feng, Q.Q. Li and Y. Jiang | |
| Study of Microwave Synthesis of 2 - Hydroxy Phosphono Acetic Acid Process | 219 |
| Q.Y. Zhang, J.S. Mo and G.X. Zhang | |
| Preparation and Application Study on the Coalmine Wastewater Flocculant - PAM/OMMT | 223 |
| S.F. Shi, L. Zheng, Y.Q. Wang, J.Y. Wang, R.Q. Yao, J.J. Jiang and L.J. Li | |
| Kinetic Study of the Esterification Reaction of Ethylene Glycol with Phenyl Phosphonic Acid and Benzene Phosphinic Acid | 228 |
| Y. Li, X.S. Kong, Z.W. Wang and Q. Yu | |
| The Study on Moisture Adsorption of Oxidized Activated Carbon | 233 |
| K. Wang, W.L. Wang, J.F. Lu and J. Ding | |
| Phenolic Foam from Oxidatively Degradated Lignosulphonate | 238 |
| L.H. Hu, Y.H. Zhou, R.J. Liu and M. Zhang | |
| Study on Influence Factors in Flocculation Conditions of Bioflocculant | 242 |
| L.X. Li, Y.J. Liu, G. Ren, Z.W. Song, X.M. Yang and Y. Liu | |
| Preparation of Polycarboxylate Terpolymer High Performance Water Reducer of MA-AA-F108 | 246 |
| J.L. Song, H.P. Wen, C.L. Lv, Z.M. Zhou and W.G. Li | |
| Reusable and Efficient PS-Supported Acidic Ionic Liquid Catalyst for Mononitration of Toluene | 252 |
| L.X. Li, Q.L. Ling, X.D. Xing, Y. Zhang and Z.L. Liu | |
| Preparation and Properties of Cross-Linked Enzyme Aggregates of Cellulase | 257 |
| B. Li, S.L. Dong, X.L. Xie, Z.B. Xu and L. Li | |
| Toxic Gas Continuity Diffusion Algorithm of Multi-Tanks Based on Meshing Technique | 261 |
| H.D. Wang and T.J. Cui | |
| Study on Application as Paper Strengthening Agent of Homemade CPAM Emulsion with other Cationic Strengthening Agent | 265 |
| Y.S. Ma, L.T. Wang, X.H. Sun, J.Q. Zhang and S.R. Zhang | |
| Rapid Analysis of the Main Components of Glycyrrhizae Uralensis Fisch by UPLC/Q-TOF-MS | 269 |
| Z.F. Shi, Y.F. Feng, W. Rui, L. Wang, X.M. Zhang and L. Han | |
| Adsorption Kinetics and Thermodynamics of Methyl Orange on Ethylenediamine-Modified Chitosan Magnetic Nano-Adsorbent | 273 |
| Y.H. Chen and S.Q. Hu | |
| Adsorption Properties of Formaldehyde by Organic Modified Zeolite | 277 |
| Y.X. Zheng, H. Ding, H.N. Luo and M.M. Wang | |
| Characterization of Lanthanum Nitrate Modified CaMgZn Mixed Oxide Catalysts for Synthesis of Biodiesel | 283 |
| X. Li, Z.Y. Zhou, L.W. Zhu and J.X. Jiang | |
| Study on the Chemical Modification of Cellulose in Ionic Liquid with Maleic Anhydride | 287 |
| H.F. Li, H. Li, X. Zhong, X.D. Li, M.E. Gibril, Y. Zhang, K.Q. Han and M.H. Yu | |
| Synthesis and Catalytic Performance of Al-Pillared Clays Supported Fe₃O₄ Nanoparticles | 292 |
| G.H. Wang, Y.Z. Lu, W.B. Li, X.Q. Liu and M.D. Sun | |
| Synthesis of 1,4-Bis(3-amino-5-trifluoromethylphenoxy)Benzene and Properties of the Polyimide Film Therefrom | 297 |
| Y.H. Lu, B. Wang, G.Y. Xiao and Z.Z. Hu | |

| | |
|--|-----|
| The Effects of the Reaction Conditions on the Grafting Degree of SiO₂-g-PMAA Particle | 301 |
| K.H. Zhang, H. Xiao and J.J. Du | |
| Determination of Organochlorine and Pyrethroid Pesticides Using Membrane-Protected Multiwalled Carbon Nanotubes Solid Phase Membrane Tip Extraction | 305 |
| W.H. Gao, F.F. Li, S. Xiao, T.F. Chen, X.S. Zhang, W.Q. Zhang and Y.W. Chen | |
| Electroreduction Behavior of Acrylonitrile in BmimBF₄ | 309 |
| L. Chen, X.B. Mao, Y.Q. Chu, S. Chen and C.A. Ma | |
| Pd-Only Catalyst Modified by BaO with Co- Precipitation and Impregnation Methods towards the Methanol Fuel Emission Control | 313 |
| X.Q. Zhang, Z.X. Ye, C.H. Xu, M. Zhao and Y.Q. Chen | |
| Studies on Sonogashira Coupling Reaction of Dibenzoporphyrin | 317 |
| J.Y. Yan, Y.Q. Feng, F.Q. Zhou, Y.W. Chang and B. Zhang | |
| Synthesis and Characterization of a Novel Alkaline Earth Metal Complex | 322 |
| H.F. Yang, S.X. Ren, H. Li and J.J. Shen | |
| Synthesis of Functional Ionic Liquids by Thermal Heating and Ultrasonic-Assisted Methods | 326 |
| Z. Zhang, Y.H. Li, H. Xiao, C.Z. Tu and C.H. Wang | |
| Synthesis of Starch Graft Copolymer Dispersant and its Application Performance in Coal-Water Slurry | 330 |
| G.H. Zhang, F. Zhao and J.G. Li | |
| Synthesis and Evaluation of Sulfonated Humic Acid-Acrylic Acid Graft Copolymer Applied as Dispersant in Coal-Water Slurry | 334 |
| J.G. Li, G.H. Zhang, L. Liu and F. Zhao | |

Chapter 2: Materials and Alloys

| | |
|---|-----|
| Analysis on Crack Propagation Mechanism of Nano-Single Crystal Copper about Temperature Influence | 341 |
| G. Li, Q.L. Zhang, M. Chen and L.Y. Zhou | |
| "HaiYangShiYou 115" Anchor Chain Broken Wire Cable Material Test and Breakage Analysis | 345 |
| X. Cao, H. Pan and H. Wang | |
| DFT Study on Structures, Stabilities and Electronic Properties of Bromo Silsesquioxanes Si_{2n}O_{3n}Br_{2n} (n=1-5) | 349 |
| S.Y. Yu, C.G. Zhang and X. Yang | |
| Effect of Citric Acid on Electrochemical Properties of Spinel LiMn₂O₄ Prepared by Solid-State Combustion Synthesis | 353 |
| X.Y. Zhou, M.M. Chen, C.W. Su, Y. Xia, X.Z. Huang, Y.J. Zhang and J.M. Guo | |
| Effect of Contact Characteristics on the Friction and Wear Behaviors of Stainless Steel/Copper-Impregnated Metalized Carbon under Electric Current | 359 |
| T. Ding, G.X. Chen, Q.D. He and W.J. Xuan | |
| Effects of Annealing on Mechanical Properties in Ultrafine-Grained Cu-Al Alloy | 363 |
| Y. Long, Y.L. Gong, S.Y. Ren, X.X. Wu and X.K. Zhu | |
| Effects of Nano-SiO₂ in Electrolytes on Surface Properties of Micro-Arc Oxidation Ceramic Coatings Formed on New Casting Aluminum Alloy | 368 |
| X.S. Zhou, X.Y. Zhang and D.F. Wu | |
| Effects of SiO₂ and Al₂O₃ Contents of Converter Slag on Metallurgical Properties | 373 |
| L. Li | |
| Electrical Discharge Machining of Nickel-Based Super Alloy | 378 |
| L. Li, R.G. Hou and Z.W. Sima | |
| Electrochemical and Gaseous Hydrogen Storage Capacities of As-Spun Nanocrystalline and Amorphous Mg₂Ni_{0.6}M_{0.4} (M=Cu, Co) Alloys | 382 |
| Z.H. Hou, Y. Zhang, Y. Cai, F. Hu, G.F. Zhang and X. Li | |
| Experimental Study on Rutile TiO₂ Surface Coated with Al₂O₃ and ZrO₂ | 387 |
| Z.Q. Luo, X.H. Chen and L. Li | |
| Fabrication of TiO₂ Nanotubes by Anodic Oxidation for the Dye Sensitized Solar Cell Application | 391 |
| W. Cong, E.X. Han and J. Li | |

| | |
|---|-----|
| Hydrothermal Synthesis of Mesoporous Al₂O₃: Influences of pH Values and Aluminum Precursors | |
| H.P. Liu | 396 |
| Impact of H₃BO₃ on Foaming Action of CaCO₃ in Borosilicate Foam Glasses | |
| S.J. Liu, G.Z. Fu, J.X. Shen and J. Zhang | 401 |
| Impact of Melt Spinning on Electrochemical Hydrogen Storage Characteristics of Mg₂₀Ni₉M₁ (M=Cu, Co) Alloys | |
| Y.H. Zhang, H.W. Shang, G.F. Zhang, T. Yang, Z.H. Hou and D.L. Zhao | 405 |
| Improving Corrosion Resistance of the Hot-Dip Aluminum Coating on 22MnB5 Steel Surface | |
| C.Y. Wang, P. Zhang, H.Y. Zhao, F. Han and L. Li | 410 |
| Influence of Heating Temperature on Microstructure Characteristics of Directionally Solidified Ni-45Ti-5Al Alloy | |
| X.L. Zhang, R.L. Li, C.Y. Yang, X.F. Chen and H. Zhang | 414 |
| Influences of Physicochemical Properties of ZnO on the Adsorptive Desulfurization Performance of Ni/ZnO Adsorbent | |
| Z.Y. Liu | 418 |
| Microemulsion Method Preparation Zn_(1-x)S:Cu_x(0.001 | |
| Z.L. Wang, Y. Liang, S.Q. Wang and Y.L. She | 422 |
| Microstructure and Corrosion Resistance of Black Microarc Oxidation Ceramic Coatings on Magnesium Alloy | |
| S.X. Yu, R.J. Zhang and Q.Y. Lv | 427 |
| Microstructure Evolution of Nd in Spray Deposited Magnesium Alloy | |
| Z.L. Li, H.P. Ren, Z.L. Jin, T.L. Wang, W. Chen, H.Y. Xin and J. Zhai | 431 |
| Microstructure of Casting and Solid Solution of Cu-7.5Ni-5.0Sn Alloy | |
| R.Q. Liu, S.L. Yang, L. Chen, W.B. Xie, Y.S. Yu, H.R. Wang and Y.S. Deng | 436 |
| Microstructures and Damping Properties in Ni-Al-Based Alloys | |
| Z.C. Zhou, Q.Z. Wang, J. Du, Y.J. Yan, S.Y. Gu and H. Yang | 440 |
| Molecular Dynamics Simulation of Thermoelastic Coupling Characteristic for Low-Dimensional Nano-Rod under Thermal Shock | |
| R.H. Xia, X.G. Tian, Y.P. Shen and W.Q. Li | 444 |
| Multiple Adiabatic Shear Bands in Ti-6Al-4V Targets under Ballistic Impact | |
| K. Sun, X.D. Yu, S.H. Li, C.W. Tan and F.C. Wang | 448 |
| Photoisomerization of some Functional Azobenzene-Containing Metal Complexes with Different Substituted Groups | |
| J.X. Zhou, T.F. Jiao, F.Y. Wang and X.H. Li | 453 |
| Preparation and Characterization of Sro-Na₂O-Fe₂O₃-P₂O₅-SiO₂ Ferrimagnetic Glass-Ceramics for Hyperthermia Application | |
| J.A. Liu, X.N. Yang, M.M. Zhang and W. He | 457 |
| Preparation and Microanalysis Study of Nano-Hap/Cs-Chs Composites Materials | |
| M.D. Qiu, X.Y. Wang, Y.Q. Zhai and Z.H. Yao | 463 |
| Preparation and Properties of Cu-Cr Alloy Coating on Cu Matrix by Laser Surface Alloying | |
| B.H. Tian, Y. Zhang and Y. Liu | 467 |
| Preparation and Property Study of CuCr Alloy Based on SHS | |
| H. Yang, G.D. Zhang and S.W. Guo | 471 |
| Preparation of TiO₂ Nanotubes by Ionic Liquid Assisted Anodic Oxidation Method | |
| M. Tian, J.Y. Liu, Y.L. Jiang, L.J. Yang and R.H. Cui | 475 |
| Research of Cu-15Ni-10Mn Alloy As-Cast | |
| W. Cai, Y. Wu, S.L. Yang, D. Xu, Z.B. Chen, Y.S. Deng and P. Luo | 479 |
| Research on Effects of Annealing and Al Gettering on Electrical Properties of Upgraded Metallurgical Grade Multicrystalline Silicon | |
| J.F. Zhang, W.H. Ma, X.H. Chen, C. Zhang and K.X. Wei | 483 |
| Research on Tribological Properties of Nano-SiO₂/Cu Composites | |
| J.H. Du, Y. Xu and Y.Y. Li | 487 |
| Study of Hydrophilic Films on Copper Tube | |
| Q.Y. Zhang, Z.M. Chen and M.L. Qi | 491 |
| Study on Composite Coating of α-PbO₂-Co₃O₄-CeO₂ on Stainless Steel | |
| F.G. Yuan, B.M. Chen, F.B. Shi, Z.C. Guo and R.D. Xu | 495 |

| | |
|--|-----|
| Study on Conductivity of Plain Woven Fabric of Embedded Silver-Plated Fibers of Different Twists | 500 |
| M.M. Lin, Y. Xie, L. Du and F.Y. Zou | |
| Study on Microstructure of Several Nb-Ti-Cr-Al as-Cast Alloys | 504 |
| Y.Q. Wang, Z.G. Liu, B.S. Sun and D.X. Wang | |
| Synthesis and Its Exchange Capacity for Li⁺ of Mg_{0.75}Ti_{1.125}O₃ | 510 |
| J.H. Jiang | |
| Synthesis and Properties of Highly Oriented Lead Barium Titanate Thin Film on MgO(100) by a Nonaqueous Sol-Gel Process | 514 |
| H. Zhu, Z.J. Guo, W.D. Yang and W.F. Chang | |
| The Effect of Sintering Temperature on the Mechanism of Metal Composite and Self Toughening and Toughening Si₃N₄ Ceramics Coupling | 518 |
| R.M. Yin, F.B. Ji, Q.L. Hou, L. Jing and L.Z. Chen | |
| The Preparation and Characterization of LiFe_{0.98}Mn_{0.02}PO₄/C by Spray-Drying and Low Temperature Reduction Route | 522 |
| J.F. Zhang, B. Zhang, X.Y. Guo, H.Z. Chen, J.L. Wang, C. Shen and J.C. Zheng | |
| The Preparation Research for IT-SOFC Anode Material LSCM | 529 |
| R. Li, X.H. Chen, W.H. Ma, J. Xing, J.J. Yang and J. Yu | |
| The Study of Edge Crack on Hot Strip Steel for CSP | 533 |
| Q.C. Peng, Z.B. Tong, L. Yang, B.Y. Liu, L. Qian and J.P. He | |
| Synthesis and Characterization of Quaternary Ti-Si-C-N Film Deposited by Middle Frequency Magnetron Sputtering | 540 |
| J.L. Jiang, D. Chen and W.J. Zhu | |
| Morphology-Controlled Fabrication of CuO Architectures | 544 |
| L.X. Yang, B. Liu and G.H. Li | |
| Microstructure and Mechanical Properties of Al₂O₃/NiAl <i>In Situ</i> Composites by Hot-Press-Aided Reaction Synthesis | 548 |
| G.Q. Qi, F.S. Shangguan, L.N. Yang, Q. Bai and G. Wu | |
| Effect of the Short Fiber on the NR Composite and the NR-SBR Composite | 552 |
| C.J. Liu | |
| Effect of Elements on Characteristics and Structure of Cu-22.7Zn Brass As-Cast | 556 |
| Y. Liu, L. Chen, Y.L. Liu, Z.B. Chen and Y.S. Deng | |
| Nano-MgO Tempered Mesoporous Carbon as Anode Material for Li-Ion Batteries | 561 |
| L. Shi, C.L. Miao, B. Xu and S. Chen | |
| Study on Carbon-coating Li₃V₂(PO₄)₃ Cathode Materials Prepared with Different Carbon Sources | 565 |
| Y.J. Li, L. Hong, J.Q. Sun and F. Wu | |
| The Preparation and Characterization of LiFe_{0.98}Ni_{0.01}Nb_{0.01}PO₄/C by Carbon Reduction Route | 570 |
| J.F. Zhang, B. Zhang, X.Y. Guo, J.L. Wang, H.Z. Chen, C. Shen and J.C. Zheng | |
| Photochemical Events during the Photosensitization of Hypocrellin A on ZnS Quantum Dots | 574 |
| W. Liu, X.L. Chen, L.S. Yang, J.C. Zhang, P. Yi, A.P. Fan and H.P. Yan | |
| Preparation and Properties of ZnO by Ionic Liquid Assisted Sol-Gel Method | 578 |
| Y.L. Jiang, J.Y. Liu, M. Tian, L.J. Yang and R.H. Cui | |
| Welding of Fe-Al Intermetallic Compound and Steel by SPS Technology | 582 |
| G.D. Zhang, Y.D. Xiao, N. Liu and M. Hong | |
| Study on Microstructure and Oxidation-Resistance of Superalloy Coating with Ni-Base Substituting for Co-Base | 586 |
| C.L. Hu and S.L. Hou | |
| Fabrication Lead Dioxide Coating by Pulse Current Method | 590 |
| X.D. Lv, X.T. Yuan, Z.Q. Hua, L. Wang, T. Li, Y.G. Zhou and Z.W. Wei | |
| Effects of Sputtering Conditions on Microstructure and Ferroelectric Properties of RF-Sputtered Bi_{3.25}La_{0.75}Ti₃O₁₂ Thin Films | 595 |
| Y.Y. Wu, X.T. Yuan, Z.Q. Hua, T. Li and L. Wang | |
| Using Ring Stiffness to Calculate the Elastic Modulus of Steel-Plastic Composite Pre-Insulated Pipe | 602 |
| C. Yang, F. Wang and G.W. Wang | |

| | |
|---|-----|
| The Effect of Annealing on Nanostructured Copper Alloys | 606 |
| Y.S. Ren, Y.L. Gong, X.X. Wu, Y. Long, L.P. Cheng and X.K. Zhu | |
| Preparation and Characterization of LiMn_{2-x}Mg_xO₄ by Low-Temperature Flameless Solution Combustion Synthesis | 611 |
| M.M. Chen, X.Y. Zhou, X.Z. Huang, M. Huang, C.W. Su, J.M. Guo and Y.J. Zhang | |
| Thermodynamic Analysis of the Reduction of WO₃ by Al Powder | 616 |
| L.P. Chen, Y.H. Gao and B.T. Su | |
| Comparation with Performance of Bamboo Fiber Reinforced Starch-Based Foams with Different Foamer | 620 |
| G.S. Zeng, R.Z. Lin, L.J. Zheng, G. Meng and L. Chen | |
| Effect of Electron Beam Irradiation on the Polypropylene/Syndiotactic 1,2-Polybutadiene Blends: Radiation Stabilization of Polypropylene | 627 |
| M. Li, L.G. Xiao and H.K. Zhao | |
| Homogenization Analysis Model for Granule System by Introducing Shape Parameters | 632 |
| Z.H. Wei, M.S. Wang and D.L. Zhang | |
| Hypernormal Form at Cubic of a Rectangular Symmetric Cross-Ply Laminated Composite Plate | 641 |
| W.Y. Jia, J. Li and B. He | |
| Influences of Model's Shape on Molding Time in Glass Molding Press | 645 |
| K.J. Zhu, S.H. Yin, Y.F. Fan, F.J. Chen, J.W. Yu and Y.J. Zhu | |
| Interfacial Assembly and Coordination of a Series of Schiff Base Compounds with Aromatic Spacer | 649 |
| J.X. Zhou, T.F. Jiao, A. Li, X.H. Li and X.D. Bai | |
| Multi-Trait Associated Selection of the Larix Construction Timber Superior Families | 653 |
| Y.X. Li, H.L. Weng, F.D. Wang, H.M. Wang and X.C. Zhou | |
| Preparation and Characterization of CaSiO₃ /Natural Rubber Composite | 659 |
| M. Zhao, P. Xu and Y. Chen | |
| Reinforcement of NR with ENR Modified RHA | 663 |
| Z.Q. Zeng, H.C. Liu and H.P. Yu | |
| Research on LB Films of Two Schiff Base Compounds with Alkyl Chains and Different Azobenzene Substituted Groups | 668 |
| J.X. Zhou, T.F. Jiao, X.H. Li and F.Y. Wang | |
| Research on the Preparation of Slag Wool Fiberboard with Sodium Silicate | 672 |
| H.W. Xing, X. Wang, W. Zhang and J.H. Wu | |
| Stress Intensity Factor of Thermal Fatigue Crack in High Temperature | 677 |
| M. Yan, H.C. Li and L. Li | |
| Study of an Inorganic Ion Exchanger Mg_{0.5}Ti_{1.25}O₃ | 681 |
| J.H. Jiang | |
| Study on Cu²⁺ Absorption Characteristics of Bentonite - Acrylic Acid Resin | 685 |
| K.S. Zuo, J.C. Liu and P. Shang | |
| Study on Gas-Liquid Inclusions in Quartz Sand under Microwave Field | 689 |
| Q.L. Hou, J. Li, R.M. Yin, L.Z. Chen, L. Li and F.B. Ji | |
| Study on Kinetics of Reaction between ZrNi₅ and Water Vapor | 694 |
| Y. Yao, D.L. Luo, Z.Y. Huang and J.F. Song | |
| Study on Performances of Cyanethyl Chitosan Fiber Prepared from [Asp]Cl Ionic Liquid | 698 |
| D.Z. Xu, T. Zhao, Z.C. Liu, L.N. Bai and J. Guo | |
| Study on the Comfort Properties of Embedded Weaving for Photocatalyst Fiber Filament Fabric | 702 |
| X.L. Ye, L. Du, Y. Xie and F.Y. Zou | |
| Study on the Physical and Biological Properties of Corn Fiber Gum from Corn Kernel Pericarp | 706 |
| Z.N. Li, Q. Mo, H.W. Lai and Y.J. Wang | |
| The Effect of Polyester Structures on the Damping Property of Polyurethane Elastomers | 710 |
| H. Chen, H.J. Zhou, D.J. Liu and Y.T. Li | |
| The Effects of Hanging Microbe Coagulation Natural Rubber on Molecular Structures and Mechanical Properties | 715 |
| J.F. Li, M.F. Huang, J.H. Liao, P.W. Li and T.M. Gao | |

| | |
|--|-----|
| Thermal Degradation Behavior of Polyaniline in Polyaniline/Tunsten Carbide Composite | 719 |
| H. Huang, R.C. Fu and Z.C. Guo | |
| The Flocculating Properties of Cationic-Starch-Graft-Polyacrylamide and its Nano Magnetic Modified Product | 723 |
| G.H. Wang, M.D. Sun, W.B. Li, Y.Z. Lu, X.Q. Liu, J. Wang, H. Hu, Q. Liu and T.T. Huang | |
| Thermodynamics of Potassium Dihydrogen Phosphate Growth: Baseline for Understanding Single-Crystal Formation | 727 |
| X. Zhang, D.X. Jia and H. Xie | |
| Removal of Iron in Hot Acid Leach Liquor by Hematite Process | 731 |
| C. Liu, H.J. He, D.Q. Liang, P. Su, C.W. Luo, T. Li and Z. Liu | |
| The Growth Mechanism of LSGM Thin Film Electrolyte by RF Magnetron Sputtering | 735 |
| J. Xing, X.H. Chen, W.H. Ma, R. Li, J.J. Yang and J. Yu | |
| The Study on the Mechanical Properties of Closed-Cell Foam Rubber Based on Microstructure Model | 739 |
| H. Guo, W.J. Hu and J.L. Tao | |
| Studies on the Desalination of NaCl Solution with Activated Carbon Coating Electrodes by Electrosorption and Kinetic Analysis | 743 |
| Y. Zhao, X.M. Hu, W. Li and B.H. Jiang | |
| Nonlinear Intelligent Constitutive Relation Of Piezoelectric Ceramic | 747 |
| R. Qin, J. Qin and X.H. Zhu | |
| Study on Corrosion Inhibition of Compound Corrosion Inhibitor of Molybdate in Seawater | 755 |
| Y.L. Wei, Y.Q. Tian, Y.H. Wang and X.H. Yang | |
| Simulation on Ballistic Performance of Ceramic/Metal Composite Armor | 759 |
| Y. Jia, F.X. He, L.P. Shi and X.T. Wang | |
| Validity of Several NDT Methods on Low Velocity Impact Damage Evaluation of 2-Dimensional Plain Woven C/SiC Composites | 764 |
| S.S. Li, X.Y. Tong, L.J. Yao and B. Li | |
| Characteristic Improvement of Carbon Coating by Furan Resin on Natural Graphite as Anode for Lithium Ion Batteries | 768 |
| Y.S. Wu | |
| Effect of Heat Treatment on Microstructure and Corrosion Resistance of Ni-Cr-Mo-Fe Alloys | 773 |
| E.C. Ding, Z.Y. Man, X.X. Yang and J.T. Zhao | |
| Effect of Hydrogen Content on Structure and Properties of Sintering Body Utilizing TC21 Hydrogenated Powder | 777 |
| Y.Q. Tian, Y.L. Wei, H.L. Hou and X.P. Ren | |
| Optimization of Factors Influencing the Aspect Ratio of Mullite Whiskers Based on Single Factor Analysis and Response Surface Methodology | 782 |
| B. Meng and J.H. Peng | |
| Research on the Electrical and Thermal Conductivity of Magnetorheological Fluid | 786 |
| F. Zhou, Y.C. Wang, R.J. Wang and R. Wang | |
| Study of Chelating Agents in Silicon Wafer Polishing Slurry | 790 |
| X.H. Zhang and G.X. Wang | |
| The Effect of Suspension Casting on the Properties of Fly-Ash Particle Reinforced Al Matrix Composites | 794 |
| Z.W. Jiang, H.F. Luo and Z.J. Li | |
| Calculation of Thermodynamic Properties for B2-YCu Intermetallics with Molecular Dynamics | 798 |
| L.S. Xu and Y.R. Wu | |
| Numerical Simulation on the Effects of Ceramic Particle Reinforcement Distribution on the Penetration of Functionally Graded Material Armor | 803 |
| Y. Jia, X.T. Wang, L.P. Shi and F.X. He | |
| Effect of Filler Alloy on Microstructure, Mechanical and Corrosion Behaviour of Dissimilar Weldment between Aisi 201 Stainless Steel and Low Carbon Steel Sheets Produced by a Gas Tungsten Arc Welding | 808 |
| C. Wican and S. Loeshpahn | |

Chapter 3: Metallurgical Technologies

| | |
|---|-----|
| Optimization on Influencing Factors of Fracture Toughness of Corundum-Mullite Toughened by <i>In Situ</i> Synthesized Mullite Whiskers by Response Surface Methodology | 819 |
| B. Meng and J.H. Peng | |
| Analysis of the Color Phosphating Process Influence Factors | 823 |
| Z.M. Chen, Z.L. Wu and Q.Y. Zhang | |
| Analysis on Crack Propagation Mechanism of Single Crystal Copper by FEAt Method | 827 |
| G. Li, Q.L. Zhang, M. Chen and L.Y. Zhou | |
| Comparative Study on Removal of Fe, Al and Ca From MG-Si by Acid Leaching | 831 |
| Y. Mai, W.H. Ma, K.Q. Xie, T. Wang, H. Zhang and Q. Liu | |
| Crystallization Behavior during Preparation of Glass-Ceramics from BF Slag of Baotou Iron and Steel Company | 836 |
| Y.C. Wang, J.L. Zhang, Q. Jiang, G.P. Luo and W.W. Yu | |
| Effect of Hot-Rolling Parameters on Microstructure and Mechanical Properties of 72LXA Steel Wire Rod | 842 |
| J.H. Zeng, Y.C. Li, Z. Zhou and J. Chen | |
| Effect of Sodium Carbonate Concentration on Leaching Property of Sintered Clinkers with Low A/S Ratio | 847 |
| H.Y. Yu, S. Zhang, W.F. Wu, X.L. Pan and S.W. Bi | |
| Experimental Study of Floatation on Non-Independent Copper Oxide Ore from Jilin Province in China | 851 |
| R.D. Deng, Q.J. Liu, X.F. Yang, T. Hu and F.H. Ye | |
| Experimental Study on Spraying Nozzle Arrangement of Slab Caster | 856 |
| Z.G. Peng, D.Q. Cang, W.F. Gao, Z.Z. Yang and J.J. Zhang | |
| Inclusion Control of Oil Drilling Steel SAE4137 | 861 |
| L. Chen, T.M. Chen, Y. Chen, Y.X. Zeng and P.F. Li | |
| Influence of the Mechanical Activation on the Reactivity of Germanium-Containing Zinc Neutral Leaching Residue | 868 |
| C. Liu, H.J. He, D.Q. Liang, H. Huang, L.M. Man, Y. Song and S.Q. Luo | |
| Microwave Digestion-ICP-MS Determination of Vanadium Oxide for 22 Impurity Elements | 873 |
| Y. Cheng | |
| New Groove Design and Three-Dimensional Numerical Simulation of Ultra-Fine Grain of Bar Rolling | 879 |
| L. Cao, X.T. Li, S.J. Liu and M.T. Wang | |
| Numerical Simulation on Temperature Drop of Molten steel in 210 t Ladle | 883 |
| S.L. Tian and Z.L. Yang | |
| Research of Lime-Mediated Sewage Sludge Use as Metallurgy Sintering Ingredients in the Sinter Industry | 888 |
| Y. Xing, F. Zhao, C. Hong, G.W. Yu, C.S. Yue and Y.X. Si | |
| Research on Extending the Lifetime of Combined Blowing Vanadium Recovering Converter | 895 |
| A.L. Li, X.T. Liang, Y. Chen, J.H. Zeng, G.J. Li and S.X. Yang | |
| Research on Technology of Smelting Low-Sulphur Steel | 899 |
| L.K. Jiang | |
| Situation and Technology Progress of Lead Smelting in China | 904 |
| W. Gao, C.Y. Wang, F. Yin, Y.Q. Chen and W.J. Yang | |
| Study on Deformation Behavior of Rolled Metal at Ultra High Rolling Speed in Wire Rod Mills | 912 |
| X.Y. Shuai and C. Wu | |
| Study on Low Temperature Co-Carbonization of Coal and Algae | 919 |
| X.M. He, Y. Pan, W. Li, J.Q. Fang and X.J. Wang | |
| Utilization of Steelmaking Dry-Dedusting Dust | 924 |
| L. Chen | |
| Effect of Spheroidizing Annealing Time on Microstructure and Hardness of GCr15 Bearing Steel | 928 |
| X.D. Huo, L. Guo, K.N. He and R. Huang | |
| Optimization of Secondary Cooling on Rectangular Bloom Based on Subproblem Approximation Method | 932 |
| W. Chen, Y.P. Feng, N. Zheng and Y. Chen | |
| Research on Reducing Tapping Temperature of BOF | 936 |
| J. Chen, Y. Chen, X.T. Liang and J.H. Zeng | |

| | |
|---|------|
| Removal Phosphorous from High Phosphorous Converter Steel Making Slag by Hydrometallurgical Process | 940 |
| W.T. Xia, X.J. Zhou, J.G. Yin, Y.F. Gao, W.Q. Yang and J. An | |
| Research on Application of Vanadium Extraction Tailings for BOF Steelmaking | 944 |
| L. Chen, J. Wang, W.S. Ge, S.C. Jiang and L.G. Yi | |
| Experimental Research of Tin Ore from Kazakhstan | 949 |
| T. Hu, Q.J. Liu, R.D. Deng and F.H. Ye | |
| Effect of Heat Treatment on Microstructure and Properties of Cr15 Super Martensitic Stainless Steel | 954 |
| W. Jiang, K.Y. Zhao, D. Ye, J. Li, Z.D. Li, S.H. Li, J. Su, Q.L. Yong and X.C. Han | |
| Study on Inclusions of Low Carbon Steel Slabs Produced in Different Casting Stages | 958 |
| Q.C. Peng, W. Xiong, X.S. Yu, J. Zou, S. Peng and X.S. Sheng | |
| Decontamination of Drilling Fluid Waste from Coalbed Methane Well | 962 |
| L.J. Guo, J. Li, H.Y. Hu, H.N. Liu and J. Lu | |
| Flotation of a Refractory Copper Oxide Ore Using Ammonium Bicarbonate as Activator | 969 |
| Y. Wen, J.J. Fang, Y.B. Mao, S. Wang, J. Liu and W.J. Zhao | |
| Flotation of Copper Oxide Minerals Using Ethylene Phosphate as Activators | 975 |
| X.F. Yang, Q.J. Liu and R.D. Deng | |
| Study on Calcium Ions Affecting Mechanism to Collecting Quartz in the System of Dodecyl Sulphonate | 983 |
| L.Z. Chen, Q.L. Hou, R.M. Yin, L. Jing and F.B. Ji | |
| The Application of METSIM in Hydrometallurgy Process: A Case Study | 988 |
| Y.Q. Lv, S.L. Zheng, H. Du, S.N. Wang and Y. Zhang | |
| Research on the Mechanism of Producing Calcium Vanadate | 996 |
| P. Cao, X.L. Yang, Y. Peng, Z.B. Fu and L. Chen | |
| An Electrochemical Corrosion Study of SAE1045 Steel in Polyacrylamide Gel and Sodium Chloride Surroundings | 1002 |
| N. Lu, Y. Yao, H.P. Yang, X.L. Chen, K.M. Gu and J.N. Tang | |
| Corrosion-Resistance of Ni₃Al Intermetallic Compounds Containing Cr Synthesized via Spark Plasma Sintering Process | 1006 |
| N. Liu, G.D. Zhang, J.L. Wu, F.J. Zhang and J.Q. Zhang | |
| Effect of Cold-Rolling Reduction on Recrystallized Annealing Microstructure and Texture of Titanium Stabilized Interstitial Free Steel | 1010 |
| G.T. Zhang, Z.W. Zheng and M.L. Wang | |
| Effect of FeO on Sintering and Leaching of Calcium Aluminates in the CaO-Al₂O₃-SiO₂ System | 1014 |
| X.L. Pan, H.Y. Yu, K.W. Dong, B. Wang, W. Zhang and S.W. Bi | |
| Effect of Strain Rate on Mechanical Properties of Fe-30Mn-3Si-4Al TWIP Steel | 1018 |
| Z.P. Xiong, L.G. Gu, Y.K. Wang, J.C. Zhao, W.P. Bao and X.P. Ren | |
| Effect of Tempering Process on Structure and Properties of Super Martensitic Stainless Steel | 1023 |
| H.D. Sun, K.Y. Zhao, J.Q. Rui, W. Jiang, X.C. Han, Q.L. Yong and J. Su | |
| Effects of Particle Size of Coke on the Electrical Property and Hardness of Copper/Coke/Phenolic Resin Composites | 1027 |
| M.D. Li, H. Yang, H. Niu, C.M. Zhang and Y. Lu | |
| Extraction and 3-Dimension Morphology Characterization of Metastable Secondary Phase in Steel | 1031 |
| G.C. Wang and K.M. Fang | |
| Finite Element Simulation of Nickel-Plated Steel Sheet in Stamping Process | 1036 |
| Z.W. Tan, K.L. Xu and S.Y. Hu | |
| Flowing Liquid Metal Corrosion of Structural Steels in the Pb-Bi Eutectic | 1040 |
| Z.H. Wang and H. Chen | |
| Fluoride Evaporation during Thermal Treatment of Waste Slag from Mg Production Using Pidgeon Process | 1044 |
| F.L. Han, L.E. Wu, S.W. Guo, Q.X. Yang and C. Du | |
| Germanium Co-Precipitation with Ferric Hydroxide: A Lab-Scale Study | 1050 |
| K.Y. Chen, C. Liu, D.Q. Liang, H.J. He, Q. Huang, Y.M. Wu and J. Pan | |

| | |
|---|------|
| High Temperature Deformation Behavior and Corrosion Resistance of 2205 Duplex Stainless Steel under Strain Rate of 0.5s⁻¹ Y.H. Yang and S.H. Li | 1054 |
| Influence of pH on the Electrochemical Behavior of 00Cr15Ni7Mo2Cu2 Supermartensitic Stainless Steel in 3.5% NaCl Solutions J.Q. Rui, J. Li, H.D. Sun, K.Y. Zhao, Z.D. Li, X.C. Han, Q.L. Yong and J. Su | 1058 |
| Non-Metallic Inclusions Control for High Strength Anti-HIC X65 Tube Steel J. Wang, Y. Chen, S.Q. Huang, J.H. Zeng, L.G. Yi, Y.J. Zhang, L. Chen and H.B. Yu | 1062 |
| Research on Hydrometallurgical Purification of Microimpurity in SiGe Alloy Tailings C. Li, X.H. Chen, W.H. Ma, L. Wu and K.Q. Xie | 1068 |
| Research on Technology of Reducing Iron and Steel Consumption in Whole Process of Steelmaking L.K. Jiang | 1072 |
| Study on Technology of KR Desulfurization for Hot Metal with Vanadium and Titanium J. Wang, W.S. Ge, L. Chen, S.Q. Huang, J.R. Fan and Z.H. Zhong | 1077 |
| Studying on Leaching Low Grade Copper Oxide Ore in the System of NH₄CO₃-H₂O Y.B. Mao, J.J. Fang, Y. Wen, S. Wang, W.J. Zhao and S.Q. Zeng | 1083 |
| The Study of Color Film Phosphating Process in Steel before Coating Z.M. Chen, Z.L. Wu and Q.Y. Zhang | 1088 |
| Ratio of Magnesium in Prepared High Titanium Ferroalloy with Titanium Concentrate and Titanium Slag by Thermite Reduction M.T. Ding | 1092 |
| Research on Separation of Copper-Lead Mixed Concentrate M.G. Jiang, Q.J. Liu, H. Xiao and J.L. Yang | 1096 |
| An Electrochemical Corrosion Study of SAE1045 Steel in SiO₂ Gel with 3 wt% Sodium Chloride N. Lu, Y. Yao, K.M. Gu, Z.L. Lu, H.P. Yang and J.N. Tang | 1102 |
| Biooxidation Pretreatment Cyanide Leaching of a Flotation Gold Concentrate C. Zhu, B.L. Ge, Z.Y. Lu and W. Zhu | 1106 |
| Research of Refractory Oxidized Lead-Zinc Ore in Lanping H. Xiao, Q.J. Liu, M.G. Jiang and J.L. Yang | 1110 |
| The Effects of Nd on Lead Anode for Zinc Electrowinning X.C. Zhong, B. Hong, Y.H. Li, L.X. Jiang and Y.Q. Lai | 1115 |
| Study on Preparation of High-Grade Titanium-Rich Material from Modified Titanium Material by Microwave Selective Leaching Y. Sun, S.L. Liu, S.L. Zhang and J.H. Zhang | 1119 |
| The Investigation of Coke Breeze Demineralization on Temperature Z. Ning, K.Q. Xie, W.H. Ma, K.X. Wei, Y. Zhou and Y. Yang | 1123 |

Chapter 4: Related Themes

| | |
|--|------|
| A Study on Advanced Treatment for Coking Wastewater with Biological Activated Carbon Based on Efficient Degrading Flora G.H. Wang, X.Q. Liu, W.B. Li, Y.Z. Lu and M.D. Sun | 1129 |
| A Study on the Relationship between the Abnormal Chemical Components of Underground Water and Endemic Fluorosis in Shuangliao Area, Jilin Province, China Y.H. Sun, S.H. Sun, L.J. Lu, G.Q. Chen and X. Wang | 1133 |
| Efficient Expression of Mussel Adhesive Protein in <i>Pichia pastoris</i> GS115 Promoted by Ectoine X. Zheng, W.W. Fan, L.J. Meng, S.S. Li, Y.Y. Liu and L.H. Zhang | 1137 |
| Influence of Disintegrant on Properties of Fast Disintegrating Tablet Containing Xylitol P. Katewongs and T. Phaechamud | 1141 |
| The Changes of Fibrinolytic Activity of Nattokinase in Artificial Gastrointestinal Environment and Human Digestive Juice Y.L. Zhao, Y.N. Gu, W.G. Wang, L.G. Du, L.C. Tang and T.T. Meng | 1145 |
| Effect of Zn Stress on <i>Pteris vittata</i> Q.H. Zhu and H.X. Xia | 1151 |

| | |
|--|------|
| Spectrophotometric Determination of Kryptofix 2.2.2 Using TCNQ | 1156 |
| M.Y. He, L.Q. Sun and A.Q. Luo | |
| Cold Test of Circulating Fluidized Bed Decomposition Phosphogypsum | 1160 |
| L.Z. Ma, Q.F. Cui, J.M. Guo and Y.J. Zhang | |
| Analysis of Volatile Compounds in Flowers of <i>Fraxinax sieboldiana</i> by Headspace Solid-Phase Microextraction Coupled to Gas Chromatography-Mass Spectrometry | 1164 |
| R. Zheng, W.B. Hu and X.H. Yang | |
| Distributed Characteristics of Mining Rights of Key Minerals of China | 1168 |
| W.N. He, L.J. Lu, Y.Z. Wang, Y.L. Lu and Y.J. Tan | |
| Exploration of Exhaust Gas of Natural Gas Catalytic Combustion in the Aseptic Box | 1172 |
| L.F. Yan, M. Xiao and S.H. Zhang | |
| Material Performance Data Acquisition and Management System for Welded Pipe Used in the 2nd West-East Gas Pipeline | 1176 |
| B.L. Liu, W. Chen, L. Li and Q.R. Xiong | |
| Optimization of Steelmaking Process for 200t Converter | 1180 |
| J. Chen, A.L. Li, Y. Chen, X.T. Liang and J.H. Zeng | |
| Purification of Soybean Isoflavones from Soy Sauce Residue by Ultrafiltration | 1184 |
| B. Li, Z.Q. Wu, L.Y. Dong and L. Li | |
| Screening, Identification of a Marine Fungal Strain Producing Chitosanase | 1189 |
| G.R. Zu, M. Chen and C.Z. Zhang | |
| Study on Operating Conditions of Membrane-Aerated Bioreactor | 1193 |
| X.J. Liu, S.C. Xu, C.C. Qiang and B. Li | |
| Study on the Decontamination by Introducing Microorganism Action in the Process of Using Coal-Gangue Packed for Mine | 1197 |
| X.F. Jing, Y.L. Chen, H. Chen and Z.Y. Cai | |
| Study on Removing Dissolvable Mn²⁺ from Manganese Residue by Oxidation at High Temperature | 1202 |
| X.J. Zhou, W.T. Xia, J.G. Yin, Y.F. Gao, J. An and W.Q. Yang | |
| Process Optimization of Hemicelluloses Lye Extraction from Sugarcane Bagasse | 1206 |
| L.J. Wang, X.L. Liu, M.L. Weng, Z.J. Li, F.S. Wu and S.F. Wang | |