

Table of Contents

The Variation of Plantar Temperature and Plantar Pressure during Shod Running with Socks or not M.Z. Wang, Y. Song, G. Fekete and Y.D. Gu	1
β-Dicalcium Silicate Cement Modified with β-Tricalcium Phosphate: <i>In Vitro</i> Bioactivity and Mechanical Strength A. Bouregba, H. Ez-Zaki, O. Sassi and A. Diouri	9
Study and Characterization of Mechanical and Electrochemical Corrosion Properties of Plasma Sprayed Hydroxyapatite Coatings on AISI 304L Stainless Steel V. Rattan, T.S. Sidhu and M. Mittal	20
Optimisation of a Reinforced Cement Spacer in Total Hip Arthroplasty H. Salah, M.M. Bouziane, S.M. Fekih, B.A. Bachir Bouiadjra and S. Benbarek	35
Determination of the Optimum Material for an Endodontic Prefabricated Post Using a Sub-Problem Approximation Method W.M.K. Helal, F.C. Jiang, D.Y. Shi, D.E.D. Fouad and M. Osman	50
Effect of Decellularized Cartilage Bovine Scaffold and Hypoxic Condition on Stem Cell Differentiation to Chondrocyte: An <i>In Vitro</i> Study F. Mahyudin, D.N. Utomo, T.W. Martanto, A.R. Hidayat and L.M. Putri	67
Morphological Changes in the Upper Part of Digestive Tract in a Case of Experimental Duodenogastric Reflux Y.G. Romanenko and M.P. Komskyi	77
Detection of Novel GyrB Mutations Associated with <i>Escherichia coli</i> Clinical Isolates A.S. Bin Thani	88
Wireless Heart Abnormality Monitoring Kit Based on Raspberry Pi K.A. Alfarhan, M.Y. Mashor, A.R. Mohd Saad and M.I. Omar	96