

Table of Contents

Preface

Mechanical Alloying and Chaos

- A. Otsuki, P.H. Shingu and K.N. Ishihara 5

Dislocations, Defects and Disorder during Mechanical Milling

- D.G. Morris and A. Benghalem 11

The Influence of Dislocation Structure on Formation of Nanocrystals by Mechanical Attrition

- T.D. Shen and C.C. Koch 17

Relaxation of Atomic Structure on Mechanical Treatment of Solids

- P.Y. Butyagin 25

X-Ray Analysis of the Metals Fine Structure and Amorphisation Reaction in Mechanical Alloying

- Y.A. Skakov, N.V. Edneral, E.V. Frolova and J.A. Povolozki 33

Dilatometric Characterization of Micrograined Metallic Powders

- S. Gialanella, R. Di Lorenzo and F. Marino 39

Prediction of Phase Transformations in Intermetallic Compounds Induced by Milling

- H. Bakker, G.F. Zhou and H. Yang 47

The Charm of Disorder

- R.W. Cahn 53

Defect Structures in Ball-Milled Intermetallic Powders

- S. Gialanella and L. Lutterotti 59

Ion Induced Amorphization in Metallic Compounds

- P.M. Ossi 65

A Possible Mechanism of Disordering of Ordered Alloys by Irradiation and Ball Milling

- H. Yang, L. Huang and H. Bakker 73

Structures and Magnetic Properties of Some Novel Materials Obtained by Milling of Intermetallics

- G.F. Zhou and H. Bakker 79

Phase Formation during Ball Milling of Intermetallic Compounds with Different Structures

- U. Herr and K. Samwer 85

Kinetics of the Ball-Milling Induced Order-Disorder Transformation in Fe-Al

- P. Pochet, L. Chaffron and G. Martin 91

EXAFS Study of the Mechanical Alloying of Pd-Si Powder Mixtures

- T. Nasu, K. Nagaoka, M. Sakurai and K. Suzuki 97

Mechanical Grinding of Iron Borides

- C.E. Rodríguez Torres, F.H. Sánchez, L. Mendoza-Zélis and M.B. Fernández Van Raap 103

Mössbauer Effect Study of Disorder Induced by Mechanical Alloying in the Fe-Si System

- M. Abdellaoui, E. Gaffet and C. Djega-Mariadassou 109

Surface Area and Particle Size of Mechanically Milled Fe_3Ge_2

- W.E. Brower, K.A. Prudlow and T.R. Reitenbach 115

Phase Transformation Induced by Ball Milling in Fe-Zr System and Related Magnetic Properties

- S.E. Lee, H.Y. Ra, T.H. Yim and W.T. Kim 121

Structural Transformations in $\text{Al}_{85}\text{Y}_{10}\text{Ni}_5$ Alloy Induced by Mechanical Alloying

- M. Burzyńska-Szyszko, V.I. Fadeeva and H. Matyja 127

Phase Transformations and Nanostructure Formation of $\text{ZrO}_2\text{-Y}_2\text{O}_3$ and $\text{ZrO}_2\text{-CeO}_2$

- Powder Mixtures during High Energy Ball Milling 133

- Y.L. Chen, M. Zhu, M. Qi, D.Z. Yang and H.J. Fecht 133

Synthesis, Thermal Properties and Recrystallization of Ball-Milled High Tc Superconductors. (Topological Stabilization of Metastable Phases)

- R. Schulz, J. Lanteigne, M. Simoneau, P. Tessier, A. Van Neste and J.O. Ström-Olsen 141

Extended Concept of Mechanical Alloying for Complex and Composite Inorganic Materials

- M. Senna 147

| | |
|---|-----|
| Characteristics of Ma Metastable Ti+Al Powders at High Temperatures | 153 |
| J.H. Ahn, K.R. Lee and H.K. Cho | |
| Nanophase Formation Activated by Mechanical Alloying | 159 |
| E. Gaffet and N. Malhouroux-Gaffet | |
| Mechanical Alloying of Thermoelectric FeSi₂ Compound | 165 |
| M. Umemoto, S. Shiga, K. Raviprasad and I. Okane | |
| Preparation of Nanocrystalline Nb₃Al Powders by Mechanical Grinding and Alloying | 171 |
| J. Saida, K. Ohsaki, Y. Tanaka, M. Uda and K. Okazaki | |
| Mechano-Synthesis of Iron Containing Aluminium Alloys | 177 |
| M. Meyer, L. Mendoza-Zélis and F.H. Sánchez | |
| Mechanosynthesis of Tungsten Carbide | 183 |
| G.M. Wang, P. Millet, A. Calka and S.J. Campell | |
| Synthesis of TiAl-Al₂Ti₄C₂ Composite by Reaction Milling | 189 |
| T. Suzuki and M. Nagumo | |
| Formation of Iron Nitride-Carbide Composite by Solid State Reactions between Iron and Organic H_x(CN)-Ring Compounds | 195 |
| W.A. Kaczmarek and I. Onyszkiewicz | |
| Carburization of Iron by Ball-Milling Fe50-C50 | 201 |
| G.M. Wang, A. Calka, S.J. Campbell and W.A. Kaczmarek | |
| Novel Synthesis of Lead Titanate by Mechanical Alloying | 207 |
| A.O. Aning, C. Hong and S.B. Desu | |
| Mechanical Alloying in the Fe-Based Systems | 215 |
| D. Oleszak, M. Jachimowicz and H. Matyja | |
| Hyperfine Interactions and Microstructure of Some Iron Nitrides Obtained by Mechano-synthesis | 219 |
| R.S. de Figueiredo and J. Foct | |
| FeCu Solid Solutions | 225 |
| P. Crespo, A. Hernando and A. García Escorial | |
| Mechanical Alloying of Iron and Tin Powders: A Mössbauer Study | 231 |
| A.F. Cabrera, F.H. Sánchez and L. Mendoza-Zélis | |
| Metastable Phase Formation and Activity Estimation of the Ag-Cu System Prepared by Mechanical Alloying | 237 |
| S.D. De la Torre, A. Yamamoto, K.N. Ishihara, P.H. Shingu, T. Hirato and Y. Awakura | |
| Formation of Co-Cu Supersaturated Solid Solutions by Mechanical Alloying | 243 |
| J.G. Cabañas-Moreno, H. Dorantes, V.M. López-Hirata, H.A. Calderón and J.M. Hallen-López | |
| A Study of the Consumption of Iron during the Mechanical Alloying of the Cu-Fe Immiscible System | 249 |
| P.P. Macrì, P. Rose, D.E. Banda, N. Cowlam, G. Principi and S. Enzo | |
| On the Evolution of the Amorphous Phase in Cu-Ti Alloys Produced by Mechanical Alloying | 255 |
| J.A. Hunt, I. Soletta, S. Enzo, L. Meiya, R.L. Havill, L. Battezzati, G. Cocco and N. Cowlam | |
| Formation of Co-Sn Alloys by Mechanical Alloying | 261 |
| V.M. López-Hirata, U. Juárez-Martínez and J.G. Cabañas-Moreno | |
| Structure and Thermal Stability of CuCo and CuFe Alloys Prepared by Mechanical Alloying | 267 |
| R. Elkalkouli, P. Chartier and J.F. Dinhut | |
| Amorphization of Mechanically Alloyed Fe-C and Fe-N Materials with Additive Elements and their Concentration Dependence | 273 |
| K. Omuro and H. Miura | |
| Gas-Solid Interaction in Milling Processes: Mechanochemical Hydrogenation Reactions via Metal Hydrides | 281 |
| G. Cocco, G. Mulas and L. Schiffini | |
| Metal-Nitride Composites Obtained by Alloy Milling under Nitrogen Gas | 287 |
| J. Seconde, O. Drbohlav and R. Yavari | |
| Structure and Thermal Properties of Tungsten and Molybdenum Milled in Nitriding Environment: Effect of Milling Time and Atmosphere | 295 |
| A. Calka, J.I. Nikolov, Z.L. Li and J.R. Williams | |

| | |
|--|-----|
| Mechanistic Study of the Nitriding Reaction Induced by Mechanical Alloying | 301 |
| Y. Chen and J.S. Williams | |
| Preparation of (Al,Ti) by Mechanical Alloying of Al-Ti Powder Mixtures under Nitrogen Atmosphere | 307 |
| M. Miki, T. Yamasaki and Y. Ogino | |
| Effects of Gas Surface Layer during Mechanical Processing of Complex Magnetic Oxide on Structure, Morphology, Thermal and magnetic Properties | 313 |
| W.A. Kaczmarek | |
| Ball Milling of Soft Metals: The Formation of Gallium Nitride | 321 |
| P. Millet and A. Calka | |
| Effect of Oxygen Impurities in Mechanical Alloying of Pd-Si | 325 |
| M. Magini, C. Colella, W.H. Guo, T. Dikonimos Makris and S. Turtù | |
| The Dynamics of Magneto-Ball Milling and Its Effect on Phase Transformations during Mechanical Alloying | 333 |
| A. Calka and J.I. Nikolov | |
| Physics of Mechanical Alloying in Planetary Ball Mill and the Horizontal Rod Mill: Kinematic Approach | 339 |
| M. Abdellaoui and E. Gaffet | |
| The Influence of High-Energy Ball-Milling Conditions on the Kinetics of Communion and Crystallization of Amorphous Alloys Based on Fe and Ni | 345 |
| T.Y. Mochalova, S.D. Kaloshkin and I.A. Tomilin | |
| Bulk Synthesis of Nanometer-Sized Materials by Combination of Mechanical Alloying and Compaction | 351 |
| R. Rahouadj, O. El Kedim, P. Lesage, M. Abdellaoui and E. Gaffet | |
| Bulk Synthesis of Novel Nanocrystalline and Amorphous Tungsten-Base Materials | 357 |
| N.C. Angastiniotis and B.H. Kear | |
| Characterization of Mechanically Processed, Compacted and Heat Treated Nitrogenated bcc-Iron Powder | 363 |
| J. Rawers, R.D. Govier and G. Korth | |
| A Fine Grain Sized Al-65 AT.% Ni Alloy Prepared by Mechanical Milling | 369 |
| J. Wolska and J. Mehnert | |
| Nanostructure Refinement in Mechanically Alloyed Copper Powders by Co-Milling with TiN Particles | 375 |
| S.C. Axtell, B.W. Robertson and M.R. Malik | |
| Optical Artificial Lattice Produced by Mechanical Alloying | 383 |
| P.H. Shingu, K.N. Ishihara and A. Otsuki | |
| Reactions of Titanium and Niobium Deuterides under Intensive Mechanical Treatment | 389 |
| J. Uchrin, R. Uchrin, K.B. Gerasimov and O. Lomovski | |
| Modification Induced by Milling on Liquid Phase Sintering | 391 |
| C. Chausse, F. Nardou and E. Gaffet | |
| Metastable Phases in Mechanically Aligned Al-Fe System | 397 |
| V.I. Fadeeva, A.V. Leonov and L.N. Khodina | |
| Synthesis of TaSi₂, MoSi₂ in Mechanochemical Reactors Made from Relating Metals | 403 |
| E.Y. Belyaev, O.I. Lomovsky and G. Golubkova | |
| Zirconium Extraction from ZrSiO₄ after Mechanical Activation | 407 |
| T. Puclin and J. Kaczmarek | |
| Contamination Control in the Mechanical Alloying of Nanocrystalline Intermetallic Compound Based Alloys | 411 |
| P.S. Goodwin and C.M. Ward-Close | |
| Attritor Technology-Latest Developments | 419 |
| H. Zoz | |
| Possible Use of Planetary Mills in Investigations of Mechanically Aligned Materials in the Field of Mechanochemistry | 425 |
| J. Uchrin, R. Uchrin and E.G. Avvakumov | |
| Preparation and Mechanical Properties of TiAl Alloys with Submicron Grain Size | 435 |
| M. Oehring, F. Appel, T. Pfullmann and R. Bormann | |
| Thermodynamic Stabilization of Grain Boundaries in Nanocrystalline Alloys | 443 |
| C.E. Krill III, R. Klein, S. Janes and R. Birringer | |

| | |
|---|-----|
| Electrochemical Properties of Nanocrystalline Ni-Mo Alloys Produced by Crystallization | 449 |
| H. Alves, M. Ferreira and U. Köster | |
| Mechanically Decomposed Composites | 455 |
| A.Y. Yermakov | |
| Thermal Evolution of Nanocrystalline Intermetallic Materials by DSC Measurements | 463 |
| S. Suriñach, J. Malagelada and M.D. Baró | |
| The Study of Fe-Based Mechanically Alloyed Materials by Mössbauer Spectroscopy | 469 |
| G. Le Caér, P. Delcroix, M.O. Kientz and B. Malaman | |
| Decomposition of CuFe-Type Nanocrystalline Supersaturated Solid Solutions | 475 |
| O. Drbohlav, J. Secondi and A.R. Yavari | |
| TEM Observation of the Reordering Mechanism in a Partially Disordered Ni₃Al-Based Alloy | 483 |
| S. Lay and A.R. Yavari | |
| Grain Refinement and Nanocrystallization of Ni₃Si by Ag-Addition and Rapid Solidification | 489 |
| E. Munsterhjelm, O. Drbohlav, R. Durand and R. Yavari | |
| Soft-Magnetic Properties of Cu-Free, Fe-Based Nanocrystalline Alloys | 497 |
| A. Inoue, A. Makino and T. Masumoto | |
| Nanocrystallization and Magnetic Properties | 507 |
| A. Hernando and T. Kulik | |
| Metastable Iron Nitrides | 513 |
| J.M.D. Coey and K. O'Donnell | |
| The Magnetic Properties of FeSiBCuNb Wires during the First Stages to the Nanocrystallization Process | 521 |
| M. Vázquez, P. Marín, A.O. Olofinjana and H.A. Davies | |
| Formation and Hard Magnetic Properties of Sm-Co-Fe Materials Prepared via Mechanical Alloying | 527 |
| P.A.I. Smith, P.G. McCormick and R. Street | |
| Formation of Nanocrystalline Materials by Crystallization of Metallic Glasses | 533 |
| U. Köster, J. Meinhardt and H. Alves | |
| Influence of Additions on Crystallization and Magnetic Properties of Amorphous Fe_{77.5}Si_{15.5}B₇ | 539 |
| N. Mattern, A. Danzig and M. Müller | |
| Nanocrystallized Fe-Based Metglasses Investigated by Mössbauer Spectrometry | 545 |
| N. Randrianantoandro, J.M. Grenèche, E. Jedryka, A. Ślawska-Waniewska and H.K. Lachowicz | |
| Structure and Magnetic Properties of Melt Spun FeNdB Alloys Nanocrystallized by Thermal Treatment | 551 |
| N. Clavaguera, J.M. Machado da Silva, J.B. Oliveira, J.A. Diego and M.T. Clavaguera-Mora | |
| The Influence of Amorphous Alloys Composition on Kinetics of Crystallization with the Nanocrystalline Structure Formation | 557 |
| S.D. Kaloshkin, I.A. Tomilin, B.V. Jalnin, I.B. Kekalo and E.V. Shelekhov | |
| Magnetic Properties and Microstructure of Nanocrystalline FeZrB(Cu) Alloys | 563 |
| A. Ślawska-Waniewska and P. Nowicki | |
| On the Role of Cu in the Nanocrystallization of Fe-Zr-Based Meltpun Amorphous Alloys | 569 |
| O. Drbohlav, B. Bochu, A.R. Yavari, S. Suriñach and M.D. Baró | |
| On the Use of Joule Heating Techniques to Produce Nanostructured Magnetic Materials from Melt-Spun Ribbons | 575 |
| P. Allia, M. Baricco, C. Beatrice, M. Knobel, P. Tiberto and F. Vinai | |
| Amorphous to Nanocrystalline Transformation of a Finemet-Type Alloy | 581 |
| C.F. Conde and A. Conde | |
| Nanocrystallization and Structure of Fe_{73.5}Cu₁Nb₃Si_{22.5-x}B_x Alloys | 587 |
| T. Kulik and A. Hernando | |
| Low Frequency Soft Magnetic Properties of Fe-Zr-B-Cu Nanocrystalline Alloys | 593 |
| F. Kogiku, N. Shiga and M. Yukumoto | |
| Nanocrystals through Crystallization of Amorphous Alloys | 597 |
| M. Baricco and L. Battezzati | |
| Structure, Property, Processing Relationships in Nanocrystalline Sputtered Magnetic Films | 603 |
| B.W. Robertson, Y. Liu, Z.S. Shan, S.H. Liou and D.J. Sellmyer | |

| | |
|--|-----|
| Electron Transport in Nanocrystalline Alloys K. Pekała, P. Jaśkiewicz, M. Pekała and T. Kulik | 609 |
| Magnetic Properties of Some Amorphous Alloys Annealed by Dynamic Joule Heating: Influence of Temperature and Applied Stress A. Houzali, F. Alves and J.C. Perron | 615 |
| Nanocrystalline Al-Composites by Mechanical Milling M.A. Morris, T. Lipe and S. Gunter | 623 |
| Mechanically Alloyed Antiferromagnetic-Ferromagnetic Exchange Coupled Nano-Composites D.S. Geoghegan, P.G. McCormick and R. Street | 629 |
| Ceramic-Metal Composites Obtained by Reactive Milling W.J. Botta Filho, D.E. Hanai, B.N. Santana, N.R.d. Oliveira Jr. and R. Tomasi | 635 |
| Nanosized Cadmium Crystallites in Aluminium L. Sarholt-Kristensen, A. Johansen, E. Johnson, K.K. Bourdelle, M. Olsen and H.H. Andersen | 641 |
| Grain Size Dependence of Hardness of Metal-TiN Nanocomposite Materials Prepared by Mechanical Alloying and Shock Consolidation T. Yamasaki, Y. Ogino, K. Fukuoka, T. Atou and Y. Syono | 647 |
| Mechanical Alloying of Nb₅Si₃ Compound and Nb-Nb₅Si₃ Alloys N.R.d. Oliveira Jr. and W.J. Botta Filho | 653 |
| Melting and Solidification of nanosized Lead Crystallites in Aluminium Studied by Means of Channeling K.K. Bourdelle, A. Johansen, E. Johnson and L. Sarholt-Kristensen | 659 |
| Improvement of the Creep Strength by Dispersion of Oxides in the Mechanically Alloyed FeAl Intermetallic K. Wolski, F. Thévenot and J. Le Coze | 665 |
| Formation of Nanocrystalline Surface Layers on Cr-Ni-Steel by a Hypervelocity Plasma Pulse Impact E. Igenbergs, K.G. Schmitt-Thomas, J. Spörer and W. Loos | 673 |
| Magneto-Mechanical Damping in Plasma Sprayed Fe-Cr-X Alloys A. Karimi, P.H. Giauque and J. Martin | 679 |
| Slowly-Cooled Bulk Amorphous Alloys A. Inoue | 691 |
| Kinetic Competition in Undercooled Liquid Metals J.H. Perepezko | 701 |
| Microstructure-Selection Maps for Droplet Solidification: Application to the System Cu-Ni A.F. Norman and A.L. Greer | 707 |
| Confusion Principle and Thermodynamics P.J. Desré | 713 |
| Undercooling Experiments on the Re-Rich Part of the Re-W System by Processing in A 48M High Drop-Tube B. Vinet, S. Tournier and P.J. Desré | 723 |
| Specific Heat and Thermodynamics of Liquid Undercooled Metals and Bulk Glass Forming Alloys H.J. Fecht, S.G. Klose and P.S. Frankwicz | 729 |
| Mode Softening in Rapidly Quenched Supersaturated Al_{96.5}Si_{3.5} J.B. Suck | 735 |
| Microstructural Development in Rapidly Solidified Ni₃ Droplets H. Assadi, M. Barth, A.L. Greer, D.M. Herlach and P. Adeva | 741 |
| Quenching and Supercooling of Refractory Metals D. Houch, V. Soares and L. Rinderer | 747 |
| Adiabatic Nucleation in Superheated Liquids M.F.d. Silveira and E. Meyer | 753 |
| Dynamic Mechanical Analysis of Zr-AlCu-Alloys at and Above the Glass Transition Temperature K. Samwer, R. Rambousky and M. Moske | 761 |
| Metastable BCC Phase Formation in the Nb-Cr-Ti System D.J. Thoma and J.H. Perepezko | 769 |

| | |
|---|-----|
| Solid State Amorphization in the Fe-B System J. Balogh, L. Bujdosó, G. Faigel, T. Kemény and I. Vincze | 775 |
| Effect of Mo Content in Amorphous Fe-Mo-C Materials Mechanically Alloyed on their Electrical and Thermal Properties H. Ogawa, K. Omuro and H. Miura | 781 |
| A Detail Study of the Amorphisation Reaction in NiMo Alloys by Diffraction and Scattering Methods P. Rose, D.E. Banda, N. Cowlam and S. Enzo | 787 |
| Neutron Small-Angle-Scattering Studies of Metal Alloys Produced by Solid State Reaction P.P. Macrì, D.E. Banda, P. Rose, S. Enzo and N. Cowlam | 793 |
| Structure Formation and Deformation Behaviour of Multilayer Composite Prepared by Ball Milling and Repeated Pressing R. Maric, K.N. Ishihara and P.H. Shingu | 801 |
| Measurements and Simulation of Asymmetric Interdiffusion in Amorphous Ni-Zr Multilayers F.-. Yang, R.E. Somekh, W.C. Shih and A.L. Greer | 807 |
| Crystallization Kinetics of Al-Base Amorphous Alloys T. Benameur and A. Inoue | 813 |
| Crystallization Kinetics of Amorphous Ferromagnetic Fe-B-Si Alloys N. Kunitomi | 827 |
| Crystallization Kinetics of Amorphous Co₈₄Nb₁₀B₆ Ribbons O. Dor, E. Manor, I. Schwartz, A.N. Sembira, J.G. Dunn and J. Baram | 833 |
| Structural, Thermal and Electrical Properties of Al-Rich Metallic Glasses A. Rubshtain, Y. Rosenberg, A. Frenkel, V. Manov, E. Veliyulin, A. Voronel and E.A. Stern | 839 |
| Crystallization Temperature and Microhardness of Some Melt-Spun Amorphous Aluminium Based Alloys in the Al-TM-RE System M. Petrescu and M. Calin | 845 |
| Crystallization Kinetics of Cu₅₀Zr₅₀ Glass A. Pratap, A. Prasad, S.R. Joshi, N.S. Saxena, M.P. Saksena and K. Amiya | 851 |
| Configurationally Frozen Defects, Random Strains and Landau Theory of Crystals to Glass Transition M. Li, W.L. Johnson and W.A. Goddard III | 855 |