

# Table of Contents

## Preface

## CHAPTER 1: Micro/Nano Fabrication & Measurement Technologies

<b>Application of Ultrasonic Stress Relief in the Fabrication of SU-8 Micro Structure</b> L.Q. Du, Q.J. Wang and X.L. Zhang	3
<b>Design and Empirical Study for Coner Compensation in 25% Wt TMAH Etching on (100) Silicon Wafers</b> Z.Y. Niu, X.Z. Wu, P.T. Dong, D.B. Xiao, Z.Q. Hou, Z.H. Chen and X. Zhang	9
<b>Characterization of AlGaN/GaN Cantilevers Fabricated with Deep-Release Techniques</b> J.A. Lv, Z.C. Yang, G.Z. Yan, Y. Cai, B.S. Zhang and K.J. Chen	14
<b>Dynamic Characteristics Measurement of Silicon Micro-Cantilever in Low Temperature Environment</b> D.S. She, X.D. Wang, X.W. Zhang and L.D. Wang	18
<b>Low Cost Fabrication of Micro Glass Cavities For MEMS Wafer Level and Hermetic Packaging</b> J.T. Shang, J.W. Liu, D. Zhang, B.Y. Chen, C. Xu, X.H. Luo, H. Yu, J.D. Liu, Q.G. Huang, J.Y. Tang and M. Qin	23
<b>Study of Under Etching Characters of Si (100) in Surfactant Added TMAH</b> Q.F. Hu, C.C. Gao, Y.L. Hao and Y.X. Zhang	34
<b>Design and System-Level Simulation of a Novel On-Chip Test Based on Macromodels</b> L. Guan, J.L. Gao and J.K. Chu	38
<b>An Electrostatic Force Feedback Approach for Extending the Bandwidth of MEMS Vibratory Gyroscope</b> J. Cui, Z.Y. Guo, Q.C. Zhao, Z.C. Yang, Y.L. Hao and G.Z. Yan	43
<b>Fabrication of Large Area, 70 nm Pitch Nanograting Patterns by Nanoimprint Lithography Using Flexible Polymer Stamp</b> F.T. Meng, J.K. Chu, G. Luo, Z.T. Han and Z.W. Wang	48
<b>Effect of Micro-Injection Molding Process Parameters for Various Micro-Channels</b> D. Yang, C. Liu, Z. Xu, J.Z. Wang and L.D. Wang	53
<b>Fabrication and Testing of SOG Structure Flat Heat Pipes with Triangle Grooves</b> X.W. Liu, C. Wang, T. Han and T. Dong	58
<b>Application of KOH Anisotropic Etching in the Fabrication of MEMS Devices</b> Z.G. Shang, Z.Y. Wen, D.L. Li and S.Q. Wang	62
<b>Fabrication of Nano-Grating by Focused Ion Beam / Scanning Electron Microscopy Dual-Beam System</b> B.Y. Yao, H. Luo, L.S. Feng, Z. Zhou, R.M. Wang and Y.Y. Chi	66
<b>A Monolithic MEMS Accelerometer Process</b> X.G. Li, Y. Mei, W.G. Huang, Z.Y. Zhang, J.G. Li and Z.C. Feng	70
<b>Fabrication and Performance Simulation of Microscale Thermoelectric Modules Made with Bi<sub>2</sub>Te<sub>3</sub>-Based Alloys</b> D.W. Liu and J.F. Li	75
<b>Investigation on Silicon-Glass Electrostatic Bonding Time Experiment</b> X.W. Liu, J.L. Tang, R.Y. Chuai, H.F. Zhang and X.L. Wang	78
<b>Low-Cost Fabrication Strategies of Microfluidic Device on Glass Substrate</b> D.L. Li, Z.Y. Wen, Z.G. Shang and S.Q. Wang	83
<b>Fabrication of Nano-Aperture Hollow Tip Array for Microplasma Etching</b> W.W. Xiang, L. Wen, Q.P. Zhang and J.R. Chu	89

## CHAPTER 2: Micro Sensors and Actuators

<b>A Capacitor-Free CMOS Low-Noise, Low-Dropout Regulator for Capacitive Micro-Machined Accelerometer Application</b>	97
B.J. Lv, P.F. Wang, X.W. Liu, L. Yin and N. Xu	
<b>3D Pyramidal Micropool Array Electrode for Amperometric Microsensor</b>	103
J.Z. Sun, Y. Li, C. Bian, J.H. Tong, H.P. Dong, H. Zhang, Q.Y. Chen and S.H. Xia	
<b>Design and Implementation of SOI Based Capacitive Microaccelerometers Without Notching Effects</b>	108
M. Liu, J. Zhu, M. Zhuo, J. Wu and S.X. Jia	
<b>Fabrication and Characterisation of Polysilicon-Based Clamped-Clamped Filter</b>	112
Y.M. Zhao, J. Ning, G.W. Han and C.W. Si	
<b>Study on Resonant Characteristics of Closed-Loop Controlled Microcantilever</b>	117
B. Guo, S.B. Liu, J.T. Liang, W.G. Feng, Y.X. Liu and J.P. Li	
<b>Structure Design and Experiment for a Resonant Accelerometer based on Electrostatic Stiffness</b>	122
H. Liu, F.T. Zhang, W. Su and F.T. Zhang	
<b>Two-Dimensional Motor Based on Surface Acoustic Wave</b>	128
G. Zhang, Y.G. Li, J.F. Zhang, C.S. Yang and J.Q. Liu	
<b>A Triple Channel High Rejection RF MEMS Switched Filter Bank</b>	132
Y.W. Yu, J. Zhu, Y. Shi and J. Yu	
<b>A Micro Spatial Light Modulator Based on Leverage Principle</b>	137
H. Ren, Z.G. Ni, J.M. Chen, A.L. Gong and J. Yao	
<b>Design, Development and Testing of Quartz Tuning Fork Temperature Sensor</b>	143
J. Ma, J. Xu and B. You	
<b>A Biaxial Capacitive Microaccelerometer with a Single Proof-Mass</b>	148
Y. Liu, Z.Y. Wen, L. Chen, X.F. He and S.Q. Wang	
<b>Design and Fabrication of a Piezoelectric Sensor for Weighing in Motion</b>	154
L.B. Zhao, J.Q. Liang, Y.L. Zhao, J.Z. Wang, W. Chen, Z.D. Jiang and Y. Li	
<b>Simulation and Design on Structure for Experimental Verification of Dielectric Charging of Millimeter-Wave MEMS Switches</b>	158
Y. Zhou, X.P. Liao and J.B. Xiao	
<b>A Miniature Fluxgate Sensor with CMOS Interface Circuitry</b>	164
W.P. Chen, C.C. Dong, X.W. Liu and Z.P. Zhou	
<b>A Z-Axis Decoupled Micromachined Gyroscope with Dual Frames</b>	169
H.L. Tang, X.X. Liu and H. Zhou	
<b>The Design of AlGaN/GaN HEFT-Micro-Accelerometer and Temperature- Dependence Electrical Performance</b>	174
T. Liang, J.J. Tang, Q.Q. Zhang, Y. Wang, J. Li, J. Liu and J.J. Xiong	
<b>Temperature Characteristic of Platinum Piezoresistive Pressure Sensor</b>	180
L.D. Du, L. Xiao, Z. Zhao, Z. Fang, J. Xu, J.J. Zhao and Y.D. Xuan	
<b>Design and Simulation of Electromagnetic Two-Dimensional MOEMS Scanning Mirror</b>	185
C. Zhang, Z. You and H. Huang	
<b>Micro Magnetic Field Sensor Based On Terfenol-D/PZT/Terfenol-D Magnetoelectric Composites</b>	190
Y. Zheng, D. Xie, J. Ma, T.L. Ren and L.T. Liu	
<b>Design of the Resonance Tracking System for a Resonant Accelerometer Based on Electrostatic Stiffness</b>	195
H. Liu, X.P. He, W. Su and F.T. Zhang	
<b>Structure Design, Fabrication and Characteristics of Polysilicon Nano-Thin Films Resistances Pressure Sensor Based on MEMS Technology</b>	200
X.F. Zhao, D.Z. Wen, Y. Li, Y.X. Hou, C.P. Ai, Z.Q. Wang and D.J. Xiu	
<b>A High Pressure Sensor with Circular Diaphragm Based on MEMS Technology</b>	206
L.B. Zhao, X.D. Fang, Y.L. Zhao, Z.D. Jiang and Y. Li	
<b>The Study of a Fluxgate SPICE Model Based on Schmitt Trigger</b>	212
Y. Zhao, J.L. Hu, W.Z. Lou and L.F. Zhang	
<b>System Design of Nonideal Fourth-Order Sigma-Delta Micromachined Accelerometer</b>	219
X.W. Liu, Z. Li, G.N. Sun and Y.T. Liu	

<b>Technique for Compensation of Temperature Drift in Thermal Excited Si-Based Resonant Pressure Sensor</b>	224
Z.Y. Zhang, Y. Mei, J.G. Li, X.G. Li and Z.C. Feng	
<b>On-Chip Temperature-Control Technology for Silicon Micro-Gyroscope</b>	228
X. Lu, B. Yang, S.R. Wang, H.S. Li and L.B. Huang	
<b>Experimentally Study of the Cushion Materials for Micro Accelerometer under Shock Load</b>	232
S.T. Wang, Y.B. Jia, B.Z. Zhang, Y.H. Lei, Q.W. Huang and Y.L. Hao	
<b>Design and Fabrication of Micro Oxygen Sensor</b>	237
C.Y. Lee, L.K. Lin Liou, C.L. Chang, C.H. Tai and L.M. Fu	
<b>Nanostructures and Nanodevices Special Fabrication and Characterization</b>	243
G.L. Wang, M. Gao, L.S. Feng, Y. Dun, J.G. Hou and J. Tang	

## CHAPTER 3: Microfluidic Devices and Systems

<b>Electrohydrodynamic Printing of Conductive Patterns on Glass Slides</b>	251
X. Wang, L. Xu, G.F. Zheng, W.W. Li and D.H. Sun	
<b>Improve Blood Clotting Feature of Silicon Microneedle by Silver Coating</b>	255
Y. He, C.Y. Jiang, Z.Y. Liu, S. Ren, J. Chen, H.X. Yin and W.Z. Yuan	
<b>Design of the Cascaded Open-Channel Direct Current Electroosmotic Pump</b>	259
T.T. Liu, Z.C. Bai and Y. Gao	
<b>On-Chip Bio-Micro Separation and Operation Effected on the Diamagnetic Levitation with MEMS</b>	264
Y.X. Cheng, W.P. Zhang, S.P. Li and W.Y. Chen	
<b>Numerical Simulation of Dielectrophoresis Induced Electrothermal Fluid Flow</b>	270
D.L. Liu, L.G. Chen and L.N. Sun	
<b>Research of Separation of Amino Acids on Micro-Free Flow Electrophoresis Chip with Voltage Applied in Two-Dimension</b>	276
J. Gan, Y. Xu, M.X. Cao, Y.A. Ni, J.L. Peng, L.B. Ma and N. Chuan	
<b>The Fabrication of Ag Nanostructure Array Integrated with Microfluidics for Surface Enhanced Raman Scattering</b>	281
Z.X. Geng, W. Liu, X.Y. Wang, X.D. Wang, Z.H. Li and F.H. Yang	
<b>Stokes' Second Problem with Velocity Slip Boundary Condition</b>	287
W.D. Wang, X.Y. Niu, K.Q. Fan and Q.Y. Wang	
<b>An Experimental Study on the Side-Opening Filling Process at the Interface between Microchannels with Different Widths</b>	293
F. Xie, Y.S. Wang, W. Wang, W.G. Wu, Z.H. Li, G. Yossifon and H.C. Chang	
<b>A Porous Microfluidic Chip for Protein Extraction Based on Solid Phase Extraction Method</b>	297
X. Chen, D.F. Cui, L.L. Zhang, H. Li, J.H. Sun and H.Y. Cai	
<b>Characters of Particles in Copper-Water Nanofluids Made by Novel One-Step Aqueous Reduction</b>	301
J.S. Huang, Y.Y. Nie and Y. Chen	
<b>Numerical Simulation of Electromagnetic Actuator for Impedance Pumping</b>	305
C.Y. Lee, C.H. Tai, C.L. Chang, C.H. Tsai, Y.N. Wang and L.M. Fu	
<b>Study on Ultrasonic Fusion Bonding for Polymer Microfluidic Chips</b>	311
Y. Luo, S.Q. He, L.J. Wang and Z.B. Zhang	
<b>Study of the Microfluidic-Immunoassay Chip used to Capture Cancer Cells</b>	316
M.H. Wei, Y. Xu, D.S. Li and Z. Zhou	
<b>Simulation and Experimental Study of a Porous Electroosmotic Pump</b>	320
Z. Ling, T. Yang, F.C. Meng, L. Yi and X.X. Zhang	
<b>Experimental Investigations of Anode Structure on the Performance of Air-Breathing <math>\mu</math>DMFC</b>	327
Z.Y. Yuan, S.B. Zhang, J.X. Leng, Y.F. Zhang and X.W. Liu	
<b>The Competition of the Retraction and Capillary Forces during the DNA Molecules Moving within Channels</b>	331
D. Hui, K.G. Wang, X.J. Zhao, Q.W. Qiao, D. Li, W.J. Dang, Y. Wan and J.T. Bai	
<b>Development of a Novel Electrochemical Surface Plasmon Resonance Instrument Based on a Mini Three Electrode Flow Cell</b>	336
L.L. Zhang, D.F. Cui, X. Chen, H.Y. Cai, H. Li and J.H. Sun	

<b>The Fabrication and Experiment of a Four-Electrode Conductivity Sensor for Fresh Water</b>	341
W. Li, F.Y. Liu, K.Y. Wang and Z.Y. Wen	
<b>Fabrication of PDMS Microchannels with Round Profiles Using Glycerol Molds</b>	345
M. Du, H.B. Zhao, X.Y. Ye and Z.Y. Zhou	
<b>Theoretical Analysis and Experimental Investigation on Designing Method of Micro-Groove Heat Pipe</b>	350
T. Han, X.W. Liu and N. Cui	
<b>Magnetic Microfluidic Mixer</b>	354
T.F. Hong, J.C. Leong, L.K. Lin Liou, C.H. Tsai and L.M. Fu	
<b>Rapid Microfluidic Biochips Fabrication by Femtosecond Laser on Glass Substrate</b>	359
C.L. Chang, W.H. Ju, C.L. Liou, J.C. Leong and L.M. Fu	
<b>Rapid Detection of Methanol in an Integration Microfluidic Chip</b>	364
Y.N. Wang, C.L. Liou, M.C. Wu, C.H. Tsai and L.M. Fu	
<b>A Tire Pressure Monitoring System Based on MEMS Sensor</b>	370
J. Zhang, Z.H. Zhang, T. Chen, X.M. Kong, T.L. Ren and L.T. Liu	
<b>A MEMS Fluid Density Sensor Based on Trapezoidal Cantilever</b>	374
L.B. Zhao, E.Z. Huang, G.M. Zhang, Y.L. Zhao, X.P. Wang, Z.D. Jiang and Z.G. Liu	

## CHAPTER 4: MEMS/NENS and Applications

<b>Development of the 400MHz Power Durable SAW Filter</b>	381
Y. Gao, Y.D. Chen, S.W. Xi, Y.B. Zheng and C. Zhang	
<b>A Research on Implantable Microelectrodes for EMG Signal Acquisition</b>	387
Z.H. Zhu, J.Q. Liu, Y.F. Rui and C.S. Yang	
<b>A Laterally Thermally-Actuated RF MEMS Capacitive Switch with Parylene as Dielectric Layer</b>	392
X.J. He, Z.Q. Lv, B. Liu and Z.H. Li	
<b>Design and Test of a Self-Oscillating Driving ASIC for a Low-Q Gyroscope Based on PI Controller</b>	396
G.S. Wang, X.W. Liu, B.J. Lv, L. Yin, Y.M. Jiang and M. Tao	
<b>Design and Development of the Shrapnel-Borne Meteorological Exploration System Based on MEMS</b>	401
H.C. Liu, W.Z. Lou, C. Gao and S.P. Zu	
<b>Research of Curved Artificial Compound Eyes Based on MEMS Technology</b>	407
Q. He, J.Q. Liu and C.S. Yang	
<b>Macro Machined Photoacoustic Non-Resonant Cell</b>	411
J.J. Zhao, Z. Zhao, L.D. Du and S.H. Wu	
<b>Research of the Hadamard Multiplex Advantages Using a Programmable Micro-Mirror in a Near-Infrared Spectrometer</b>	417
Y.J. Guo, Z.Y. Wen, Z.H. Zhang and W. Wang	
<b>A High-Performance Fourth-Order Sigma-Delta Micromachined Accelerometer</b>	422
Y.G. Li, X.W. Liu, Y. Xiao and Y.T. Liu	
<b>A Micro-Optical Transceiver for Interferometric Fiber Optic Gyroscope</b>	427
K.B. Wang, Y.J. Ma, B. Zhang and L.S. Feng	
<b>Polarization-Noise in Integrated Optical Gyro</b>	432
Z.K. Meng, Z.C. Jiao, H.L. Liu, L.S. Feng and R.Y. Li	
<b>A Piezoelectrically Actuated Scanning Micromirror Integrated with Angle Sensors</b>	437
R.R. Qian, Z.Y. Wen and L. Chen	
<b>Silicon-Based Microneedle Array Electrodes for Biopotential Measurement</b>	443
X.X. Yan, J.Q. Liu, L.F. Wang, C.S. Yang and Y.G. Li	
<b>A Miniaturized Spectrometer Based on Optical Modulator Composed of Grating and Tunable Fabry-Perot</b>	447
N.K. Wei, Z.G. Ni, J. Yao, J.H. Zhu and F.H. Gao	
<b>Novel Triplexer Chip Design Combination of an Asymmetric Y Branch Waveguide and a Multimode Interference</b>	452
Z.C. Le, B. Li and J.H. Hu	
<b>Lateral RF MEMS Switch Based on Surface Micromachining Process</b>	457
G.P. Du, J. Zhu, Y.W. Yu, S.X. Jia and L.L. Jiang	

<b>An AD7746-Based Data Acquisition System for Capacitive Pressure Sensor in Weather Detection Application</b>	461
Z. Huang, J. Zhu and L. Lu	
<b>Design and Test of MEMS Attitude Measurement Unit for Fall Detection</b>	465
X.Y. Liu, Z.Y. Zhou and W. Xiong	
<b>A High-Performance Interface ASIC for Quartz Rate Sensor</b>	471
W.P. Chen, Q.Y. Wang, L. Yin and Z.P. Zhou	
<b>New Style Four-Electrode MEMS Conductivity Chip</b>	475
S.H. Wu, Z. Zhao, Z. Fang, L.D. Du, D.Q. Geng, J. Xu and J.J. Zhao	
<b>A Curvature-Compensated, High Power Supply Rejection CMOS Bandgap Reference for MEMS Micro-Accelerometer</b>	481
X.W. Liu, B.J. Lv, P.F. Wang, L. Yin and N. Xu	
<b>A Four-Quadrant Analog Multiplier Based on CMOS Source Coupled Pair</b>	487
W.P. Chen, T.Y. Wang, H.L. Xu and X.W. Liu	
<b>Designing Experiment Platform for Micro Heat Exchangers</b>	492
J.Y. Jiang, D.M. Wu, Y.J. Zhang and J. Zhuang	
<b>Realization of Hadamard Transform Encoding Mask Using Programmable Digital Micro-Mirror Device</b>	497
W. Wang, Z.Y. Wen, Z.H. Zhang and X.X. Mo	
<b>Study of a Capacitive Clamped Beam RF MEMS Power Sensor Based on MEMS Technology</b>	503
Z. Zhu, X.P. Liao and D. Hua	
<b>Design of High-SNR CMOS Interface Circuit for Micro-Machined Gyroscope</b>	508
H.X. Lu, Y.P. Xu and S.R. Wang	
<b>Nano-Piezoelectric Ceramics Power Supply Based on Single Electron Storage</b>	513
H. Li, M. Gao and G.L. Wang	

## CHAPTER 5: Nano Material Research/Nanotube/Nanowire Devices

<b>MEMS Assisted Fabrication of Cr Nanobowls</b>	521
D. Di, P.T. Dong, J. Chen, J. Chen, X.Z. Wu and S.Y. Li	
<b>Effect of Temperature on Elasticity of Silicon Nanowires</b>	526
J. Wang	
<b>Design, Fabrication and Characterization of in-Plane Titanium Microneedles for Transdermal Drug Delivery</b>	532
W. Li, Y.M. Zhang and J. Chen	
<b>Characterization of Contact and Bulk Piezoresistive Properties of Carbon Nanotube/Styrene-Butadiene-Styrene Composite</b>	537
Z.F. Wang, J.M. Yang, X.Y. Ye, L.T. Liu and X.M. Xie	
<b>Design of MMFCS for MAV Based on MEMS Sensor</b>	542
W. Xiong, Z.Y. Zhou and X.Y. Liu	
<b>Improvement on Mechanical and Piezoresistivity Properties of Cementitious Binder by Using Surface Oxidized Multi-Wall Carbon Nanotubes</b>	548
J.L. Luo, Z.D. Duan and T.J. Zhao	
<b>Biocompatibility Study of <math>Mn_{0.5}Zn_{0.5}Fe_2O_4</math> Magnetic Nanoparticles</b>	552
J. Liu, J. Zhang, L. Wang, Y.T. Li and D.S. Zhang	
<b>Fabrication and Characterization of Cobalt Nanostructure-Based Microelectrodes for Phosphate Detection</b>	559
Y. Bai, J.H. Tong, C. Bian and S.H. Xia	
<b>Fabrication of Silicon Nano-wire by Oxidation</b>	565
X.F. Wang, Y.F. Zhang, K. Yu and X.M. Yu	
<b>DFT Study of Structure, Electronic, Optical and Magnetic Properties of ZnO and Cu-Doped ZnO Clusters</b>	569
J.N. Ding, X.Q. Wang and N.Y. Yuan	
<b>Theoretic Study of the Structures and Electric Properties of N-Doped InSb Nanoclusters</b>	574
J.N. Ding, N.Y. Yuan, X.Q. Wang, C.L. Li and G.Q. Ding	

<b>Effect of Compressive Strain on Electrical Resistivity of Carbon Nanotube Cement-Based Composites</b>	579
J.L. Luo, Z.D. Duan, T.J. Zhao and Q.Y. Li	
<b>Effect of Wet Etching Parameter on the Diameter and Length of Silicon Nanowires</b>	584
Y. He, C.Y. Jiang, H.X. Yin, C. Jun and W.Z. Yuan	
<b>Adhesive Enhancement Improved Field Emission Characteristics of Carbon Nanotube Arrays on Energetic Ion Pre-Bombarded Si Substrates</b>	589
J.H. Deng, P.C. Sun, Z.X. Ping, G.A. Cheng and R.T. Zheng	
<b>Electrodeposition of Copper Nano-Clusters at a Platinum Microelectrode for Nitrate Determination</b>	595
Y. Li, J.Z. Sun, C. Bian, J.H. Tong and S.H. Xia	

## CHAPTER 6: Micropower Technology

<b>Design and Research of Flat Micro Heat Pipe with Glass Fiber Wick</b>	603
T. Han, X.W. Liu and C. Wang	
<b>Fabrication and Performance of Piezoelectric MEMS Generators Using Bulk PZT Films</b>	607
G. Tang, J.Q. Liu, H.S. Liu, Y.G. Li, C.S. Yang and D.N. He	
<b>Design, Simulation and Fabrication of an Air-Driven Microturbomachine</b>	611
S.C. Sun and G.C. Shi	
<b>Design and Fabrication of a Polymer-Based Micro Direct Methanol Fuel Cell</b>	616
L.W. Wang, R.X. Tian, J.X. Leng, Y.F. Zhang, X.W. Liu and Z.P. Zhou	
<b>A Novel Assembly Method for a Micro Direct Methanol Fuel Cell Using Multi-Layer Bonding Technique</b>	620
Y.M. Zhu, X.H. Wang and Y.A. Zhou	
<b>A Broadband Frequency Piezoelectric Vibration Energy Harvester</b>	626
H.A. Ma, J.Q. Liu, G. Tang, C.S. Yang, Y.G. Li and D.N. He	
<b>Fabrication of Piezoelectric Vibration Power Harvester using Bulk PZT</b>	631
J. Sun, Y.G. Li, J.Q. Liu, C.S. Yang, D.N. He, T.D. Van, K. Tanaka and S. Sugiyama	
<b>Study on the Performance of Gas Journal Bearings for Power MEMS</b>	635
H.J. Zhang and Q. Yang	

## CHAPTER 7: Theories in Micro-Nano Technologies

<b>Analysis and Research of Piezoelectric Dynamic Weighing Sensor</b>	643
L.B. Zhao, J.Q. Liang, Y.L. Zhao, J.Z. Wang, W. Chen, Y. Li and Z.D. Jiang	
<b>Multidisciplinary Design Optimization of the 2-D Microaccelerometer</b>	647
Y. Liu, Z.Y. Wen, L. Chen and H.Y. Yang	
<b>Assessing the Validity of Quantum Corrections to Molecular Dynamics Simulations of Bulk Silicon</b>	653
Q.M. Zhou, K.D. Bi and Y.F. Chen	
<b>Molecular Dynamics Study of Water Structure Confined in Vibrative Silicon Plates</b>	658
Z. Wang, K.D. Bi and Y.F. Chen	
<b>Molecular Dynamic Simulations of Contact Thermal Resistance between Two Individual Silicon Nanowires</b>	663
J.G. Wang, K.D. Bi and Y.F. Chen	
<b>Micro-Stress Assembly of Fragile Miniature Parts</b>	668
X.D. Wang, L. Wang, X.W. Zhang, Y. Luo and L.P. Liu	
<b>Design and Simulation of a Differential and Decoupled Micromachined Gyroscope</b>	674
Y. Liu, L.Y. Wang, T.P. Lei, J. Du, Y.W. Jiang and D.H. Sun	
<b>Analytical Solution of Mixed Electroosmotic and Pressure-Driven Flow in Rectangular Microchannels</b>	679
D.Y. Yang	
<b>Rapidly Identify the Critical Parameter of MEMS Device Based on Element Model Library</b>	684
Y. He, C.Y. Jiang, W.Z. Yuan, K.L. Yung and Y. Xu	
<b>Electrical Characteristics of a Stimulating Microelectrode-Electrolyte Interface</b>	690
X.H. Sui, F. Tan and Q.S. Ren	

<b>Analysis of Capillary Condensation of Vapor in Multi-Wall Carbon Nanotubes</b>	694
W. Wang, X. Wang, T. Li and W.P. Chen	
<b>Parametric Research on Micro-Zigzag Slot Mechanism in OICW</b>	699
C.Q. Liu, W.Z. Lou, L.F. Zhang and Y.J. Lv	
<b>Performance Analysis of a Novel MEMS Terminational Latch Mechanism</b>	705
Y.J. Lv, W.Z. Lou, C.Q. Liu and L.F. Zhang	
<b>Effects of Phosphorus-Doping on the Microstructures, Optical and Electric Properties in N-Type Si:H Thin Films</b>	711
J.N. Ding, F. Ye, S.B. Wang and N.Y. Yuan	
<b>Stability Analysis in High-Order Electromechanical Sigma-Delta Accelerometer</b>	716
Y.T. Liu, X.W. Liu, W.P. Chen and Q. Wu	
<b>Experimental Research on Lift up and Drag Reduction Effect of Streamwise Travelling Wave Wall</b>	721
F. Tang, Z.L. Yan and X.H. Wang	
<b>Optimization Based on ANSYS Electric Numerical Method for a Novel MEMS ESI-MS Ion Focusing Device</b>	727
C.H. Yue and H.L. Zou	
<b>Tribological Properties of Magnesium Silicate Powders Prepared by Ball Milling</b>	731
Z. Xiao, X.J. Su, G.L. Hou, S. Bi and Z.H. Liu	
<b>TCR of the Ni-Cr Thin Film Resistors Used in Piezoresistive Pressure Sensor</b>	735
L. Xiao, L.D. Du, Z. Zhao, Z. Fang and J. Xu	
<b>Failure Mechanisms and Lifetime Simulation Method for Nano Scale CMOS Device</b>	740
Y. Cheng, R. Kang and G.G. Zhang	
<b>Threshold Values Analysis of Substrate Parameters Based on MEMS Microstrip Filter</b>	745
G. Wang, L.X. Xu and T. Wang	
<b>Thermal Transport through Solid-Solid Interface with an Interlayer</b>	750
Y.D. Liu, K.D. Bi, Y.F. Chen and M.H. Chen	
<b>Dielectric Constant Measurement of Liquids Using Nanosecond-Pulsed Signals</b>	755
W.Q. Sun, Y. Yang and S.Y. Xu	
<b>Optical Properties of Silicon Quantum Dots</b>	760
Z.R. Qiu and H. Yu	
<b>Generation and Application of the Atmospheric Pressure DC Glow Discharge Using Minor Electrodes under N<sub>2</sub> Flow</b>	765
K. Liu, F. Tang and X.H. Wang	
<b>Patterns of Skylight Polarization at Different Atmospheric Conditions</b>	770
Y. Cui, X.C. Zou, J.K. Chu and Q.S. Gao	
<b>The Study of Humidity Effect on Self-Heated Surface Micromachined Polysilicon Resistor</b>	775
H.Y. Ma, W.D. Zhang and E.J. Ding	
<b>A Novel Noise Elimination Method for MEMS Sensor</b>	779
J.H. Lan and Z.C. Liu	
<b>Nonlinear Ultrasonic Techniques for Testing Micro-Defects in Metal Matrix Composite Structure</b>	784
Y. Dun, S.J. Wang, X.H. Shi and Z.Y. Zhou	
<b>Piezoresistive Sensitivity and Al Ohmic Contact of Highly Doped Polycrystalline Silicon Nano Thin Films</b>	789
C.Z. Shi, X.W. Liu, X. Wu and H.T. Zheng	