

Table of Contents

Preface

CHAPTER 1: Micro/Nano Fabrication & Measurement Technologies

Application of Ultrasonic Stress Relief in the Fabrication of SU-8 Micro Structure L.Q. Du, Q.J. Wang and X.L. Zhang	3
Design and Empirical Study for Corner Compensation in 25% Wt TMAH Etching on (100) Silicon Wafers Z.Y. Niu, X.Z. Wu, P.T. Dong, D.B. Xiao, Z.Q. Hou, Z.H. Chen and X. Zhang	9
Characterization of AlGaIn/GaN Cantilevers Fabricated with Deep-Release Techniques J.A. Lv, Z.C. Yang, G.Z. Yan, Y. Cai, B.S. Zhang and K.J. Chen	14
Dynamic Characteristics Measurement of Silicon Micro-Cantilever in Low Temperature Environment D.S. She, X.D. Wang, X.W. Zhang and L.D. Wang	18
Low Cost Fabrication of Micro Glass Cavities For MEMS Wafer Level and Hermetic Packaging J.T. Shang, J.W. Liu, D. Zhang, B.Y. Chen, C. Xu, X.H. Luo, H. Yu, J.D. Liu, Q.G. Huang, J.Y. Tang and M. Qin	23
Study of Under Etching Characters of Si (100) in Surfactant Added TMAH Q.F. Hu, C.C. Gao, Y.L. Hao and Y.X. Zhang	34
Design and System-Level Simulation of a Novel On-Chip Test Based on Macromodels L. Guan, J.L. Gao and J.K. Chu	38
An Electrostatic Force Feedback Approach for Extending the Bandwidth of MEMS Vibratory Gyroscope J. Cui, Z.Y. Guo, Q.C. Zhao, Z.C. Yang, Y.L. Hao and G.Z. Yan	43
Fabrication of Large Area, 70 nm Pitch Nanograting Patterns by Nanoimprint Lithography Using Flexible Polymer Stamp F.T. Meng, J.K. Chu, G. Luo, Z.T. Han and Z.W. Wang	48
Effect of Micro-Injection Molding Process Parameters for Various Micro-Channels D. Yang, C. Liu, Z. Xu, J.Z. Wang and L.D. Wang	53
Fabrication and Testing of SOG Structure Flat Heat Pipes with Triangle Grooves X.W. Liu, C. Wang, T. Han and T. Dong	58
Application of KOH Anisotropic Etching in the Fabrication of MEMS Devices Z.G. Shang, Z.Y. Wen, D.L. Li and S.Q. Wang	62
Fabrication of Nano-Grating by Focused Ion Beam / Scanning Electron Microscopy Dual-Beam System B.Y. Yao, H. Luo, L.S. Feng, Z. Zhou, R.M. Wang and Y.Y. Chi	66
A Monolithic MEMS Accelerometer Process X.G. Li, Y. Mei, W.G. Huang, Z.Y. Zhang, J.G. Li and Z.C. Feng	70
Fabrication and Performance Simulation of Microscale Thermoelectric Modules Made with Bi₂Te₃-Based Alloys D.W. Liu and J.F. Li	75
Investigation on Silicon-Glass Electrostatic Bonding Time Experiment X.W. Liu, J.L. Tang, R.Y. Chuai, H.F. Zhang and X.L. Wang	78
Low-Cost Fabrication Strategies of Microfluidic Device on Glass Substrate D.L. Li, Z.Y. Wen, Z.G. Shang and S.Q. Wang	83
Fabrication of Nano-Aperture Hollow Tip Array for Microplasma Etching W.W. Xiang, L. Wen, Q.P. Zhang and J.R. Chu	89

CHAPTER 2: Micro Sensors and Actuators

A Capacitor-Free CMOS Low-Noise, Low-Dropout Regulator for Capacitive Micro-Machined Accelerometer Application	97
B.J. Lv, P.F. Wang, X.W. Liu, L. Yin and N. Xu	
3D Pyramidal Micropool Array Electrode for Amperometric Microsensor	103
J.Z. Sun, Y. Li, C. Bian, J.H. Tong, H.P. Dong, H. Zhang, Q.Y. Chen and S.H. Xia	
Design and Implementation of SOI Based Capacitive Microaccelerometers Without Notching Effects	108
M. Liu, J. Zhu, M. Zhuo, J. Wu and S.X. Jia	
Fabrication and Characterisation of Polysilicon-Based Clamped-Clamped Filter	112
Y.M. Zhao, J. Ning, G.W. Han and C.W. Si	
Study on Resonant Characteristics of Closed-Loop Controlled Microcantilever	117
B. Guo, S.B. Liu, J.T. Liang, W.G. Feng, Y.X. Liu and J.P. Li	
Structure Design and Experiment for a Resonant Accelerometer based on Electrostatic Stiffness	122
H. Liu, F.T. Zhang, W. Su and F.T. Zhang	
Two-Dimensional Motor Based on Surface Acoustic Wave	128
G. Zhang, Y.G. Li, J.F. Zhang, C.S. Yang and J.Q. Liu	
A Triple Channel High Rejection RF MEMS Switched Filter Bank	132
Y.W. Yu, J. Zhu, Y. Shi and J. Yu	
A Micro Spatial Light Modulator Based on Leverage Principle	137
H. Ren, Z.G. Ni, J.M. Chen, A.L. Gong and J. Yao	
Design, Development and Testing of Quartz Tuning Fork Temperature Sensor	143
J. Ma, J. Xu and B. You	
A Biaxial Capacitive Microaccelerometer with a Single Proof-Mass	148
Y. Liu, Z.Y. Wen, L. Chen, X.F. He and S.Q. Wang	
Design and Fabrication of a Piezoelectric Sensor for Weighing in Motion	154
L.B. Zhao, J.Q. Liang, Y.L. Zhao, J.Z. Wang, W. Chen, Z.D. Jiang and Y. Li	
Simulation and Design on Structure for Experimental Verification of Dielectric Charging of Millimeter-Wave MEMS Switches	158
Y. Zhou, X.P. Liao and J.B. Xiao	
A Miniature Fluxgate Sensor with CMOS Interface Circuitry	164
W.P. Chen, C.C. Dong, X.W. Liu and Z.P. Zhou	
A Z-Axis Decoupled Micromachined Gyroscope with Dual Frames	169
H.L. Tang, X.X. Liu and H. Zhou	
The Design of AlGaIn/GaN HEFT-Micro-Accelerometer and Temperature- Dependence Electrical Performance	174
T. Liang, J.J. Tang, Q.Q. Zhang, Y. Wang, J. Li, J. Liu and J.J. Xiong	
Temperature Characteristic of Platinum Piezoresistive Pressure Sensor	180
L.D. Du, L. Xiao, Z. Zhao, Z. Fang, J. Xu, J.J. Zhao and Y.D. Xuan	
Design and Simulation of Electromagnetic Two-Dimensional MOEMS Scanning Mirror	185
C. Zhang, Z. You and H. Huang	
Micro Magnetic Field Sensor Based On Terfenol-D/PZT/Terfenol-D Magnetoelectric Composites	190
Y. Zheng, D. Xie, J. Ma, T.L. Ren and L.T. Liu	
Design of the Resonance Tracking System for a Resonant Accelerometer Based on Electrostatic Stiffness	195
H. Liu, X.P. He, W. Su and F.T. Zhang	
Structure Design, Fabrication and Characteristics of Polysilicon Nano-Thin Films Resistances Pressure Sensor Based on MEMS Technology	200
X.F. Zhao, D.Z. Wen, Y. Li, Y.X. Hou, C.P. Ai, Z.Q. Wang and D.J. Xiu	
A High Pressure Sensor with Circular Diaphragm Based on MEMS Technology	206
L.B. Zhao, X.D. Fang, Y.L. Zhao, Z.D. Jiang and Y. Li	
The Study of a Fluxgate SPICE Model Based on Schmitt Trigger	212
Y. Zhao, J.L. Hu, W.Z. Lou and L.F. Zhang	
System Design of Nonideal Fourth-Order Sigma-Delta Micromachined Accelerometer	219
X.W. Liu, Z. Li, G.N. Sun and Y.T. Liu	

Technique for Compensation of Temperature Drift in Thermal Excited Si-Based Resonant Pressure Sensor	
Z.Y. Zhang, Y. Mei, J.G. Li, X.G. Li and Z.C. Feng	224
On-Chip Temperature-Control Technology for Silicon Micro-Gyroscope	
X. Lu, B. Yang, S.R. Wang, H.S. Li and L.B. Huang	228
Experimentally Study of the Cushion Materials for Micro Accelerometer under Shock Load	
S.T. Wang, Y.B. Jia, B.Z. Zhang, Y.H. Lei, Q.W. Huang and Y.L. Hao	232
Design and Fabrication of Micro Oxygen Sensor	
C.Y. Lee, L.K. Lin Liou, C.L. Chang, C.H. Tai and L.M. Fu	237
Nanostructures and Nanodevices Special Fabrication and Characterization	
G.L. Wang, M. Gao, L.S. Feng, Y. Dun, J.G. Hou and J. Tang	243

CHAPTER 3: Microfluidic Devices and Systems

Electrohydrodynamic Printing of Conductive Patterns on Glass Slides	
X. Wang, L. Xu, G.F. Zheng, W.W. Li and D.H. Sun	251
Improve Blood Clotting Feature of Silicon Microneedle by Silver Coating	
Y. He, C.Y. Jiang, Z.Y. Liu, S. Ren, J. Chen, H.X. Yin and W.Z. Yuan	255
Design of the Cascaded Open-Channel Direct Current Electroosmotic Pump	
T.T. Liu, Z.C. Bai and Y. Gao	259
On-Chip Bio-Micro Separation and Operation Effected on the Diamagnetic Levitation with MEMS	
Y.X. Cheng, W.P. Zhang, S.P. Li and W.Y. Chen	264
Numerical Simulation of Dielectrophoresis Induced Electrothermal Fluid Flow	
D.L. Liu, L.G. Chen and L.N. Sun	270
Research of Separation of Amino Acids on Micro-Free Flow Electrophoresis Chip with Voltage Applied in Two-Dimension	
J. Gan, Y. Xu, M.X. Cao, Y.A. Ni, J.L. Peng, L.B. Ma and N. Chuan	276
The Fabrication of Ag Nanostructure Array Integrated with Microfluidics for Surface Enhanced Raman Scattering	
Z.X. Geng, W. Liu, X.Y. Wang, X.D. Wang, Z.H. Li and F.H. Yang	281
Stokes' Second Problem with Velocity Slip Boundary Condition	
W.D. Wang, X.Y. Niu, K.Q. Fan and Q.Y. Wang	287
An Experimental Study on the Side-Opening Filling Process at the Interface between Microchannels with Different Widths	
F. Xie, Y.S. Wang, W. Wang, W.G. Wu, Z.H. Li, G. Yossifon and H.C. Chang	293
A Porous Microfluidic Chip for Protein Extraction Based on Solid Phase Extraction Method	
X. Chen, D.F. Cui, L.L. Zhang, H. Li, J.H. Sun and H.Y. Cai	297
Characters of Particles in Copper-Water Nanofluids Made by Novel One-Step Aqueous Reduction	
J.S. Huang, Y.Y. Nie and Y. Chen	301
Numerical Simulation of Electromagnetic Actuator for Impedance Pumping	
C.Y. Lee, C.H. Tai, C.L. Chang, C.H. Tsai, Y.N. Wang and L.M. Fu	305
Study on Ultrasonic Fusion Bonding for Polymer Microfluidic Chips	
Y. Luo, S.Q. He, L.J. Wang and Z.B. Zhang	311
Study of the Microfluidic-Immunoassay Chip used to Capture Cancer Cells	
M.H. Wei, Y. Xu, D.S. Li and Z. Zhou	316
Simulation and Experimental Study of a Porous Electroosmotic Pump	
Z. Ling, T. Yang, F.C. Meng, L. Yi and X.X. Zhang	320
Experimental Investigations of Anode Structure on the Performance of Air-Breathing μDMFC	
Z.Y. Yuan, S.B. Zhang, J.X. Leng, Y.F. Zhang and X.W. Liu	327
The Competition of the Retraction and Capillary Forces during the DNA Molecules Moving within Channels	
D. Hui, K.G. Wang, X.J. Zhao, Q.W. Qiao, D. Li, W.J. Dang, Y. Wan and J.T. Bai	331
Development of a Novel Electrochemical Surface Plasmon Resonance Instrument Based on a Mini Three Electrode Flow Cell	
L.L. Zhang, D.F. Cui, X. Chen, H.Y. Cai, H. Li and J.H. Sun	336

The Fabrication and Experiment of a Four-Electrode Conductivity Sensor for Fresh Water W. Li, F.Y. Liu, K.Y. Wang and Z.Y. Wen	341
Fabrication of PDMS Microchannels with Round Profiles Using Glycerol Molds M. Du, H.B. Zhao, X.Y. Ye and Z.Y. Zhou	345
Theoretical Analysis and Experimental Investigation on Designing Method of Micro-Groove Heat Pipe T. Han, X.W. Liu and N. Cui	350
Magnetic Microfluidic Mixer T.F. Hong, J.C. Leong, L.K. Lin Liou, C.H. Tsai and L.M. Fu	354
Rapid Microfluidic Biochips Fabrication by Femtosecond Laser on Glass Substrate C.L. Chang, W.H. Ju, C.L. Liou, J.C. Leong and L.M. Fu	359
Rapid Detection of Methanol in an Integration Microfluidic Chip Y.N. Wang, C.L. Liou, M.C. Wu, C.H. Tsai and L.M. Fu	364
A Tire Pressure Monitoring System Based on MEMS Sensor J. Zhang, Z.H. Zhang, T. Chen, X.M. Kong, T.L. Ren and L.T. Liu	370
A MEMS Fluid Density Sensor Based on Trapezoidal Cantilever L.B. Zhao, E.Z. Huang, G.M. Zhang, Y.L. Zhao, X.P. Wang, Z.D. Jiang and Z.G. Liu	374

CHAPTER 4: MEMS/NEMS and Applications

Development of the 400MHz Power Durable SAW Filter Y. Gao, Y.D. Chen, S.W. Xi, Y.B. Zheng and C. Zhang	381
A Research on Implantable Microelectrodes for EMG Signal Acquisition Z.H. Zhu, J.Q. Liu, Y.F. Rui and C.S. Yang	387
A Laterally Thermally-Actuated RF MEMS Capacitive Switch with Parylene as Dielectric Layer X.J. He, Z.Q. Lv, B. Liu and Z.H. Li	392
Design and Test of a Self-Oscillating Driving ASIC for a Low-Q Gyroscope Based on PI Controller G.S. Wang, X.W. Liu, B.J. Lv, L. Yin, Y.M. Jiang and M. Tao	396
Design and Development of the Shrapnel-Borne Meteorological Exploration System Based on MEMS H.C. Liu, W.Z. Lou, C. Gao and S.P. Zu	401
Research of Curved Artificial Compound Eyes Based on MEMS Technology Q. He, J.Q. Liu and C.S. Yang	407
Macro Machined Photoacoustic Non-Resonant Cell J.J. Zhao, Z. Zhao, L.D. Du and S.H. Wu	411
Research of the Hadamard Multiplex Advantages Using a Programmable Micro-Mirror in a Near-Infrared Spectrometer Y.J. Guo, Z.Y. Wen, Z.H. Zhang and W. Wang	417
A High-Performance Fourth-Order Sigma-Delta Micromachined Accelerometer Y.G. Li, X.W. Liu, Y. Xiao and Y.T. Liu	422
A Micro-Optical Transceiver for Interferometric Fiber Optic Gyroscope K.B. Wang, Y.J. Ma, B. Zhang and L.S. Feng	427
Polarization-Noise in Integrated Optical Gyro Z.K. Meng, Z.C. Jiao, H.L. Liu, L.S. Feng and R.Y. Li	432
A Piezoelectrically Actuated Scanning Micromirror Integrated with Angle Sensors R.R. Qian, Z.Y. Wen and L. Chen	437
Silicon-Based Microneedle Array Electrodes for Biopotential Measurement X.X. Yan, J.Q. Liu, L.F. Wang, C.S. Yang and Y.G. Li	443
A Miniaturized Spectrometer Based on Optical Modulator Composed of Grating and Tunable Fabry-Perot N.K. Wei, Z.G. Ni, J. Yao, J.H. Zhu and F.H. Gao	447
Novel Triplexer Chip Design Combination of an Asymmetric Y Branch Waveguide and a Multimode Interference Z.C. Le, B. Li and J.H. Hu	452
Lateral RF MEMS Switch Based on Surface Micromachining Process G.P. Du, J. Zhu, Y.W. Yu, S.X. Jia and L.L. Jiang	457

An AD7746-Based Data Acquisition System for Capacitive Pressure Sensor in Weather Detection Application	
Z. Huang, J. Zhu and L. Lu	461
Design and Test of MEMS Attitude Measurement Unit for Fall Detection	
X.Y. Liu, Z.Y. Zhou and W. Xiong	465
A High-Performance Interface ASIC for Quartz Rate Sensor	
W.P. Chen, Q.Y. Wang, L. Yin and Z.P. Zhou	471
New Style Four-Electrode MEMS Conductivity Chip	
S.H. Wu, Z. Zhao, Z. Fang, L.D. Du, D.Q. Geng, J. Xu and J.J. Zhao	475
A Curvature-Compensated, High Power Supply Rejection CMOS Bandgap Reference for MEMS Micro-Accelerometer	
X.W. Liu, B.J. Lv, P.F. Wang, L. Yin and N. Xu	481
A Four-Quadrant Analog Multiplier Based on CMOS Source Coupled Pair	
W.P. Chen, T.Y. Wang, H.L. Xu and X.W. Liu	487
Designing Experiment Platform for Micro Heat Exchangers	
J.Y. Jiang, D.M. Wu, Y.J. Zhang and J. Zhuang	492
Realization of Hadamard Transform Encoding Mask Using Programmable Digital Micro-Mirror Device	
W. Wang, Z.Y. Wen, Z.H. Zhang and X.X. Mo	497
Study of a Capacitive Clamped Beam RF MEMS Power Sensor Based on MEMS Technology	
Z. Zhu, X.P. Liao and D. Hua	503
Design of High-SNR CMOS Interface Circuit for Micro-Machined Gyroscope	
H.X. Lu, Y.P. Xu and S.R. Wang	508
Nano-Piezoelectric Ceramics Power Supply Based on Single Electron Storage	
H. Li, M. Gao and G.L. Wang	513

CHAPTER 5: Nano Material Research/Nanotube/Nanowire Devices

MEMS Assisted Fabrication of Cr Nanobowls	
D. Di, P.T. Dong, J. Chen, J. Chen, X.Z. Wu and S.Y. Li	521
Effect of Temperature on Elasticity of Silicon Nanowires	
J. Wang	526
Design, Fabrication and Characterization of in-Plane Titanium Microneedles for Transdermal Drug Delivery	
W. Li, Y.M. Zhang and J. Chen	532
Characterization of Contact and Bulk Piezoresistive Properties of Carbon Nanotube/Styrene-Butadiene-Styrene Composite	
Z.F. Wang, J.M. Yang, X.Y. Ye, L.T. Liu and X.M. Xie	537
Design of MMFCS for MAV Based on MEMS Sensor	
W. Xiong, Z.Y. Zhou and X.Y. Liu	542
Improvement on Mechanical and Piezoresistivity Properties of Cementitious Binder by Using Surface Oxidized Multi-Wall Carbon Nanotubes	
J.L. Luo, Z.D. Duan and T.J. Zhao	548
Biocompatibility Study of $\text{Mn}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$ Magnetic Nanoparticles	
J. Liu, J. Zhang, L. Wang, Y.T. Li and D.S. Zhang	552
Fabrication and Characterization of Cobalt Nanostructure-Based Microelectrodes for Phosphate Detection	
Y. Bai, J.H. Tong, C. Bian and S.H. Xia	559
Fabrication of Silicon Nano-wire by Oxidation	
X.F. Wang, Y.F. Zhang, K. Yu and X.M. Yu	565
DFT Study of Structure, Electronic, Optical and Magnetic Properties of ZnO and Cu-Doped ZnO Clusters	
J.N. Ding, X.Q. Wang and N.Y. Yuan	569
Theoretic Study of the Structures and Electric Properties of N-Doped InSb Nanoclusters	
J.N. Ding, N.Y. Yuan, X.Q. Wang, C.L. Li and G.Q. Ding	574

Effect of Compressive Strain on Electrical Resistivity of Carbon Nanotube Cement-Based Composites	
J.L. Luo, Z.D. Duan, T.J. Zhao and Q.Y. Li	579
Effect of Wet Etching Parameter on the Diameter and Length of Silicon Nanowires	
Y. He, C.Y. Jiang, H.X. Yin, C. Jun and W.Z. Yuan	584
Adhesive Enhancement Improved Field Emission Characteristics of Carbon Nanotube Arrays on Energetic Ion Pre-Bombarded Si Substrates	
J.H. Deng, P.C. Sun, Z.X. Ping, G.A. Cheng and R.T. Zheng	589
Electrodeposition of Copper Nano-Clusters at a Platinum Microelectrode for Nitrate Determination	
Y. Li, J.Z. Sun, C. Bian, J.H. Tong and S.H. Xia	595

CHAPTER 6: Micropower Technology

Design and Research of Flat Micro Heat Pipe with Glass Fiber Wick	
T. Han, X.W. Liu and C. Wang	603
Fabrication and Performance of Piezoelectric MEMS Generators Using Bulk PZT Films	
G. Tang, J.Q. Liu, H.S. Liu, Y.G. Li, C.S. Yang and D.N. He	607
Design, Simulation and Fabrication of an Air-Driven Microturbomachine	
S.C. Sun and G.C. Shi	611
Design and Fabrication of a Polymer-Based Micro Direct Methanol Fuel Cell	
L.W. Wang, R.X. Tian, J.X. Leng, Y.F. Zhang, X.W. Liu and Z.P. Zhou	616
A Novel Assembly Method for a Micro Direct Methanol Fuel Cell Using Multi-Layer Bonding Technique	
Y.M. Zhu, X.H. Wang and Y.A. Zhou	620
A Broadband Frequency Piezoelectric Vibration Energy Harvester	
H.A. Ma, J.Q. Liu, G. Tang, C.S. Yang, Y.G. Li and D.N. He	626
Fabrication of Piezoelectric Vibration Power Harvester using Bulk PZT	
J. Sun, Y.G. Li, J.Q. Liu, C.S. Yang, D.N. He, T.D. Van, K. Tanaka and S. Sugiyama	631
Study on the Performance of Gas Journal Bearings for Power MEMS	
H.J. Zhang and Q. Yang	635

CHAPTER 7: Theories in Micro-Nano Technologies

Analysis and Research of Piezoelectric Dynamic Weighing Sensor	
L.B. Zhao, J.Q. Liang, Y.L. Zhao, J.Z. Wang, W. Chen, Y. Li and Z.D. Jiang	643
Multidisciplinary Design Optimization of the 2-D Microaccelerometer	
Y. Liu, Z.Y. Wen, L. Chen and H.Y. Yang	647
Assessing the Validity of Quantum Corrections to Molecular Dynamics Simulations of Bulk Silicon	
Q.M. Zhou, K.D. Bi and Y.F. Chen	653
Molecular Dynamics Study of Water Structure Confined in Vibrative Silicon Plates	
Z. Wang, K.D. Bi and Y.F. Chen	658
Molecular Dynamic Simulations of Contact Thermal Resistance between Two Individual Silicon Nanowires	
J.G. Wang, K.D. Bi and Y.F. Chen	663
Micro-Stress Assembly of Fragile Miniature Parts	
X.D. Wang, L. Wang, X.W. Zhang, Y. Luo and L.P. Liu	668
Design and Simulation of a Differential and Decoupled Micromachined Gyroscope	
Y. Liu, L.Y. Wang, T.P. Lei, J. Du, Y.W. Jiang and D.H. Sun	674
Analytical Solution of Mixed Electroosmotic and Pressure-Driven Flow in Rectangular Microchannels	
D.Y. Yang	679
Rapidly Identify the Critical Parameter of MEMS Device Based on Element Model Library	
Y. He, C.Y. Jiang, W.Z. Yuan, K.L. Yung and Y. Xu	684
Electrical Characteristics of a Stimulating Microelectrode-Electrolyte Interface	
X.H. Sui, F. Tan and Q.S. Ren	690

Analysis of Capillary Condensation of Vapor in Multi-Wall Carbon Nanotubes W. Wang, X. Wang, T. Li and W.P. Chen	694
Parametric Research on Micro-Zigzag Slot Mechanism in OICW C.Q. Liu, W.Z. Lou, L.F. Zhang and Y.J. Lv	699
Performance Analysis of a Novel MEMS Terminational Latch Mechanism Y.J. Lv, W.Z. Lou, C.Q. Liu and L.F. Zhang	705
Effects of Phosphorus-Doping on the Microstructures, Optical and Electric Properties in N-Type Si:H Thin Films J.N. Ding, F. Ye, S.B. Wang and N.Y. Yuan	711
Stability Analysis in High-Order Electromechanical Sigma-Delta Accelerometer Y.T. Liu, X.W. Liu, W.P. Chen and Q. Wu	716
Experimental Research on Lift up and Drag Reduction Effect of Streamwise Travelling Wave Wall F. Tang, Z.L. Yan and X.H. Wang	721
Optimization Based on ANSYS Electric Numerical Method for a Novel MEMS ESI-MS Ion Focusing Device C.H. Yue and H.L. Zou	727
Tribological Properties of Magnesium Silicate Powders Prepared by Ball Milling Z. Xiao, X.J. Su, G.L. Hou, S. Bi and Z.H. Liu	731
TCR of the Ni-Cr Thin Film Resistors Used in Piezoresistive Pressure Sensor L. Xiao, L.D. Du, Z. Zhao, Z. Fang and J. Xu	735
Failure Mechanisms and Lifetime Simulation Method for Nano Scale CMOS Device Y. Cheng, R. Kang and G.G. Zhang	740
Threshold Values Analysis of Substrate Parameters Based on MEMS Microstrip Filter G. Wang, L.X. Xu and T. Wang	745
Thermal Transport through Solid-Solid Interface with an Interlayer Y.D. Liu, K.D. Bi, Y.F. Chen and M.H. Chen	750
Dielectric Constant Measurement of Liquids Using Nanosecond-Pulsed Signals W.Q. Sun, Y. Yang and S.Y. Xu	755
Optical Properties of Silicon Quantum Dots Z.R. Qiu and H. Yu	760
Generation and Application of the Atmospheric Pressure DC Glow Discharge Using Minor Electrodes under N₂ Flow K. Liu, F. Tang and X.H. Wang	765
Patterns of Skylight Polarization at Different Atmospheric Conditions Y. Cui, X.C. Zou, J.K. Chu and Q.S. Gao	770
The Study of Humidity Effect on Self-Heated Surface Micromachined Polysilicon Resistor H.Y. Ma, W.D. Zhang and E.J. Ding	775
A Novel Noise Elimination Method for MEMS Sensor J.H. Lan and Z.C. Liu	779
Nonlinear Ultrasonic Techniques for Testing Micro-Defects in Metal Matrix Composite Structure Y. Dun, S.J. Wang, X.H. Shi and Z.Y. Zhou	784
Piezoresistive Sensitivity and Al Ohmic Contact of Highly Doped Polycrystalline Silicon Nano Thin Films C.Z. Shi, X.W. Liu, X. Wu and H.T. Zheng	789