

Table of Contents

Preface

Chapter 1: Micro/Nano Transducer/Actuator/Robot

The Out-Rotator of Spin Traveling Wave Pump on Magnetic Fluid M. Zhao, J.B. Zou and J. Shang	3
A Monolithic Integrated Pressure Sensor Z.Y. Zhang, C. Yang, Y. Mei, Z.C. Feng, X.G. Li, J.G. Li and G.X. Hu	8
A High-Order Curvature-Compensated Bandgap Voltage Reference for Micro-Gyroscope Q. Li, X.Y. Tan and G.S. Wang	12
Pull-In Voltage of Parallel-Plate Capacitor Fixed to Double Elastic Supports W. Zhou, B. Peng and X.H. Hao	18
Research on Two-Dimensional Scanning Characteristics of MEMS Resonant Mirror C. Zhang, Y.H. Chen, Z. You and H. Huang	24
Design and Fabrication of a MEMS Flexural Plate Wave Device Based on LTO/ZnO/LTO/Si₃N₄ Multilayered Composite Membrane M.X. Xue, M.W. Liu, X. Li and J.H. Li	29
New Isolation Optimization Method of RF MEMS Capacitive Switches J.S. Chen, Z. You, Y. Ruan and M.Z. Hu	35
Design, Fabrication and Characterization of a 5x5 Array of Piezoresistive Stress and Temperature Sensors C.G. Dou, Y.H. Wu, H. Yang and X.X. Li	43
MEMS Grating with Interdigitated-Comb Structure H. Zhang, J. Yao, F.G. Tao and X.Y. Zhuang	49
Low Temperature Wafer Level Adhesive Bonding Using BCB for Resonant Pressure Sensor Y.X. Li, D.Y. Chen and J.B. Wang	55
Micro-Machined Electrochemical Seismic Sensors with Interdigital Electrodes G.B. Li, D.Y. Chen, W.T. He and J.B. Wang	61
Optimal Design of Micro Plastic Heat Radiator Y. Han, Y.J. Zhang, D.M. Wu, J. Zhuang and K.F. Dang	67
A Miniaturized Piezoelectric Wind Flutter Generator X.Q. Zhao, Z.Y. Wen and Z.G. Du	71
Low Frequency Electrochemical Accelerometer with Low Noise Based on MEMS W.T. He, D.Y. Chen, G.B. Li and J.B. Wang	75
A Flush-Mounted Resonant Ice Detection Sensor with High Sensitivity Q. Shi, J.B. Wang, D.Y. Chen and Y.L. Shang	81
Simulation and Analysis of Cantilever-Membrane Structure for Piezoresistive Micro-Accelerometers Y. Liu, Y.L. Zhao and L. Sun	87
Simulation of Characteristic of a Thermoelectric Power Sensor Based on MEMS Technology T. Liu and X.P. Liao	91
Phase Transition Characterization Dependent on Temperature and DC Electric Field for (Pb, La) (Zr, Ti)O₃ Antiferroelectric Thick Films X.J. Chou, M.X. Du, Y.B. Lv, J. Liu and W.D. Zhang	97
Heating Carve Technique for Polymer Microfluidic Microchannel X.W. Han, W. Wang, G.H. Ye, X.W. Liu, L. Tian and Z.G. Mao	103
Structure Design of a Novel Micromachined Tuning Fork Gyroscope with High Robustness W.P. Chen, Y.B. Yang and Y. Yu	108
MEMS Bionic Vector Hydrophone G.J. Zhang, C.Y. Xue, J.J. Xiong, W.D. Zhang, X.Y. Wang, L.X. Liu and X.Y. Ge	114

Vibration Characteristic Analysis of V-Shaped Electrothermal Microactuator Z.L. Wang, X.J. Shen, L. Zhou and X.Y. Chen	118
Design and Analysis of a Monolithic 3-Axis Micro-Accelerometer X.H. Wang, Z.H. Chen, D.B. Xiao and X.Z. Wu	122
An Interface for Low-Q Micromachined Gyroscope G.S. Wang, M. Tao and X.W. Liu	128
A High-Performance Closed-Loop Fourth-Order Sigma-Delta Micro-Machined Accelerometer B.J. Lv, P.F. Wang, D.B. Wang, J. Liu and X.W. Liu	134
Research of Coupling Structure between Photonic Crystal Waveguide and Dielectric Taper Waveguide X.Y. Ren, L.S. Feng, Z. Zhou, H.Y. Yu and X.W. Deng	139
A Simple Method for Depositing DNA on the Mica Y.Z. Wang, J.J. Sha, L. Liu, H.Y. Fu and Y.F. Chen	145
A Silicon Micro-Accelerometer with Triangle Cross-Section Beam by Anisotropic Wet Etching in TMAH Solution Y. Lv, H.J. Cui, P.T. Dong, Z.H. Chen and X.Z. Wu	151
Analysis of Polarization-Maintaining Waveguide Used in Resonance Integrated Optical Gyro H.L. Liu, R.Y. Li, H.Y. Yu, J.J. Wang and Z.C. Jiao	156
Analysis and Improvement of a 3 Axis Accelerometer S.T. Wang, Y.B. Jia, B.Z. Zhang, X.S. Liu, Q.W. Huang and Y.L. Hao	163
A 19 Element Hexagonal Actuator Arrangement Continuous Face-Sheet MEMS Deformable Mirror W.M. Wang, F.G. Tao, J.F. Zhang and J. Yao	169
Quadrature Error and Offset Error Suppression Methods for Micro-Gyroscopes B. Mo, H. Zhou, Q. Zheng, S.H. Chen and C.D. Ling	174
Closed-Loop Driving Circuit Based on Frequency Modulation Method for Capacitive Micromachined Gyroscope B. Mo, Q. Zheng, S.H. Chen, H. Zhou and C.D. Ling	179
Design and Simulation of Multi-Microchannel for Thermal Wind Sensor R.S. Hong, W.Z. Lou, H.C. Liu and Y. Zhao	183
Study of High Sensitivity Sensor Based on the Principle of Photoionization K.W. Niu, T. Liang, F. Yang, Q. Meng, K. Wang and J.J. Xiong	188
Design and Simulation of a Capacitive Biaxial Microaccelerometer Y. Liu, Z.Y. Wen, L. Chen and H.Y. Yang	194

Chapter 2: Microfluidic Devices and Systems

Air Gap Flux Density for the Planar Motor X.H. Hao, X.K. Li, W. Zhou and B. Peng	201
A High-Performance Mash Fourth-Order Sigma-Delta Modulator W.Y. Liu, B. Zhang, L. Chen, C. Gao and X.W. Liu	207
Closed-Loop Control of a SOI-MEMS Resonant Accelerometer with Electromagnetic Excitation Y.L. Shang, J.B. Wang, D.Y. Chen, Q. Shi and G.B. Li	211
A Novel Preconcentration Method for Microchip Based Electrophoresis and its Numerical Simulation H.Y. Cai, X. Chen, H. Li and D.F. Cui	216
Simulation of Injection Molding of Ultra-Thin Light Guide Plate with Hemispherical Microstructures P.W. Dong, Z.L. Zhao, D.M. Wu, Y.Y. Zhang and J. Zhuang	222
Design of a MEMS Broadband Microstrip Patch Antenna Based on Minkowski Fractal Boundary C.Y. Lu and L.X. Xu	227
Investigation on Transmittance and Uniformity of Light Diffuser Plate of Scattering Optical Transmission Polymer X.X. He, D.M. Wu, Y.J. Zhang, J. Zhuang, X.T. Zheng and Y. Zhou	232

Analytical Model of Fluxgate System M.Y. Ren, X.W. Liu, H.R. Li and Z.G. Mao	236
Optimal Design and Simulation of a Cross-Plane Micro-Thermoelectric Generator X.L. Zhu, D.S. Li, B.D. Liu and J. Zhe	240
Eliminating the External Libration Sound for the Optical Microsphere-Taper Coupling Structure L. Wang, P.F. Xu, Y.G. Zhang, Y.Z. Yan and S.B. Yan	244
Development of a Portable Phosphate Detection System Using Cobalt Based Microelectrodes B.L. Deng, J.H. Tong, Y. Bai, C. Bian, G.L. Yan, H. Zhang and S.H. Xia	249
Effect of Micro Structures of Diffusers on Optical Properties of LED Light Y. Zhou, D.M. Wu, X.T. Zheng, Y.J. Zhang, J. Zhuang and X.X. He	255
A Refined Arnoldi Algorithm Based Krylov Subspace Technique for MEMS Model Order Reduction L. Guan, J.L. Gao, Z.W. Wang, G.Q. Zhang and J.K. Chu	260
A Novel Micro Mirror Spectrometer and Test Experiment B. Luo, Z.Y. Wen, H.T. Liu, L. Chen and R.R. Qian	266
A Ground Target Positioning Method Facing Small UAVs Q. Guo, S.P. Liu, W. Xiong and Z.Y. Zhou	272
Study of a MEMS Short-Circuit Fuse Based on Electro-Thermal Theory Y. Zhao, D.G. Li, W.Z. Lou, L.F. Zhang, J.H. Li and M.B. Fang	277

Chapter 3: Micro/Nano Fabrication & Measurement Technologies

Simulation on S Parameter of an X-Band Wilkinson Power Divider H.C. Liu and X.P. Liao	287
Application of ICP Deep Trenches Etching in the Fabrication of FBAR Devices Z.G. Shang, D.L. Li, S.Q. Wang and J.H. Liu	293
Analysis of Broken Wires during Gold Wire Bonding Process M.Q. Pan, T. Chen, L.G. Chen and L.N. Sun	298
A High Performance Fourth-Order Single-Loop Sigma Delta Modulator Applied in Micro-Inertial Sensors P.F. Wang, Y. Yuan, D.B. Wang, X.W. Liu and J. Liu	303
An <i>In Situ</i> Measuring Method for Young's Modulus of a MEMS Film Base on Resonance Frequency H. Chen and H. Rong	308
Design and Simulation for Tri-Axial Piezoresistive MEMS Accelerometer M. Liu, W. Zhang and Y.L. Hao	312
Emulated Analysis of the Preview-LQG Controller for Micromachined Tunneling Gyroscope Y.F. Liu, L.Y. Wang, D.Z. Wu and D.H. Sun	318
Two Fabrication Schematics of Silicon Micro Perforated Panel Based on MEMS Technology S.H. Wu, Z. Zhao, L.J. Guo, L.D. Du, L. Xiao, Z. Fang, J.J. Zhao and Y.D. Xuan	324
Research on the Hydrophobicity of Black Silicon Based on Virtual Process X. Li, C. Wang, G.Y. Sun, X. Zhao, H.X. Zhang and G.Z. Lu	329
Investigation of Silicon Lapping and Polishing Technique for Micro-Inertial Device Z. Long and Z. Jian	334

Chapter 4: Microfluidics and Nano Fluids

The Microfluid-Driven Control by Forced Wave P. Zhu	341
Analysis and Simulation of Micro-Fluidic Inertial Switch Y. Lin, T. Yang, T.T. Liu, G.Y. Chen and C. Wang	348
Experimental Study on a Small Flux, High Pressure Peristaltic Micropump M. Du, Z.M. Lu and X.Y. Ye	354

Numerical Simulation of Multi-Physical Fields Coupling and Design of a Digital Microfluidics Chip	
T. Chen, L.G. Chen, M.Q. Pan, M.X. Ling and L.N. Sun	359

Chapter 5: Nano Material Research/Nanotube/Nanowire Devices

Design and Simulation of Micro-Power Generator Based on Piezoelectric Effect for MEMS Devices Applications	
X.J. Chou, Y.T. Zhang, M.X. Guo, T. Guo and J.J. Xiong	369
Structures and Dielectric Properties of (Pb, La)(Zr, Ti)O₃ Antiferroelectric Thick Films Prepared by Different Sintering Procedures	
W.P. Geng, X.J. Chou, Y.B. Lv, J.J. Xiong and W.D. Zhang	375
Accuracy Correction of the Measuring Method for Film Stress Gradient Based on Curvature Radius	
H. Rong and C.L. Yu	381
Boron-Doped Nanocrystalline Silicon Thin Films Prepared by PECVD	
X.Q. Wang, J.N. Ding, N.Y. Yuan and S.B. Wang	386

Chapter 6: MEMS/NENS and Applications

Design and Realization of Modular MEMS-Based Attitude Measurement and Control System Based Wireless Sensor Networks	
S.P. Liu, Z.Y. Zhou, X. Yang, Q.S. Liu, Q. Wang and Q. Guo	393
Effects of Different Package Structures on Thermal Properties of High Power White LED	
Z.R. Sun, D.M. Wu, Y.J. Zhang, J. Zhuang and K.F. Dang	397
Design of Ethernet Interface Based on FPGA and W5300	
S.K. Li and X.S. Wang	402
Size-Dependence on Load Properties of a Silicon Nanobeam	
J. Wang and H.Y. Zhang	406
Integrated Micro-Sensor Detection System of Meteorological Information	
H.C. Liu, W.Z. Lou, R.S. Hong and S.P. Zu	411
Design of a Digital Decimation Filter for High-Precision 4-Order Sigma-Delta ADC	
W.P. Chen, Q. Fu, X.W. Liu, Y. Xiao, B. Zhang and Y.H. Yang	415

Chapter 7: Nanometer Biological /Nano Medicine

Detecting DNA Using a Single Graphene Pore by Molecular Dynamics Simulations	
W. Si, J.J. Sha, L. Liu, J.P. Li, X.L. Wei and Y.F. Chen	423
An Improved Sensitivity Non-Enzymatic Glucose Sensor Based on a Nano-Gold Modified Ag Electrode	
J.H. He, Q. Xu, Z.Q. Gao and Z.R. Song	427

Chapter 8: Packaging Technology

Study on Anodic Bonding Process of Slender Vitreous Body	
M.Q. Pan, L.G. Chen, T. Chen, Z.H. Wang and L.N. Sun	435
Trial-Constructing a Novel Image of AAO Template	
H.M. Zheng, Y.C. Wu, X.M. Huang, J.W. Cui and Y. Wang	440
An Alignment Method for Lift-Off on Shallow Grooves in Transparent Substrates for Integrated Dual Grating Structures	
J.Y. Feng, F. Chen, Y.F. Shang and X.Y. Ye	447
Composite Content Influence on Multiwall Carbon Nanotubes-SiO₂ Film Humidity Sensors at AC Testing	
T. Li, X.W. Liu and Z.G. Zhao	451