

# Table of Contents

## Preface

## Chapter 1: Materials in Pharmacology and Biomedical Practice

|                                                                                                                                                                                                                                                                 |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Effect of Modified Hydroxypropyl Tapioca Starch and Percentage of Drug Loading on Physical Property of Paracetamol Tablet</b><br>V. Patomchaiviat, S. Limmatvapirat, C. Sirisapaya, R. Kolae, K. Anantakul and S. Piriayaprasarth                            | 3   |
| <b>Physicochemical and Mechanical Properties of Rice Bran Protein Hydrolysate-Loaded Films</b><br>T. Wunnakup, C. Monton, L. Charoenchai and D. Meksuriyen                                                                                                      | 9   |
| <b>A Comparative Study on the Effect of Hydroxypropyl Methylcellulose F4M and Eudragit® E PO on the Physicochemical Properties of Taste-Masking Microparticles</b><br>K. Burapapadh, N. Wattanakhejorn, P. Sukpipat, S. Promchuay, T. Phengpinit and P. Saokham | 15  |
| <b>Phase Behavior of Doxycycline Hyclate-Incorporated Bleached Shellac <i>In Situ</i> Forming Gel/Microparticle after Solvent Movement</b><br>S. Senarat, J. Charoenteeraboon, P. Praphanwittaya and T. Phaechamud                                              | 21  |
| <b>Combination Effects of Gambogic Acid on Imatinib Mesylate Cytotoxicity in Colon Cancer Cells</b><br>E.M. Khaing, T. Saenpunya, P. Kerdklai, S. Pangpongma, S. Vongvijit, T. Phaechamud and T. Intaraphairot                                                  | 27  |
| <b>Low Protein Natural Rubber Latex - Based Polymer Blends for Transdermal Patches of Mefenamic Acid</b><br>J. Suksaeree, W. Pichayakorn, P. Siripornpinyo, S. Chaiprasit and P. Maneewattanapinyo                                                              | 34  |
| <b>Fabrication and Evaluation of Thermally Crosslinked Gantrez S-97 Microneedle Arrays</b><br>Y.Y. Myat, N.N. Aung, T. Ngawhirunpat, T. Rojanarata, P. Opanasopit and P. Patrojanasophon                                                                        | 39  |
| <b><i>In Vitro</i> and <i>In Vivo</i> Evaluation of Amphiphilic Chitosan Derivatives for Inhibition of Organic Cation Transport Function</b><br>S. Soodvilai, S. Soodvila, W. Sajomsang, T. Rojanarata, P. Patrojanasophon and P. Opanasopit                    | 45  |
| <b>Simultaneous Determination of Gallic Acid and Quercetin in Leaf Extract of <i>Madhuca longifolia</i> from Myanmar by HPLC-DAD: Method Development and Validation</b><br>A. Thida, O. Toyama and M. Satiraphan                                                | 51  |
| <b>Development of Clove Oil <i>In Situ</i> Gels for Buccal Mucoadhesive</b><br>S. Panomsuk, K. Keawsri, C. Limsatjananit, N. Asaneesantiwong, P. Chomto and M. Satiraphan                                                                                       | 57  |
| <b>Development and Physico-Chemical Evaluations of Clove Oil Microemulsions</b><br>S. Panomsuk, N. Porkar, P. Meerasen, N. Kunrattanaporn and M. Satiraphan                                                                                                     | 62  |
| <b>Xanthan Gum-Incorporated Natural Rubber Film Casted with Solvent Evaporation</b><br>N. Puyathorn and T. Phaechamud                                                                                                                                           | 68  |
| <b>Surface Tension/Contact Angle Characters of Aprotic Binary Borneol-Dimethyl Sulphoxide Mixture</b><br>N. Lertsuphotvanit, S. Tuntarawongsa, J. Mahadlek and T. Phaechamud                                                                                    | 74  |
| <b>Characterization of Rheological Property of Mucoadhesive Polymeric Sol-Gel in the Presence of Black Ginger <i>Kaempferia parviflora</i> Extract</b><br>S. Taokaew, N. Wattanaphraya and W. Kriangkrai                                                        | 81  |
| <b>Synthesis and Characterization of Polyethylene Glycol Modified Chitosan</b><br>P. Prompanya and S. Khondee                                                                                                                                                   | 87  |
| <b>Quantitative Phytochemicals Determination of the Extracts from the Flowers of <i>Alstonia scholaris</i> and their Anti-Lipoxygenase Activities</b><br>K. Kamonlakorn, C. Supon, A. Riankrasin, D. Pekthong and S. Parhira                                    | 94  |
| <b>Enhancement of Antioxidant Activity by the Combination of <i>Moringa oleifera</i> and <i>Perilla frutescens</i> Seed Oils in Microemulsion</b><br>P. Tunit, S. Kietinun, K. Sriyakul, P. Tungsukruthai and C. Chittasupho                                    | 100 |
| <b>Antibacterial Agent-Incorporated Cholesterol Phase Inversion-Based <i>In Situ</i> Forming Matrix for Crevicular Pocket Delivery</b><br>O. Setthajindalert, K.S. Aung, J. Charoenteeraboon, A. Sirinamaratana and T. Phaechamud                               | 107 |

|                                                                                                                                                                                                                         |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>The Effect of Spermidine and Spermine on Chitosan-Mediated Gene Delivery</b><br>A. Apirakaramwong, S. Sunthornphan, N. Pasuthawong, T. Intaravicha, N. Ruangthai, T. Rojanarata and P. Opanasopit                    | 113 |
| <b>Comparison of Doxycycline Hyclate Release from Beta-Cyclodextrin Based <i>In Situ</i> Forming Systems for Periodontal Pocket Targeting</b><br>S. Tuntarawongsa, J. Mahadlek, N. Lertsuphotvanit and T. Phaechamud    | 120 |
| <b>Development and Characterization of Gantrez<sup>®</sup> S-97 and Hyaluronic Acid Microneedles for Transdermal Fluorescein Sodium Delivery</b><br>P. Suriyaamporn, W. Rangsimawong, P. Opanasopit and T. Ngawhirunpat | 125 |
| <b>Role of Citrus Limonoid as a Possible Bioavailability Enhancer</b><br>N. Piyapolrunroj, P. Phattanawasin, U. Sotanaphun and M.P.T. Maw                                                                               | 132 |
| <b>The Solution Improvement of Quercetin Using Spontaneous Emulsification Systems</b><br>Y. Weerapol and S. Tubtimsri                                                                                                   | 139 |
| <b>Physical, Chemical, and Microbiological Stability of <i>Mucuna pruriens</i> Effervescent Powders and Suspension</b><br>C. Chittasupho, S. Tadtong, S. Vorarat and N. Kamkaen                                         | 145 |

## Chapter 2: Cosmeceuticals and Cosmetic Ingredients

|                                                                                                                                                                                                                                                                  |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Effects of the Combination of Organic Filter and Inorganic Metal Oxides and the Matrix Formulations on UV and Blue Light Protection Efficiencies</b><br>O. Chunnawong and T. Pitaksuteepong                                                                   | 153 |
| <b>Development of Sunscreen Products Containing Titanium Dioxide and <i>Aloe vera</i> Gel</b><br>T. Kanthik, S. Lokham and S. Sungthongjeen                                                                                                                      | 159 |
| <b>Inhibitory Effect of <i>Perilla frutescens</i> L. Leaves Extract on Melanogenesis and Skin Whitening Efficacy in the Underarm Whitening Product Application</b><br>W. Preedalikit, K. Pintha, P. Tantipaiboonwong, N. Aunsri, P. Vivattanaseth and L. Mungmai | 166 |
| <b>Application of Plant Extracts as a Preservative in an Aqueous Gel Formulation</b><br>P. Bupphatanarat, W. Powtongsook, C. Asawahame and P. Wongtrakul                                                                                                         | 172 |
| <b>Formulation Development of Canine Antifungal Shampoo Containing <i>Senna tora</i> (L.) Roxb. Seed Extract</b><br>L. Charoenchai, N. Chankana, O. Theanphong, S. Jongrungruangchok, D. Meksuriyen and V. Lipipun                                               | 181 |
| <b>Optimization of <i>Maclura cochinchinensis</i> Extract as a Cosmeceutical Component for Antioxidant and Anti-Tyrosinase Activities</b><br>B. Vongsak, S. Jaisamut, K. Gonsap and P. Parmontree                                                                | 188 |

## Chapter 3: Nanomaterials in Pharmacology

|                                                                                                                                                                                                                                                           |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Effect of Emulsifiers on Physical Properties and Stability of Oral Rice Bran Oil Nanoemulsions</b><br>P. Nongnuan and D. Charnvanich                                                                                                                   | 197 |
| <b>Types of Solid Lipids on Physical Stability of Resveratrol-Loaded Nanostructured Lipid Carriers</b><br>B. Chamsai, W. Samprasit, P. Opanasopit, P. Benjasirimongkol and P. Sriamornsak                                                                 | 203 |
| <b>Development and Evaluation of Thermally-Crosslinked Mucoadhesive Gantrez<sup>™</sup> S-97/Polyvinyl Alcohol/ Hyaluronic Acid-Catechol Nanofibers</b><br>C. Pornpitchanarong, T. Rojanarata, P. Opanasopit, T. Ngawhirunpat and P. Patrojanasophon      | 208 |
| <b>Preparation and Evaluation of 6-Maleimidohexanoic Acid Grafted Chitosan Nanoparticles as a Novel Carrier for Intranasal Protein Delivery</b><br>E. Dumkliang, T. Ngawhirunpat, T. Rojanarata, P. Patrojanasophon, B. Pamornpathomkul and P. Opanasopit | 214 |
| <b>Electrospinning of Eudragit RS100 for Nerve Tissue Engineering Scaffold</b><br>N. Charernsriwilaiwat, T. Chareonying and P. Opanasopit                                                                                                                 | 220 |
| <b>Development of Antimicrobial Nanoemulsions Containing <i>Nelumbo nucifera</i> Extract</b><br>S. Pengon, N. Chinatangkul, C. Limmatvapirat and S. Limmatvapirat                                                                                         | 226 |
| <b>Niosomes Encapsulated Anthocyanins Complex Loaded in a Topical Oral Gel</b><br>S. Limsitthichaikoon, A. Priprem and T. Damrongrungruang                                                                                                                | 232 |

|                                                                                                                       |     |
|-----------------------------------------------------------------------------------------------------------------------|-----|
| <b>Development of Electrospun Shellac and Hydroxypropyl Cellulose Blended Nanofibers for Drug Carrier Application</b> |     |
| N. Chinatangkul, S. Pengon, S. Piriyaprasarth, C. Limmatvapirat and S. Limmatvapirat                                  | 239 |

## **Chapter 4: Technologies and Processing Parameters in Pharmacology Production**

|                                                                                                                                                  |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Fabrication of Indomethacin-Loaded Polyvinyl Alcohol Filaments through Hot-Melt Extrusion</b>                                                 |     |
| K. Thanawuth and P. Sriamornsak                                                                                                                  | 247 |
| <b>Shelf-Life Extension of Dried <i>Kaempferia parviflora</i> Rhizomes by Gamma Irradiation</b>                                                  |     |
| W. Krongrawa, S. Limmatvapirat and C. Limmatvapirat                                                                                              | 252 |
| <b>Effects of Thermal Crosslinking on the Properties and Release Profiles of Three-Dimensional (3D)-Printed Poly Vinyl Alcohol (PVA) Tablets</b> |     |
| T. Chareonying, P. Opanasopit, T. Rojanarata, P. Akkaramongkolporn and P. Patrojanasophon                                                        | 258 |
| <b>Optimization of Microencapsulated <i>Lactobacillus rhamnosus</i> GG from Whey Protein and Glutinous Rice Starch by Spray Drying</b>           |     |
| T. Thamacharoensuk, T. Boonsom, S. Tanasupawat and E. Dumkliang                                                                                  | 265 |
| <b>Response Surface Optimization on Microencapsulation of Lemongrass Essential Oil Using Spray Drying</b>                                        |     |
| T. Boonsom and E. Dumkliang                                                                                                                      | 271 |
| <b>Validation of UV-Vis Spectrophotometric Method for Stability Evaluation of 5% Extemporaneous Vancomycin Eye Drops in Various Vehicles</b>     |     |
| D. Panchapornpon, S. Pengon, N. Chinatangkul and T. Chevadisaiikul                                                                               | 277 |
| <b>Effect of Processing Parameters on Release Profiles of Donepezil Hydrochloride-Loaded Microparticles</b>                                      |     |
| L. Sutthapitaksakul and P. Sriamornsak                                                                                                           | 283 |
| <b>Fabrication of a Floating Device of Domperidone Tablets Using 3D-Printing Technologies</b>                                                    |     |
| K. Singpanna, T. Chareonying, P. Patrojanasophon, T. Rojanarata, M. Sukma and P. Opanasopit                                                      | 289 |
| <b>Development and Evaluation of Astaxanthin Orally Disintegrating Tablets Prepared from Coprocessed Excipients for Use in the Elderly</b>       |     |
| T. Sangnim and K. Huanbutta                                                                                                                      | 295 |
| <b>Optimization for Powder Yield of Spray-Dried Garlic Extract Powder Using Box-Behnken Experimental Design</b>                                  |     |
| N. Khumpirapang, S. Srituptim and W. Kriangkrai                                                                                                  | 301 |
| <b>Differential Scanning Calorimetric Analysis for Incompatibility: Sodium Stearate/Magnesium Stearate and Acidic Compounds</b>                  |     |
| P. Chaiya and T. Phaechamud                                                                                                                      | 307 |