

Table of Contents

Preface, Conference Organizers

Chapter 1: Precision Metrology

| | |
|--|----|
| A Fast Approach to Obtain High-Precision Measurement of the Minimum Circumscribed Cylinder Using Computer Drawing | |
| W.F. Chen and J.T. Chang | 3 |
| A New Method of Reducing the Measurement Blind Area for MPS | |
| C. Deng, Y.H. Kang, Q. Zhou and H. Li | 9 |
| Calibration for Laser Scanners Based on the NIM 80m Indoor Ranging Facility | |
| X.R. Deng, Z.Y. Qian and J.S. Li | 14 |
| Cutting Force Evolution and its Power Spectrum Analysis with Tool Wear Progress in Ultra-Precision Raster Milling | |
| G.Q. Zhang, S. To and G.B. Xiao | 20 |
| Decision Rules and Risk Analysis | |
| M. Krystek | 26 |
| Design and Development of a Novel Coordinate Measuring Machine with 3-PUU Parallel Mechanism | |
| S.Y. Li and P.H. Hu | 34 |
| Error Detection Technology for Calibrating Precision of Non-Contact Coordinate Measuring Machine | |
| Q.Z. Sun, J. Zhao, S.J. Ji, L. Zhang and S.H. Zhou | 42 |
| Evaluation of Straightness of Two-Axes Stage | |
| K. Iori, M. Ozaki and R. Furutani | 47 |
| High Resolution SelfA Rotary Table by the Interpolation Signal Calibration | |
| T. Watanabe, W. Samit, K. Vatcharanukul, A. Tonmueanwai and A.P. Drijarkara | 53 |
| High Speed Machining of Difficult-to-Machine Materials under Different Lubrication Conditions | |
| T. Obikawa, T. Ohno, R. Nakatsukasa, M. Hayashi and T. Tabata | 60 |
| High-Accuracy Calibration of CMM Using Temporal-Coherence Fiber Interferometer with Fast-Repetition Comb Laser | |
| N. Chanthawong, S. Takahashi, K. Takamasu and H. Matsumoto | 66 |
| Identifying the Microtopographic Features Generated by Different Ultra-Precision Machining Techniques by Power Spectral Density | |
| J.C. Chen and T. Sun | 73 |
| Metrology for Comparison of Displacements at the Picometer Level | |
| J. Stone, P. Egan, J. Hendircks, G. Strouse, D. Olson, J. Ricker, G. Scace and D. Gerty | 79 |
| Study of Air Temperature Correction for Optical Path Based on Large-Scale Laser Comparator | |
| J.S. Li, X.R. Huang, M.Z. He and L.F. Li | 85 |
| Study on Dynamic Measurement of Plane Distance | |
| W.C. Wang, D. Chen, H.T. Gao and Z.B. Yang | 91 |

Chapter 2: Precision Machining

| | |
|---|-----|
| A Novel Method for Profile Error Analysis of Freeform Surfaces in FTS/STS Diamond Turning | |
| W.K. Neo, M.D. Nadhan, A.S. Kumar and M. Rahman | 101 |
| A Study of Minimal Quantity Lubrication with MWCNTs in Turning of AISI 304L Steel | |
| W.T. Huang, H.H. Tsai, D.H. Wu and W.T. Lee | 108 |
| A Study of the Cutting Temperatures in Milling Stainless Steels Using Chamfered Main Cutting Edge Nose Radius Worn Tools | |
| C.S. Chang | 115 |

| | |
|--|-----|
| A Supervisory System in Machining Process Leading to Electric Power Saving | 123 |
| Y. Kondo, M. Yamaguchi, S. Sakamoto and K. Yamaguchi | |
| Adaptive Identification and Control of Hysteresis in Piezoelectric Actuators | 129 |
| X.S. Chen, X. Chen, X.D. Chen and M.S. Yang | |
| An Investigation of the Vibration Testing Method for Small Diameter Endmills | 134 |
| T. Ono | |
| Development of a Small Rotary Multi-Jet Abrasive Fluid Jet Polishing Tool | 140 |
| A.A. Tsegaw and F.J. Shiou | |
| Development of Fixing System for 2-Axis Micro Deep Drilling Assisted by Low Frequency Vibration | 144 |
| I. Burdukovskyi, J. Kaneko and K. Horio | |
| Diffusion Wear Mechanism of Single Crystal Diamond Tool in Machining Die Steels | 148 |
| L. Zou and M. Zhou | |
| Dressing of Grinding Wheels for Ultra Precision Grinding of Diffractive Structures in Tungsten Carbide Molds | 155 |
| T. Bletek, F. Klocke, M. Hünten and O. Dambon | |
| Dynamics Model of Micro-Displacement Stage Based on High-Frequency | 161 |
| H.W. Zhou, X. Chen, X.D. Chen and K.T. Li | |
| Estimation of Micro-Hole Shape in Laser Direct Drilling of High Heat Radiation Typed Printed Circuit Boards (Process Monitoring with a High Speed Camera) | 167 |
| S. Onchi, T. Hirogaki, E. Aoyama and K. Ogawa | |
| Experiment Study of the Fast Tool Servo (FTS) by Laser Interferometer | 172 |
| R.L. Zhao, X. Chen, K.T. Li, X.D. Chen and Q. Liu | |
| Fabrication of Comb Shape of Leading Edge Wing of Dragonfly | 178 |
| S. Umezu, N. Tanabe and H. Hashimoto | |
| Fabrication of Microstructured Surfaces by Five-Axis Ultra Precision Machine Tool | 182 |
| D.X. Wu, G. Li, B. Wang, Z. Qiao and L. Lv | |
| Finishing of 4H-SiC (0001) by Combination of Thermal Oxidation and Abrasive Polishing | 187 |
| H. Deng, K. Endo and K. Yamamura | |
| Improved GZO Thin Film Properties with SiO_x Buffer Layer by Atmospheric Pressure Plasma Deposition | 192 |
| K.H. Yang, P.C. Ho, J.W. Lin, T.H. Chou and K.M. Chang | |
| Influence of Machining Characteristics on Ultra-Precision Cutting of Aluminum Alloys | 196 |
| D. Hirase, Y. Maeda, K. Iwatsuka and T. Yazawa | |
| Influences of Closed Loop Control Componentson the Performance of Ultra-Precision Machines | 201 |
| C. Brecher, D. Lindemann and C. Wenzel | |
| Monitoring of End-Mill Process Based on Infrared Imagery with a High Speed Thermography | 207 |
| M. Shindou, H. Kodama, T. Hirogaki and E. Aoyama | |
| Numerical Study of a 3-Axis Stage for Application of Fast Tool Servo | 213 |
| Y.T. Liu and B.J. Li | |
| Optimal Design of Piezoelectric Actuator for Precision Positioning Applications | 219 |
| L.K. Chang and M.C. Tsai | |
| Preliminary Investigation on Design and Fabrication of a Metallic-Ellipsoidal Neutron Focusing Mirror | 224 |
| J. Guo, Y. Yamagata, S. Takeda, J. Kato, M. Hino, M. Furusaka and S. MORITA | |
| Research on Light Intensity Modulation within KDP Crystal Based on Different Width of Gaussian Repaired Contour of Surface Defects | 230 |
| Y. Xiao, M.J. Chen, W.M. Zhang, M.Q. Li and J. Cheng | |
| Researches on the Measurement Rebuilding and Multi-Axis Flank Milling NC Machining of the Compressor Impeller | 234 |
| W.F. Chen, J.T. Chang and J.H. Su | |
| Satiny and Continuous-Curvature Corrugated Surface Generation by Integrating End-Milling Processes and Magnetic Polishing with a Machining Center | 241 |
| T. Furuki, L. Ma, T. Hirogaki and E. Aoyama | |
| Structural Analysis of an Orbital Grinding System for Grinding Crankshafts for 5ton 5m Class Ship Engines | 247 |
| J. Jang, B.Y. Choi, H.S. Bang, W.C. Choi and S.J. Cho | |
| Structural Analysis of an Orbital Grinding System for Grinding Crankshafts for 5ton 5m Class Ship Engines | 253 |

| | |
|---|-----|
| The Development of an Displacement Sensor Embedded Voice Coil Motor Based Fast-Tool-Servo for the Machining of Micro-Structure | 258 |
| Z.J. Yang, Y.D. Bai, S.J. Wang, X.D. Chen, Q. Liu, K.T. Li, H. Wang and X. Chen | |
| The Error Analysis of Ultra-Precision Diamond Turning Machine Based on Tool Swing Feeding | 262 |
| H.H. Yao, T. Sun and Z.Q. Li | |
| Theoretical Analysis about Off-Axis Parabolic Surface Machining under Two Different Accurate Spiral Tool Paths | 267 |
| S.J. Ji, H.J. Yu, J. Zhao, L. Zhang and D.P. Huang | |
| Time-Varying Load Analysis on the Rotor-Bearing System for Twin-Screw Compressors | 274 |
| Y.R. Wu and J.W. Chi | |
| Tool Wear Characteristics for Near-Dry Cutting of Inconel 718 | 282 |
| T. Wakabayashi, Y. Maeda, K. Iwatsuka and T. Yazawa | |
| Wireless Driving of Electrostatic Film Actuator by Pre-Charging Electrodes with DC High Voltages | 288 |
| T. Hosobata, N. Yamashita, A. Yamamoto and T. Higuchi | |

Chapter 3: Optical Measurement

| | |
|--|-----|
| A Differential Evolution Stereo Matching Method in Digital Image Correlation | 297 |
| L. Chen, R.S. Lu, Y.Q. Shi and J.S. Tian | |
| Automatic Optical Measurement of High Density Fiber Connector | 305 |
| C.L. Chang, C.J. Chen and W.H. Wu | |
| Comparison Measurement between Fizeau Interferometer and Scanning Deflectometric Profiler | 310 |
| Y. Kondo and Y. Bitou | |
| Identification of Fluids by the Color of Surface Plasmon Polaritons | 316 |
| M. Ozaki, T. Sakai, H. Murata and R. Furutani | |
| Length Traceability Using Optical Frequency Comb | 322 |
| D. Wei, K. Takamasu and H. Matsumoto | |
| Measurement of Step Height Using White Light Spectral Interferometry | 326 |
| T. Guo, L.F. Ni, L. Ma, J.P. Chen, X. Fu and X.T. Hu | |
| Study on Chemical Interaction Analysis of Reactive Fullerol Molecules in Cu-CMP Using High-Sensitive Raman Spectroscopy | 332 |
| R. Murai, Y. Takaya, T. Hayashi and M. Michihata | |
| The Assembly and Measurement of Corrector Lens of a Cassegrain Telescope | 339 |
| P.H. Huang, M.Y. Hsu, T.M. Huang, R.J. Guo, J.Y. Lin and Z.Y. Chen | |
| The Spatial Synchronization of Areal Measurement Data Sets by Multi-Probes | 346 |
| D.H. Lee, M.G. Kim and N.G. Cho | |

Chapter 4: Manufacturing Systems and Machine Tools

| | |
|---|-----|
| Binder-Free Green Composite Using Bamboo Fibers Extracted with a Machining Center-Investigation of Optimal Bamboo Fiber Length | 355 |
| S. Imura, K. Ogawa, T. Hirogaki and E. Aoyama | |
| Development of a CAM System with Linear Servo Motor for Automation of Metal Hammering | 360 |
| H. Tanaka, K. Hoshino and N. Asakawa | |
| High Efficiency AGV Transportation System Based on Knowledge of Taxis: Strategy for AGV Behavior at Intersections | 366 |
| T. Ito, E. Aoyama, T. Hirogaki, K. Ogawa and D. Mitsuoka | |
| High Efficiency Tool Path Generation for Freeform Surface Machining Based on NURBS Subdivision | 372 |
| J. Zhu, A. Hozumi, T. Tanaka and Y. Saito | |
| Identification of Flow Stress Applicable for FEM Simulation of Orthogonal Cutting Process | 378 |
| N. Wahab, Y. Inatsugu, S. Kubota, S.Y. Kim and H. Sasahara | |

Performance of the Partially Porous and the Fully Porous Aerostatic Journal Bearings with Incompressible Air Flow

T.Y. Huang, S.Y. Hsu, B.Z. Wang and S.C. Lin 384

Positioning Calibration of a Parallel Mechanism Worktable with 6-DOF

Y.R. Zhang, S. Nagase, J. Zhu, T. Tanaka and Y. Saito 392

Study on the Fast Tool Servo (FTS) with the Replaceable Flexible Hinge

K.T. Li, X. Chen, X.D. Chen, Q. Liu and H.W. Zhou 398

Toolpath Planning and Simulation for Cutting Test of Non-Orthogonal Five-Axis Machine Tool

J.N. Lee, C.H. She, C.W.B. Huang, H.S. Chen and H.K. Kung 402

Chatper 5: Motion Control/Polishing and Grinding

A New Prediction Model for Thermally Induced Errors of a Turning Center

H.W. Chi and Y.R. Lin 411

Design of an Optimal PID Controller by Genetic Algorithms for a Pantograph Type XY Platform

Y.H. Fan, C.E. Chen and H.W. Liao 417

Identification on Nonlinear Friction Model and Tracking Control for a Ball-Screw Actuated Stage Using Modified Charge System Search

C.J. Lin, S.K. Yu, B.Y. Ho and C.S. Chen 423

Microlens Array Fabrication by 3D Diffuser Lithography for Light Enhancement of Organic Light-Emitting Devices

H.Y. Lin, Y.S. Sun, S.L. Chen and M.K. Wei 430

A Study of Computer Controlled Ultra-Precision Polishing of Silicon Carbide Reflecting Lenses for Enhancing Surface Roughness

Z.L. Li, W.B. Lee, B.C.F. Cheung, L.T. Ho and Y.G. Fu 437

An Investigation of Factors Affecting and Optimizing Material Removal Rate in Computer Controlled Ultra-Precision Polishing

L.T. Ho, C.F. Cheung, L. Blunt and S.Y. Zeng 446

Complex Trajectory Planning for Lapping of Diamond Cutting Tool

N. Yang, Z.Q. Li, W.J. Zong and T. Sun 453

Investigation of Removal Mechanism of Sapphire in Plasma Assisted Polishing

K. Monna, H. Deng, K. Endo and K. Yamamura 458

Modeling of Vertical Micro Grinding

A. Perveen, M. Rahman and Y.S. Wong 463

Study on the Key Parameters in Etching of Fused Silica Using Atmospheric Inductively Coupled Plasma

Q. Xin, B. Wang, H.L. Jin, N. Li, D. Li and G. Li 469

Ultrasonic Vibration Assisted Grinding of Microstructures on Binderless Tungsten Carbide (WC)

B. Guo, Q.L. Zhao, Y. Hou, C. Ge and X. Yu 475

Chapter 6: Advanced Moulding and Precision Forming/Advanced Technologies

Developing in Biodegradable Stents Technology

S.Y. Lin, C.S. Chen, Y.S. Chen and S.F. Ma 483

A Framework of a Continuous Injection Direct Rolling Process for Precision Manufacturing Plastic Plates with Patterned Microstructures

L.B. Kong, J.B. Li, C.F. Cheung, Y. Lou, C.S. Wang, H.W. Peng, C.H. Mak and D. Li 489

Automated Bin-Picking with Active Vision

W.C. Chang and C.H. Wu 496

Bending Method for Forming Curvature and Various Cross-Section Shapes

N. Utsumi and M. Yoshida 505

Electro Discharge Machining of AL₂O₃ Based Ceramic

S.K. Elmenshawy, M.A. Younes and H. El-Hofy 511

| | |
|---|-----|
| Improvement on Die-Casting Efficiency and Property of Aluminum Alloy Casing. | 518 |
| Q.C. Hsu, A.T. Do, K.C. Yeh and J.H. Ye | |
| Molecular Dynamics Simulation of Pressure Generated inside Melting Area in EDM | 525 |
| X.D. Yang, X. Han and M. Kunieda | |
| Performance Stability of Recycle Amine-Free Water-Soluble Coolant in Long Term Operation | 530 |
| K. Yamaguchi, Y. Kondo, S. Sakamoto, M. Yamaguchi and R. Nakazawa | |
| Technology Evolution of Lower Extremity Exoskeleton from the Patent Perspective | 536 |
| R.J. Lai and M.F. Li | |

Chapter 7: Non-Conventional Machining

| | |
|--|-----|
| A Proposal of Process Strategy for Micro-Cutting Edge Fabrication: Effects of Shape Formation after Laser Hardening | 545 |
| K. Ogawa, H. Tanabe and H. Nakagawa | |
| Basic Study on Etching Selectivity of Plasma Chemical Vaporization Machining by Introducing Crystallographic Damage into Work Surface | 550 |
| Y. Sano, T. Doi, S. Kurokawa, H. Aida, O. Ohnishi, M. Uneda, Y. Okada, H. Nishikawa and K. Yamauchi | |
| Characteristics of Electrical Discharge Machining in a Working Fluid Mixed with Micro-Bubbles | 554 |
| H. Takezawa, K. Suzuki and N. Mohri | |
| Edge Effect and Compensation Method Research of the Template Electrochemical Etching | 559 |
| H.Y. Wei, Z.N. Guo and G. Wang | |
| FEM Simulation on the Effect of Cutting Parameters in the Driven Rotary Cutting | 564 |
| W. Takahashi, H. Sasahara, H. Yamamoto and Y. Takagi | |
| Figuring and Finishing of Reaction-Sintered SiC by Anodic Oxidation Assisted Process | 570 |
| N. Shimozono, X.M. Shen, H. Deng, K. Endo and K. Yamamura | |
| Improvement of Accuracy in Micro-EDM of Tungsten Carbide Using Deionized Water | 576 |
| M.D. Nguyen, Q.Y. Neo, M. Rahman and Y.S. Wong | |
| Improvement of Drill Life for Nickel Super Alloy by Ultrasonic Vibration Machining with Minimum Quantity Lubrication | 581 |
| H. Isobe and K. Hara | |
| Influence of Ultrasonic Assisted Processing on the Ductility of Binderless Tungsten Carbide | 587 |
| B. Bulla, F. Klocke and O. Dambo | |
| Material Removal Rate Control in Open-Air Type Plasma Chemical Vaporization Machining by Pulse Width Modulation of Applied Power | 593 |
| Y. Takeda, Y. Hata, K. Endo and K. Yamamura | |
| Surface Characteristics Produced by Multi-Wire Sawing of GFRP | 597 |
| S. Sakamoto, M. Yamaguchi, Y. Kondo, K. Yamaguchi and A.J. Nomura | |
| Ultrasonic Elliptical Vibration-Assisted Micro-Groove Turning | 603 |
| C. Zhang, K. Ehmann, Y.G. Li and P. Guo | |
| Ultrasonically Assisted Micro Drilling for Acrylic Resin μ-TAS | 607 |
| K. Hara, A. Asahi and H. Isobe | |

Chapter 8: High Precision Mechatronics/Robotics

| | |
|--|-----|
| Development of a Piezoelectric-Actuated Drop-on-Demand Droplet Generator Using Adaptive Wavelet Neural Network Control Scheme | 615 |
| J.W. Liang and H.Y. Chen | |
| Integrated Control System Based on MCU for the Temperature and Sampling of Helical Microfluidic PCR Detection System | 621 |
| Y. Yang, T. Chen, S.B. Liu and J. Wu | |
| Visual Servoing of Automatic Alignment System Using Model Predictive Control | 627 |
| C.Y. Lin and Y.S. Zeng | |
| Design of Wrist Rehabilitation Device for Hemiplegic Patients | 633 |
| T.S. Park, D.H. Shin, C.P. Jeong, J.H. Choi, J.I. Moon and S.H. Yang | |

Kinematic Design Consideration Based on Actuator Placement of Five-Bar Planar Robot for Arm Rehabilitation

J.H. Choi, D.H. Shin, T.S. Park, C.P. Jeong, J.I. Moon and J.N. An 638

Study of Adjusted Rapid Upper Limb Assessment for Evaluating of Rehabilitation Effects

C.P. Jeong, D.H. Shin, T.S. Park, J.H. Choi, J.I. Moon and S.H. Yang 644

Chapter 9: Others

Formation of Aluminum Nitride Films by Gas Nitriding

M. Yoshida, Z. Tao and N. Utsumi 651

Fabrication and Mechanical Properties of C/C-HfC-SiC Composites

Y. Yano, K. Wada, T. Aoki, T. Ogasawara and S. Umezu 657

Composite Characterization of Engineering Ceramics Ground Surface

Z.L. Qi, B. Lin, Y.B. Zhang, X.H. Liang and X.Y. Li 662

Using Rayleigh-Taylor Model to Predict Surficial Tension of Static Ferro-Fluid

J.E. Ho 668

Design Life Analysis of KTX Running Gear Systems on Various Operating Conditions

C.W. Lee and D.H. Lee 674

Dielectrophoresis Tweezers for Single Cell Manipulation Using Metal Coated Chemically Etched Fiber

K. Taguchi, K. Aritoshi, K. Nishimoto and S. Fukutomi 678

Dynamic Performance Measurement of Proximity Sensors for a Mobile Robot

T.T. Tsung and N. Hoai 683

Evaluation of Running Safety for Railway vehicles Based on Vibration Acceleration of Bogie

Y.S. Ham 689

Experimental Investigation of Cell Cloning Efficiency after Optical Trapping

K. Taguchi and T. Hayashi 695

Numerical Simulation Research of an Ultra-Micro Dispensing

C. Xu, Q. Zhang, W.J. Huang and H. Aoyama 700

Optical Simulation of Omnidirectional Inspection System for Screw Threads

K. Park, C.H. Lee and S.W. Ra 706

Study of Mechanism for Wear Adjustment with Electro Wedge Brake

D.H. Shin, T.S. Park, S.H. Jin, J.I. Moon and S.H. Yang 712

Swirl-Based Control Method of Cell Orientation-Impact on Control Performance with Eccentricity

Q. Zhang, J.H. Wang, W.J. Huang and H. Aoyama 717

Tuning the Shear Modulus of Single-Walled Carbon Nanotube by Feeding Van Der Waals Molecules

B.H. Chen, W.H. Chao and R.J. Wu 722

Visual-Servoing Control of Robot Hand with Estimation of Full Articulation of Human Hand

M. Tomida and K. Hoshino 728

Wettability of Polymeric Bionic Surface Replicated from Ginkgo Leaves

X.L. Zhao, W.W. An, J.C. Yan, H.C. Yu and L.Q. Wang 736

A Study of Cutting Strategy in Single-Point Diamond Turning of Micro V-Groove Patterns on Precision Roller Drums

C.H. Mak, C.F. Cheung, M.J. Ren, L.B. Kong and S. To 742

Analysis and Optimization of a Vibration Isolation Platform Based on 6-DOF Parallel Mechanism

T.D. Yi, B. Li and N. Wang 748

Chemically Etched Axicon Fiber as a Sensor Probe of Optical Coherence Tomography

K. Taguchi and M. Takatsu 754