

Table of Contents

Preface and Organizing Committee

Electroformed Diamond Tool Adaptable to Nanometer Grinding of Cemented Carbide N. Gohya, W.F. Sun, Y. Amamoto and T. Semba	1
Tool Deflection Modeling in Ball-End Milling of Sculptured Surface C.Q. Yan, J. Zhao, Y.E. Li and X.X. Chen	7
Multiscale Modeling Study on the Nanometric Cutting Process of CaF₂ M.J. Chen, G.B. Xiao, D. Li and C.Y. Wu	13
Ion Beam Figuring System for Ultra-Precise Optics Z. Yuan, Y.F. Dai, X.H. Xie and L. Zhou	19
Fabrication of PDMS Nano-Stamp by Replicating Si Nano-Moulds Fabricated by Interference Lithography I. Byun, J.H. Park, J.W. Kim and B.J. Kim	25
Cu-Direct Laser Drilling of Blind Via-Hole in Multi-Layer PWBs: Process Visualization Using High-Speed Camera Images K. Obata, T. Hirogaki, E. Aoyama and K. Ogawa	30
Investigation on Micro-Machining Characteristics and Phenomenon of Semiconductor Materials by Harmonics of Nd:YAG Laser T. Hirano, Y. Okamoto, A. Okada, Y. Uno, T. Sakagawa and S. Nakashiba	36
Ultra Precision Machining of the Winston Cone Baffle for Space Observation Camera S.C. Yang, G.H. Kim, M.S. Huh, S.Y. Lee, S.H. Kim and G.J. Lee	42
A Development of Dispenser for High-Viscosity Liquid and Pick and Place of Micro Objects Using Capillary Force K. Kumagai and O. Fuchiwaki	48
Fabrication of Fine Mesh Filter Screen with Pulsed Laser K. Ogawa, H. Nakagawa, F. Murase and S. Nishida	54
Self-Assembly of Functional Particles on Optical Element for Sensitivity Improvement of Biochemical Sensor M. Nishio, N. Moronuki, Y. Tanaka and A. Kaneko	60
Development of CAPP/CAM System for Ultraprecision Micromachining - Process Planning Considering Setting Error Y. Koyama, K. Nakamoto and Y. Takeuchi	66
Optimization of Nozzle Flushing Method for Smooth Debris Exclusion in Wire EDM T. Fujimoto, A. Okada, Y. Okamoto and Y. Uno	73
Experimental Research on Smooth Surface Polishing Based on the Cluster Magnetorheological Effect J.W. Yan, Q.S. Yan, J.B. Lu, W.Q. Gao and Z.Y. Huang	79
Structural Effect of PVA Brush Nodule on Particle Removal Efficiency during Brush Scrubber Cleaning J.H. An, Y.B. Park and H.D. Jeong	84
Trapping of Nano-Particles Using a Near-Field Optical Fiber Probe B.H. Liu, L.J. Yang and Y. Wang	90
Determination Method of Locations and Postures of Cutting Tool for 5-Axis Machining Based on Intuition and Minimum Cusp Height H. Aoyama, Y. Suzuki and N. Sano	96
Integrated Development of a Modularized ECM Manufacturing System Based on the Reconfigurable Manufacturing System Concept C.W. Liu, Y.L. Chen and W.C. Wu	102
Back-Side Thinning of Silicon Carbide Wafer by Plasma Etching Using Atmospheric-Pressure Plasma Y. Sano, K. Aida, H. Nishikawa, K. Yamamura, S. Matsuyama and K. Yamauchi	108
Estimation System of Accurate Cutting Time Based on Actual Feedrate Identification K. Saito, H. Aoyama and N. Sano	113
Smoothing Mechanism of Reaction Sintered SiC in Plasma Assisted Polishing Using Ceria Abrasive H. Deng, M. Ueda and K. Yamamura	119

Evaluation of Surface Roughness in High-Speed Shaping of Ni-P D. Kono, S. Nakade and A. Matsubara	125
Selective Cell-Adhesion on Micro-Structured Fine Particles I. Takeda, A. Kaneko, Y. Tanaka and N. Moronuki	130
Development of a 3-DOF Mobile Positioning Mechanism with 6 Contact Points M. Yatsurugi and O. Fuchiwaki	136
Application of 3D-CAD Random Model to Prediction of Ground Surfaces by Helical Scan Grinding S. Ninomiya, M. Iwai, K. Takano, T. Ueda and K. Suzuki	142
EDM Properties of EC-PCD Manufactured Using Electrically Conductive Diamond Particles S. Ninomiya, M. Iwai, T. Takada, Z.R. Zhou and K. Suzuki	148
Development of a Feed Drive Simulator R. Sato	154
Increase in the Area of Structured Surface and its Effect on Sensitivity Improvement of Biochemical Sensing Y. Tanaka, N. Keyaki, N. Moronuki and A. Kaneko	160
Robust Production Scheduling Using Autonomous Distributed Systems S. Oike, T. Tanaka, J. Zhu and Y. Saito	166
3D FEM Simulation of Micro Cutting for Prism Patterning on Nickel Plated Roll Die Using Lagrangian Method K.H. Park, D.Y. Lee, K.H. Song and S.W. Lee	170
5-Axis Control Dexterous Ultraprecision Micromilling of Ruled Surface with Side Cutting Edge R. Nishiyama, K. Nakamoto, T. Ishida and Y. Takeuchi	176
Research on the Support and Gravitational Deformation of Large Aperture Primary Mirror of Space Telescopes Y.L. Peng, Y.F. Dai and S.Y. Chen	181
Chemical and Morphological Analysis of 4H-SiC Surface Processed by Plasma Assisted Polishing H. Deng, M. Ueda and K. Yamamura	186
Characteristics of Excimer Laser Ablation for Three Dimensional Machining of PMMA K. Ogura, J. Zhu, T. Tanaka and Y. Saito	192
Linewidth Enhancement in Direct Laser Writer by Using an Interference Phenomenon H.G. Rhee and Y.W. Lee	198
Study on Thermal and Strain Behaviour in Selective Laser Sintering Process M.S.A. Aziz, T. Furumoto, T. Ueda, S. Abe, A. Hosokawa and R. Tanaka	203
Stress Analysis on Cannonballs during Collision onto Sea Surface W.C. Choi, H.S. Lee, Y.S. Cho, H.S. Bang, J.S. Youn and Y.H. Jung	209
Binder-Free Green Composite Using Bamboo Fibres Extracted with a Machining Centre: Influence of Moisture Absorption on Mechanical Properties Y. Takagi, K. Ogawa, T. Hirogaki and E. Aoyama	215
Basic Performance Evaluation of Electro-Adhesive Film with Micro Mesh Sheet T. Kubo and Y. Kakinuma	222
Development of Bridge Tooling for Fabricating Mold Inserts of Aspheric Optical Lens C.C. Kuo and Z.Y. Lin	228
Investigation of Synchronous Accuracy of Dual Arm Motion of Industrial Robot W. Wu, T. Hirogaki and E. Aoyama	234
Improvement of Grooving Performance of the Dicing Blade by Film Reinforcement Y. Zhang, Y. Tani, J. Murata and M. Yamamoto	240
Micro EDM by Stray-Capacitance-Coupled Electric Feeding T. Koyano and M. Kunieda	245
Development of Focusing System for X-Ray Free Electron Laser H. Mimura, H. Ohmori and K. Yamauchi	251
Ultra Precision Grinding of Wafer Scale M. Hüntten, F. Klocke, O. Dambon and B. Bulla	257
Study of Metals by Femtosecond Laser Processing for Electro-Optics Applications C.W. Chang, T.L. Chang, T.K. Tsai, C.J. Ting, C.P. Wang and C.P. Chou	263

Experimental and Numerical Analysis of Polymer Deformation in Thermal Nanoimprint Lithography K.H. Shin, H.S. Park and H.S. Kim	269
Experimental Verification of Machining Process of Ultrasonic Drilling H. Isobe, Y. Uehara, K. Hara, T. Onuma and A. Mihara	275
Nano-Motion X-Y Stage by Pneumatic Servo Spherical Bearing Actuators A. Sugimoto, T. Hirayama, T. Matsuoka and K. Sasaki	281
New Tool Concepts for Ultra-Precision Grinding E. Brinksmeier, Y. Mutlugünes, G. Antsupov and K. Rickens	287
Chip Formation in Ultra-Precision Machining of Nitrocarburized Steels J. Osmer, R. Gläbe and E. Brinksmeier	293
Investigation of Electrical Characteristics of Gold Nanowire under Tensile Test M. Chang, C.Y. Kao and D.S. Halim	299
Design and Manufacture of Light Collimator with Narrow View Angle J.Y. Joo, J.W. Park, S.S. Park and S.B. Song	305
Study on Effect of Ultrasonic Vibration in Machining of Alumina Ceramic K.H. Park, K.T. Kim, Y.H. Hong, H.J. Choi and Y.J. Choi	311
Development of a Magnified Mechanism for Fast Tool Servo System H. Lu, S.C. Choi, S.M. Lee, C.H. Park and D.W. Lee	317
Development of Composite Abrasives for Various Materials N. Ichinoho, J. Murata, Y. Tani, T. Yanagihara and M. Yamada	321
Development of Novel Polishing System by Use of Acoustic Trap T. Inada, H. Ojima, L.B. Zhou, T. Onuki and J. Shimizu	326
Design of Digital Filters for Si Wafer Surface Profile Measurement - Denoising by Total Variation H. Ojima, K. Nonomura, L.B. Zhou, J. Shimizu and T. Onuki	332
Development of Operation Interface for Machine Tool Using 6-DOF Haptic Device - Guidance of Tool Movement Using Force Sense S. Kobori and K. Morishige	337
Binocular Robot Vision with Active Viewpoint for Sphere Measurement Y. Yabuta, H. Mizumoto and S. Arii	343
Study on Machining Accuracy in Micro-Endmilling M. Nomura, B.X. Ma, O. Horiuchi, T. Shibata, Y. Murakami and M. Masuda	349
Research on Removal Characteristic of the Optical Quartz with Atmospheric Pressure Plasma Jet H.L. Jin, B. Wang and F.H. Zhang	355
Noncontact Figuring of Millimeter-Thick Elliptical Mirror Substrate by Numerically Controlled Local Wet Etching M. Nagano, F. Yamaga, D. Yamazaki, R. Maruyama, K. Soyama and K. Yamamura	361
Investigation for High Speed Ultrasonic Cutting of Aluminum Alloy K. Hara, H. Isobe, Y. Take and T. Koiwa	367
Design and Analysis of a Novel Sensing Cutting Tool for Precision Turning C.W. Xiao, H. Ding, W.D. Li and K. Cheng	373
Correcting Distortion of Elliptical Trajectory for Maximizing Cutting Performance in Elliptical Vibration Cutting B.G. Loh and G.D. Kim	378
Modeling and Analysis of Material Removal Characteristics in Silicon Wafer Double Side Polishing S.J. Lee, H.J. Kim and H.D. Jeong	384
Analysis of Tangential Position Error or Removal Function Error in Ultrasonic-Magnetorheological Combined Finishing F.H. Zhang, X.B. Yu and Y. Zhang	390
Nanomanipulator Based on a High-Speed Atomic Force Microscopy I. Ishisaki, Y. Ohashi, T. Ushiki and F. Iwata	396
Intelligent Fuzzy Ziegler-Nichols-Based Controller Design of a SPM System with Parameters Variation J.M. Lin, K.T. Cho and P.K. Chang	402

Single Point Diamond Turning of Calcium Fluoride Optics X.C. Luo, J.N. Sun, W.L. Chang and J.M. Ritchie	408
Fabrication of Freeform Micro Optics by Focused Ion Beam J.N. Sun, X.C. Luo, W.L. Chang and J.M. Ritchie	414
Kinematics and Dexterity Analysis for a Novel Hybrid Kinematic Machine H.J. Yu, B. Li, Y. Wang and Y. Hu	420
Roll Stability Recovery Performance of Underwater Bluff-Body with Tilting Angle Variations J.H. An, C.Y. Lee, G.M. Kim, Y.J. Lee and C.W. Park	426
Lubricated Friction Reduction by Spiral-Groove-Shape Nano-Texturing Y. Tanaka, K. Okada, T. Hirayama, T. Matsuoka, H. Sawada, K. Kawahara and S. Noguchi	431
Ultrasonic Assisted Diamond Turning of Hardened Steel for Mould Manufacturing B. Bulla, F. Klocke, O. Dambon and M. Hüntten	437
Research of a Novel Combined Metal-Fused Silica Resonator for Cylinder Shell Vibrating Gyroscopes Y.L. Wu, Q.L. Luan, H.J. Cui, X.M. Wu and X. Xi	443
A Novel Fabrication Process of Large Area Triangular Nanocavity Arrays by Bilayer Nanosphere Lithography C.G. Wang, H.J. Cui, P.T. Dong, D. Di, J. Chen, H.X. Wang, Z.H. Chen and X.Z. Wu	447
Surface Observation of 4H-SiC (0001) Planarized by Catalyst-Referred Etching S. Sadakuni, B.V. Pho, N.X. Dai, Y. Sano, K. Yagi, J. Murata, T. Okamoto, K. Tachibana and K. Yamauchi	452
Finite Element Analysis of External, Middle and Inner Ear under Loads through Temporomandibular Joint T. Higashimachi, R. Toriya and K. Suga	457
Novel Diaphragm-Control Restrictor for Precision Hydrostatic-Bearing Spindle H. Mizumoto, T. Sunahara, Y. Yabuta, S. Arii, S. Fujii, K. Matsumoto and K. Murakami	463
Precise and High Response Measuring Method of Meshing Force of Planetary Gear Mechanism Y. Morimoto, T. Hirogaki, E. Aoyama and Y. Uenishi	469
Gloss Estimating Method of Finished Surface Machined by Ball Nose End-Milling under Constant Contact Angle with a Five-Axis Controlled Machining Center K. Terada, T. Hirogaki, E. Aoyama and K. Ogawa	475
Simulation of Ultra-Precision Machining for Microstructured Surface Based on FTS M. Zhou, L.H. Hu, G.J. Dong and H.J. Zhang	481
Surface Polishing of 2-Inch 4H-SiC Wafer Using Fe Abrasive Particles A. Kubota, Y. Ichimori and M. Touge	487
Shape Reproduction of Object with Many-Colored Surface by Photometric Stereo Method R. Nakatani, T. Hirogaki, E. Aoyama and S. Nakamura	492
A Study on Pulse Generator for Micro WEDM of Polycrystalline Diamond M.T. Yan, Y.T. Liu and G.R. Fang	498
The Improvement of Removal Function in Local Wet Etching by Using Eccentric Rotation System X.M. Shen, Y.F. Dai, W.Q. Peng, M. Nagano and K. Yamamura	504
Investigation of Rotational-Axis and Linear-Axis Operation Based on Power Consumption with Desktop Five-Axis Controlled Machine Tools K. Suto, E. Aoyama, T. Hirogaki and K. Ogawa	510
Small Holes Fabrication on Soda Glass by Self-Elastic Polycrystalline Diamond Tool C.C. Cheng and D.Y. Sheu	516
A Study on Surface Roughness of Curved Silicon Crystal Spectrometer Fabricated by Plasma Chemical Vaporization Machining Y. Yamamoto, M. Hosoda, M. Nagano and K. Yamamura	522
A Geometry-Based Method for Prediction of Shot-Peening Coverage H.S. Kim, Y.S. Lee and K.H. Shin	527
Remote Internal Diameter Measurement of Ring Gauge Based on a Low-Coherence Tandem Scheme D. Wei, N. Wu, K. Takamasu and H. Matsumoto	533
Autonomous Decentralized FMS and its Efficient AGVs Control H. Yamamoto and T. Yamada	539

Finite Element Analysis on a 250 kN.m-Type Rotary Drilling Rig for Foundation of Geological Construction	
D.S. Hong, D.U. Kim, H.J. Kang, S.W. Hwang and S.S. Lee	545
Study on the Effect of Rake Angle on Cutting Forces in Ultra-Precision Machining	
T.H. Duong, K.H. Chul and L.D. Yoon	551
Experimental Research on Adjusting Cell Position and Orientation with Micro-Fluid	
Q. Zhang, W.J. Huang, G. Su and H. Aoyama	557
Theoretical Study of Optical Vibration and Circulation of a Microsphere	
N. Watanabe and K. Taguchi	563
Micro Polishing of Tungsten Carbide Using Magnetostrictive Vibrating Polisher	
J. Guo, H. Suzuki, S. MORITA, Y. Yamagata and T. Higuchi	569
Relationship between Thermal Influence and Magnetic Characteristics in Electrical Discharge Machining of Magnetic Materials	
H. Takezawa, Y. Ichimura, T. Suzuki, T. Muramatsu and N. Mohri	575
Laser Trapping Using a Fiber Axicon Microlens	
K. Taguchi and S. Imanaka	580
Chemically Etched Single Mode Fiber Tip for High Lateral Resolution Imaging in Optical Coherence Tomography	
K. Taguchi and M. Totsuka	585
Micro-Ball Endmilling of Tungsten Carbide for Micro-Molding and Prototyping Applications	
M. Arif, M. Rahman, Y.S. Wong and K. Liu	591
Study on Tool-Path Generation for Ultra-Precision Machining of Optical Lens Array	
K. Liu, P.L. Liu, H. Wu and K.C. Shaw	595
Development, Integration and Qualification of a Measurement System for Accurate and Fast Placements of Flipchips	
B.J. de Kruif, T. de Hoog, A. Hoogstrate and B. van der Zon	600
Development of a High-Speed Nanoprofiler Using Normal Vector Tracing	
T. Kitayama, D. Tonaru, H. Matsumura, J. Uchikoshi, Y. Higashi and K. Endo	606
Optical Fiber Oxygen Sensor Based on Ru (II) Complex and Porous Silica Nanoparticles Embedded in Sol-Gel Matrix	
C.S. Chu	612
Research on Unbalance Signal Extraction under the Constraints of Low Operation Speed and Limited Acquisition Time	
D.D. Zhao, P. Cai and W. Qi	618
Optimal Design of Microneedles Inserts into Skin by Numerical Simulation	
C.Y. Chiu, H.C. Kuo, Y. Lin, J.L. Lee, Y.K. Shen and S.J. Kang	624
High Precision Grinding of Large Fresnel Lens Mold	
T. Furuki, H. Suzuki, M. Okada, Y. Yamagata and S. MORITA	629
3D FE-Based Modelling and Simulation of the Micro Milling Process	
T. Wu and K. Cheng	634
Generation and Control of Wide-Field Three-Dimensional Structured Illumination for Advanced Microscopic Imaging	
S. Usuki, H. Kanaka and K.T. Miura	640
Nonlinear Dynamics of Tool Vibration in Micro-Cutting	
S.J. Zhang, S. To and C.F. Cheung	645
Cutting Characteristics of Lanthanum Base Metallic Glass in Single Point Diamond Turning	
F.F. Chong, S. To and K.C. Chan	651