

Table of Contents

Preface and Organizing Committee

Electroformed Diamond Tool Adaptable to Nanometer Grinding of Cemented Carbide	1
N. Gohya, W.F. Sun, Y. Amamoto and T. Semba	
Tool Deflection Modeling in Ball-End Milling of Sculptured Surface	7
C.Q. Yan, J. Zhao, Y.E. Li and X.X. Chen	
Multiscale Modeling Study on the Nanometric Cutting Process of CaF₂	13
M.J. Chen, G.B. Xiao, D. Li and C.Y. Wu	
Ion Beam Figuring System for Ultra-Precise Optics	19
Z. Yuan, Y.F. Dai, X.H. Xie and L. Zhou	
Fabrication of PDMS Nano-Stamp by Replicating Si Nano-Moulds Fabricated by Interference Lithography	25
I. Byun, J.H. Park, J.W. Kim and B.J. Kim	
Cu-Direct Laser Drilling of Blind Via-Hole in Multi-Layer PWBs: Process Visualization Using High-Speed Camera Images	30
K. Obata, T. Hirogaki, E. Aoyama and K. Ogawa	
Investigation on Micro-Machining Characteristics and Phenomenon of Semiconductor Materials by Harmonics of Nd:YAG Laser	36
T. Hirano, Y. Okamoto, A. Okada, Y. Uno, T. Sakagawa and S. Nakashiba	
Ultra Precision Machining of the Winston Cone Baffle for Space Observation Camera	42
S.C. Yang, G.H. Kim, M.S. Huh, S.Y. Lee, S.H. Kim and G.J. Lee	
A Development of Dispenser for High-Viscosity Liquid and Pick and Place of Micro Objects Using Capillary Force	48
K. Kumagai and O. Fuchiwaki	
Fabrication of Fine Mesh Filter Screen with Pulsed Laser	54
K. Ogawa, H. Nakagawa, F. Murase and S. Nishida	
Self-Assembly of Functional Particles on Optical Element for Sensitivity Improvement of Biochemical Sensor	60
M. Nishio, N. Moronuki, Y. Tanaka and A. Kaneko	
Development of CAPP/CAM System for Ultraprecision Micromachining - Process Planning Considering Setting Error	66
Y. Koyama, K. Nakamoto and Y. Takeuchi	
Optimization of Nozzle Flushing Method for Smooth Debris Exclusion in Wire EDM	73
T. Fujimoto, A. Okada, Y. Okamoto and Y. Uno	
Experimental Research on Smooth Surface Polishing Based on the Cluster Magnetorheological Effect	79
J.W. Yan, Q.S. Yan, J.B. Lu, W.Q. Gao and Z.Y. Huang	
Structural Effect of PVA Brush Nodule on Particle Removal Efficiency during Brush Scrubber Cleaning	84
J.H. An, Y.B. Park and H.D. Jeong	
Trapping of Nano-Particles Using a Near-Field Optical Fiber Probe	90
B.H. Liu, L.J. Yang and Y. Wang	
Determination Method of Locations and Postures of Cutting Tool for 5-Axis Machining Based on Intuition and Minimum Cusp Height	96
H. Aoyama, Y. Suzuki and N. Sano	
Integrated Development of a Modularized ECM Manufacturing System Based on the Reconfigurable Manufacturing System Concept	102
C.W. Liu, Y.L. Chen and W.C. Wu	
Back-Side Thinning of Silicon Carbide Wafer by Plasma Etching Using Atmospheric-Pressure Plasma	108
Y. Sano, K. Aida, H. Nishikawa, K. Yamamura, S. Matsuyama and K. Yamauchi	
Estimation System of Accurate Cutting Time Based on Actual Feedrate Identification	113
K. Saito, H. Aoyama and N. Sano	
Smoothing Mechanism of Reaction Sintered SiC in Plasma Assisted Polishing Using Ceria Abrasive	119
H. Deng, M. Ueda and K. Yamamura	

Evaluation of Surface Roughness in High-Speed Shaping of Ni-P	125
D. Kono, S. Nakade and A. Matsubara	
Selective Cell-Adhesion on Micro-Structured Fine Particles	130
I. Takeda, A. Kaneko, Y. Tanaka and N. Moronuki	
Development of a 3-DOF Mobile Positioning Mechanism with 6 Contact Points	136
M. Yatsurugi and O. Fuchiwaki	
Application of 3D-CAD Random Model to Prediction of Ground Surfaces by Helical Scan Grinding	142
S. Ninomiya, M. Iwai, K. Takano, T. Ueda and K. Suzuki	
EDM Properties of EC-PCD Manufactured Using Electrically Conductive Diamond Particles	148
S. Ninomiya, M. Iwai, T. Takada, Z.R. Zhou and K. Suzuki	
Development of a Feed Drive Simulator	154
R. Sato	
Increase in the Area of Structured Surface and its Effect on Sensitivity Improvement of Biochemical Sensing	160
Y. Tanaka, N. Keyaki, N. Moronuki and A. Kaneko	
Robust Production Scheduling Using Autonomous Distributed Systems	166
S. Oike, T. Tanaka, J. Zhu and Y. Saito	
3D FEM Simulation of Micro Cutting for Prism Patterning on Nickel Plated Roll Die Using Lagrangian Method	170
K.H. Park, D.Y. Lee, K.H. Song and S.W. Lee	
5-Axis Control Dexterous Ultraprecision Micromilling of Ruled Surface with Side Cutting Edge	176
R. Nishiyama, K. Nakamoto, T. Ishida and Y. Takeuchi	
Research on the Support and Gravitational Deformation of Large Aperture Primary Mirror of Space Telescopes	181
Y.L. Peng, Y.F. Dai and S.Y. Chen	
Chemical and Morphological Analysis of 4H-SiC Surface Processed by Plasma Assisted Polishing	186
H. Deng, M. Ueda and K. Yamamura	
Characteristics of Excimer Laser Ablation for Three Dimensional Machining of PMMA	192
K. Ogura, J. Zhu, T. Tanaka and Y. Saito	
Linenwidth Enhancement in Direct Laser Writer by Using an Interference Phenomenon	198
H.G. Rhee and Y.W. Lee	
Study on Thermal and Strain Behaviour in Selective Laser Sintering Process	203
M.S.A. Aziz, T. Furumoto, T. Ueda, S. Abe, A. Hosokawa and R. Tanaka	
Stress Analysis on Cannonballs during Collision onto Sea Surface	209
W.C. Choi, H.S. Lee, Y.S. Cho, H.S. Bang, J.S. Youn and Y.H. Jung	
Binder-Free Green Composite Using Bamboo Fibres Extracted with a Machining Centre: Influence of Moisture Absorption on Mechanical Properties	215
Y. Takagi, K. Ogawa, T. Hirogaki and E. Aoyama	
Basic Performance Evaluation of Electro-Adhesive Film with Micro Mesh Sheet	222
T. Kubo and Y. Kakinuma	
Development of Bridge Tooling for Fabricating Mold Inserts of Aspheric Optical Lens	228
C.C. Kuo and Z.Y. Lin	
Investigation of Synchronous Accuracy of Dual Arm Motion of Industrial Robot	234
W. Wu, T. Hirogaki and E. Aoyama	
Improvement of Grooving Performance of the Dicing Blade by Film Reinforcement	240
Y. Zhang, Y. Tani, J. Murata and M. Yamamoto	
Micro EDM by Stray-Capacitance-Coupled Electric Feeding	245
T. Koyano and M. Kunieda	
Development of Focusing System for X-Ray Free Electron Laser	251
H. Mimura, H. Ohmori and K. Yamauchi	
Ultra Precision Grinding of Wafer Scale	257
M. Hünten, F. Klocke, O. Dambon and B. Bulla	
Study of Metals by Femtosecond Laser Processing for Electro-Optics Applications	263
C.W. Chang, T.L. Chang, T.K. Tsai, C.J. Ting, C.P. Wang and C.P. Chou	

Experimental and Numerical Analysis of Polymer Deformation in Thermal Nanoimprint Lithography	269
K.H. Shin, H.S. Park and H.S. Kim	
Experimental Verification of Machining Process of Ultrasonic Drilling	275
H. Isobe, Y. Uehara, K. Hara, T. Onuma and A. Mihara	
Nano-Motion X-Y Stage by Pneumatic Servo Spherical Bearing Actuators	281
A. Sugimoto, T. Hirayama, T. Matsuoka and K. Sasaki	
New Tool Concepts for Ultra-Precision Grinding	287
E. Brinksmeier, Y. Mutlugünes, G. Antsupov and K. Rickens	
Chip Formation in Ultra-Precision Machining of Nitrocarburized Steels	293
J. Osmer, R. Gläbe and E. Brinksmeier	
Investigation of Electrical Characteristics of Gold Nanowire under Tensile Test	299
M. Chang, C.Y. Kao and D.S. Halim	
Design and Manufacture of Light Collimator with Narrow View Angle	305
J.Y. Joo, J.W. Park, S.S. Park and S.B. Song	
Study on Effect of Ultrasonic Vibration in Machining of Alumina Ceramic	311
K.H. Park, K.T. Kim, Y.H. Hong, H.J. Choi and Y.J. Choi	
Development of a Magnified Mechanism for Fast Tool Servo System	317
H. Lu, S.C. Choi, S.M. Lee, C.H. Park and D.W. Lee	
Development of Composite Abrasives for Various Materials	321
N. Ichinoh, J. Murata, Y. Tani, T. Yanagihara and M. Yamada	
Development of Novel Polishing System by Use of Acoustic Trap	326
T. Inada, H. Ojima, L.B. Zhou, T. Onuki and J. Shimizu	
Design of Digital Filters for Si Wafer Surface Profile Measurement - Denoising by Total Variation	332
H. Ojima, K. Nonomura, L.B. Zhou, J. Shimizu and T. Onuki	
Development of Operation Interface for Machine Tool Using 6-DOF Haptic Device - Guidance of Tool Movement Using Force Sense	337
S. Kobori and K. Morishige	
Binocular Robot Vision with Active Viewpoint for Sphere Measurement	343
Y. Yabuta, H. Mizumoto and S. Arii	
Study on Machining Accuracy in Micro-Endmilling	349
M. Nomura, B.X. Ma, O. Horiuchi, T. Shibata, Y. Murakami and M. Masuda	
Research on Removal Characteristic of the Optical Quartz with Atmospheric Pressure Plasma Jet	355
H.L. Jin, B. Wang and F.H. Zhang	
Noncontact Figuring of Millimeter-Thick Elliptical Mirror Substrate by Numerically Controlled Local Wet Etching	361
M. Nagano, F. Yamaga, D. Yamazaki, R. Maruyama, K. Soyama and K. Yamamura	
Investigation for High Speed Ultrasonic Cutting of Aluminum Alloy	367
K. Hara, H. Isobe, Y. Take and T. Koiwa	
Design and Analysis of a Novel Sensing Cutting Tool for Precision Turning	373
C.W. Xiao, H. Ding, W.D. Li and K. Cheng	
Correcting Distortion of Elliptical Trajectory for Maximizing Cutting Performance in Elliptical Vibration Cutting	378
B.G. Loh and G.D. Kim	
Modeling and Analysis of Material Removal Characteristics in Silicon Wafer Double Side Polishing	384
S.J. Lee, H.J. Kim and H.D. Jeong	
Analysis of Tangential Position Error or Removal Function Error in Ultrasonic-Magnetorheological Combined Finishing	390
F.H. Zhang, X.B. Yu and Y. Zhang	
Nanomanipulator Based on a High-Speed Atomic Force Microscopy	396
I. Ishisaki, Y. Ohashi, T. Ushiki and F. Iwata	
Intelligent Fuzzy Ziegler-Nichols-Based Controller Design of a SPM System with Parameters Variation	402
J.M. Lin, K.T. Cho and P.K. Chang	

Single Point Diamond Turning of Calcium Fluoride Optics X.C. Luo, J.N. Sun, W.L. Chang and J.M. Ritchie	408
Fabrication of Freeform Micro Optics by Focused Ion Beam J.N. Sun, X.C. Luo, W.L. Chang and J.M. Ritchie	414
Kinematics and Dexterity Analysis for a Novel Hybrid Kinematic Machine H.J. Yu, B. Li, Y. Wang and Y. Hu	420
Roll Stability Recovery Performance of Underwater Bluff-Body with Tilting Angle Variations J.H. An, C.Y. Lee, G.M. Kim, Y.J. Lee and C.W. Park	426
Lubricated Friction Reduction by Spiral-Groove-Shape Nano-Texturing Y. Tanaka, K. Okada, T. Hirayama, T. Matsuoka, H. Sawada, K. Kawahara and S. Noguchi	431
Ultrasonic Assisted Diamond Turning of Hardened Steel for Mould Manufacturing B. Bulla, F. Klocke, O. Dampon and M. Hünten	437
Research of a Novel Combined Metal-Fused Silica Resonator for Cylinder Shell Vibrating Gyroscopes Y.L. Wu, Q.L. Luan, H.J. Cui, X.M. Wu and X. Xi	443
A Novel Fabrication Process of Large Area Triangular Nanocavity Arrays by Bilayer Nanosphere Lithography C.G. Wang, H.J. Cui, P.T. Dong, D. Di, J. Chen, H.X. Wang, Z.H. Chen and X.Z. Wu	447
Surface Observation of 4H-SiC (0001) Planarized by Catalyst-Referred Etching S. Sadakuni, B.V. Pho, N.X. Dai, Y. Sano, K. Yagi, J. Murata, T. Okamoto, K. Tachibana and K. Yamauchi	452
Finite Element Analysis of External, Middle and Inner Ear under Loads through Temporomandibular Joint T. Higashimachi, R. Toriya and K. Suga	457
Novel Diaphragm-Control Restrictor for Precision Hydrostatic-Bearing Spindle H. Mizumoto, T. Sunahara, Y. Yabuta, S. Arii, S. Fujii, K. Matsumoto and K. Murakami	463
Precise and High Response Measuring Method of Meshing Force of Planetary Gear Mechanism Y. Morimoto, T. Hirogaki, E. Aoyama and Y. Uenishi	469
Gloss Estimating Method of Finished Surface Machined by Ball Nose End-Milling under Constant Contact Angle with a Five-Axis Controlled Machining Center K. Terada, T. Hirogaki, E. Aoyama and K. Ogawa	475
Simulation of Ultra-Precision Machining for Microstructured Surface Based on FTS M. Zhou, L.H. Hu, G.J. Dong and H.J. Zhang	481
Surface Polishing of 2-Inch 4H-SiC Wafer Using Fe Abrasive Particles A. Kubota, Y. Ichimori and M. Touge	487
Shape Reproduction of Object with Many-Colored Surface by Photometric Stereo Method R. Nakatani, T. Hirogaki, E. Aoyama and S. Nakamura	492
A Study on Pulse Generator for Micro WEDM of Polycrystalline Diamond M.T. Yan, Y.T. Liu and G.R. Fang	498
The Improvement of Removal Function in Local Wet Etching by Using Eccentric Rotation System X.M. Shen, Y.F. Dai, W.Q. Peng, M. Nagano and K. Yamamura	504
Investigation of Rotational-Axis and Linear-Axis Operation Based on Power Consumption with Desktop Five-Axis Controlled Machine Tools K. Suto, E. Aoyama, T. Hirogaki and K. Ogawa	510
Small Holes Fabrication on Soda Glass by Self-Elastic Polycrystalline Diamond Tool C.C. Cheng and D.Y. Sheu	516
A Study on Surface Roughness of Curved Silicon Crystal Spectrometer Fabricated by Plasma Chemical Vaporization Machining Y. Yamamoto, M. Hosoda, M. Nagano and K. Yamamura	522
A Geometry-Based Method for Prediction of Shot-Peening Coverage H.S. Kim, Y.S. Lee and K.H. Shin	527
Remote Internal Diameter Measurement of Ring Gauge Based on a Low-Coherence Tandem Scheme D. Wei, N. Wu, K. Takamasu and H. Matsumoto	533
Autonomous Decentralized FMS and its Efficient AGVs Control H. Yamamoto and T. Yamada	539

Finite Element Analysis on a 250 kN.m-Type Rotary Drilling Rig for Foundation of Geological Construction	545
D.S. Hong, D.U. Kim, H.J. Kang, S.W. Hwang and S.S. Lee	
Study on the Effect of Rake Angle on Cutting Forces in Ultra-Precision Machining	551
T.H. Duong, K.H. Chul and L.D. Yoon	
Experimental Research on Adjusting Cell Position and Orientation with Micro-Fluid	557
Q. Zhang, W.J. Huang, G. Su and H. Aoyama	
Theoretical Study of Optical Vibration and Circulation of a Microsphere	563
N. Watanabe and K. Taguchi	
Micro Polishing of Tungsten Carbide Using Magnetostrictive Vibrating Polisher	569
J. Guo, H. Suzuki, S. MORITA, Y. Yamagata and T. Higuchi	
Relationship between Thermal Influence and Magnetic Characteristics in Electrical Discharge Machining of Magnetic Materials	575
H. Takezawa, Y. Ichimura, T. Suzuki, T. Muramatsu and N. Mohri	
Laser Trapping Using a Fiber Axicon Microlens	580
K. Taguchi and S. Imanaka	
Chemically Etched Single Mode Fiber Tip for High Lateral Resolution Imaging in Optical Coherence Tomography	585
K. Taguchi and M. Totsuka	
Micro-Ball Endmilling of Tungsten Carbide for Micro-Molding and Prototyping Applications	591
M. Arif, M. Rahman, Y.S. Wong and K. Liu	
Study on Tool-Path Generation for Ultra-Precision Machining of Optical Lens Array	595
K. Liu, P.L. Liu, H. Wu and K.C. Shaw	
Development, Integration and Qualification of a Measurement System for Accurate and Fast Placements of Flipchips	600
B.J. de Kruif, T. de Hoog, A. Hoogstrate and B. van der Zon	
Development of a High-Speed Nanoprofiler Using Normal Vector Tracing	606
T. Kitayama, D. Tonaru, H. Matsumura, J. Uchikoshi, Y. Higashi and K. Endo	
Optical Fiber Oxygen Sensor Based on Ru (II) Complex and Porous Silica Nanoparticles Embedded in Sol-Gel Matrix	612
C.S. Chu	
Research on Unbalance Signal Extraction under the Constraints of Low Operation Speed and Limited Acquisition Time	618
D.D. Zhao, P. Cai and W. Qi	
Optimal Design of Microneedles Inserts into Skin by Numerical Simulation	624
C.Y. Chiu, H.C. Kuo, Y. Lin, J.L. Lee, Y.K. Shen and S.J. Kang	
High Precision Grinding of Large Fresnel Lens Mold	629
T. Furuki, H. Suzuki, M. Okada, Y. Yamagata and S. MORITA	
3D FE-Based Modelling and Simulation of the Micro Milling Process	634
T. Wu and K. Cheng	
Generation and Control of Wide-Field Three-Dimensional Structured Illumination for Advanced Microscopic Imaging	640
S. Usuki, H. Kanaka and K.T. Miura	
Nonlinear Dynamics of Tool Vibration in Micro-Cutting	645
S.J. Zhang, S. To and C.F. Cheung	
Cutting Characteristics of Lanthanum Base Metallic Glass in Single Point Diamond Turning	651
F.F. Chong, S. To and K.C. Chan	