

Table of Contents

Foreword, Committee and Sponsors

Chapter 1: Nano Materials

| | |
|--|----|
| Two Sizes CdSe Quantum Dots Co-Sensitized TiO₂-Nano-SiO₂ Hybrid Photoelectrodes for Solar Cells Applications | |
| R.B. Wang, H.H. Niu and L. Wan | 3 |
| The Effect of PEG on Performance of Li_{0.96}Na_{0.04}Ni_{1/3}Co_{1/3}Mn_{1/3}O₂ as Cathode Material | |
| C.X. Gong, O.E. Bankole and L.X. Lei | 7 |
| The Constitutive Model and Processing Map for <i>In Situ</i> 5wt% TiB₂ Reinforced 7050 Al Alloy Matrix Composite | |
| M.L. Wang, Z. Chen, D. Chen, Y. Wu, X.F. Li, N.H. Ma and H.W. Wang | 11 |
| Porous LaFeO₃ with High Response to Acetone Synthesized from Biemplates | |
| Y.Z. Ma, P. Song and Q. Wang | 20 |
| Synthesis and Optical Properties of ZnS Nanoparticles Using Multi-Mercaptan-Terminated Thio Ether as Surface Modifier | |
| W.C. Sheng, J. Tan, P. Wu, Q. Chen and Z.P. Zhou | 24 |
| Synthesis, Structure and Properties of a Novel Metal-Organic Coordination Polymer, [Zn(NH₃)₂(BDC)]_n | |
| N.N. Wu, C.X. Guo, G.A. Wu, Z. Cai and W.H. He | 30 |
| Uv-Vis Spectrum Immunosensor Based on a Novel Phenyleneethynylene Derivative Functionalized Silica Nanospheres Labeled Anti-AFP | |
| L. Li, C.C. Chu, S.A. Li, X. Wang, M. Yan and J.H. Yu | 37 |
| Preparation of Nanoparticulate YFeO₃ by Microwave Method and its Load | |
| P.S. Tang, L.X. Jia, J.Y. Zhu, Z. Jiang, T.T. Lin, C.W. Tang and H.F. Chen | 41 |
| Synthesis and Oxygen Sensing Properties of Ti_{1-x}Sn_xO₂ Solid Solutions Nanoparticles | |
| A.Q. Wu, X.Z. Fang, X.H. Lin, H.Q. Wang, Y.X. Wang, R. Zhang and L.S. Gao | 45 |
| Effect of Si₃N₄ on Properties of Aluminum Borate Whisker/Aluminum Phosphates Ceramic | |
| Z.S. Hu, H.R. Geng, X.Q. Hou and J.F. Leng | 50 |
| A Study on Improving the Adhesiveness between Granite and Asphalt by Nano-Scaled Calcium Carbonate | |
| X.H. Hao, Y.M. Wang and A.Q. Zhang | 54 |
| Synthesis and Characterization of NiO Doped SnO₂ Nano-Flowers | |
| W.P. Tang | 58 |
| Hydrothermal Synthesis and Ethanol-Sensing Properties of MoO₃ Nanobelts | |
| M.N. Liu, Q.Q. Chen, X. Lu, L.F. Ge, L. Yin, R. Zhang and D.L. Chen | 61 |

Chapter 2: Polymers

| | |
|--|----|
| Study on Synthesis and Characterization of Unsaturated Polyester by Enzyme-Catalyzed | |
| F.J. Shao, Q. Yang, L.Y. Li and D.N. Lu | 67 |
| Synthesis and Characterization of N,N-Dimethyl Dodecyl-(4-Vinyl Benzyl) Ammonium Chloride | |
| J. Li, X.J. Song and R.J. Yang | 71 |
| Thermal Properties of Hyperbranched Polymer/HTPB-PU IPN | |
| X.J. Song and Y.J. Luo | 76 |
| Thermal Cure and Ceramization Kinetics of Perhydropolysilazane | |
| F.L. Ma, H.M. Qi, Y.P. Zhu, X.W. Ren and F. Wang | 81 |
| Synthesis of Poly[Cyclotriphosphazene-Co-(4, 4'-Sulfonyldiphenol)] Microspheres Grafted by Water-Soluble Chitosan | |
| X.Y. Zhang, T.W. Han, Q. Zhang and J.B. Wu | 87 |
| Influence of BaSiO₃ Doped on the Properties of BST Capacitor Ceramics | |
| X.Y. Huang, M.S. Huang, C.H. Gao and Z.G. Chen | 91 |

| | |
|--|-----|
| Modeling of Polyurethane's Shape Memory Effects and Recovery Time under Different Recovery Temperatures | 95 |
| L. Luo, Y.X. Jia, X.X. Wang, Z.J. Wang, J.P. Gao and X.S. Yi | |
| Predicting Polyurethane Shape Memory Behaviors in Stress-Controlled Situations Using a Viscoelastic Model | 101 |
| Z.J. Wang, L. Luo, Y.X. Jia, J.P. Gao and X.S. Yi | |
| A Novel Conjugated Polyfluorene: Synthesis, Characterization and Application in Flow Injection Electrochemiluminescence for Detection of Bovine Serum Albumin | 107 |
| S.A. Li, S.W. Wang, C.C. Chu, X. Wang, M. Yan, J.H. Yu and S.G. Ge | |
| Formation and Mechanical Properties of Instrument Panel Skins Produced by PVC Powder Slush Molding Processes | 111 |
| F. Wang, J. Chen, W.G. Yao, J. Sun, S.P. Yu, X.Y. Wen and Y.X. Jia | |
| Analysis of Prospecting Model of Xiongcun Cu (Au) Deposits Xietongmen County, Tibet | 116 |
| J.G. Wang, Y.Y. Zheng and S.B. Gao | |
| DABCO-Directed Self-Assembly of Pyrene-Centered Porphyrin Pentamers | 123 |
| Z.D. Yuan, J.X. Wang and N. Sheng | |
| Adsorption of Benzene and Aniline Using a Novel Hypercrosslinked Polymeric Adsorbent Modified by Phenolic Hydroxyl Group | 128 |
| X.H. Yuan, W.H. Guo, Y. Lei, Y.Q. Liu, J.Y. Wu, W.Q. Qiu, J. Hu and S.S. Cao | |

Chapter 3: Composites

| | |
|---|-----|
| The Research Progress of the <i>In Situ</i> Metal Matrix Composites | 137 |
| L. Jiao, Y.T. Zhao, X.L. Wang, Y. Wu, S.N. Yang and K.N. Li | |
| Corrosion Resistance of Plasma Sprayed AT13 Composite Ceramic Coating on Mg | 142 |
| E.L. Lu, Y. Chen and S. Lu | |
| A Self-Repair Mode for Capillary Reinforced Polymer Composite | 147 |
| X.H. Yuan, J.Y. Wu, Y.Q. Liu, J.X. Mao, X.T. Ou, Z.R. Han and X. Jiang | |
| Polyacrylonitrile Based Carbon Fibers Obtained from a Melt Spun Route | 151 |
| Y.Z. Wang, S.G. Wang and J.L. Liu | |
| Study on Physical and Mechanical Properties of Cu/MoS₂ Composites | 156 |
| D.Q. Ma, J.P. Xie, J.W. Li, A.Q. Wang, W.Y. WANG, L.K. Cui and Y.D. Zhang | |
| Toughness Enhancement by Aligned Multi-Walled Carbon Nanotubes Pullout from Polymer Matrix of Multi-Scale Composites | 160 |
| Y.L. Guo, G.W. Zhu, P. Qu and Y.X. Jia | |
| Synthesis of AlN-SiC Ceramics by Hot Pressing | 166 |
| L.J. Zhou, Y.X. Zhao and F.T. Meng | |
| Isothermal Oxidation Behavior of AlN-TiB₂ Ceramics Synthesized by SHS-HIP | 170 |
| L.J. Zhou, Y.X. Zhao, H.B. Li, Y.T. Zheng and F.T. Meng | |
| Piezoresistive Property of Carbon Fiber Reinforced Plastics | 174 |
| J.D. Zuo and C.Y. Luo | |
| Preparation and Microstructure of Nano ZrB₂ Reinforced Aluminum Matrix Composites | 179 |
| H.M. Wang, G. Li, Y. Cai and Y.T. Zhao | |
| Numerical Analysis on the Cure-Induced Deformation of Fiber Composite Laminates | 183 |
| P. Li and Y.X. Jia | |
| Numerical Analysis on the Influence of Interface on the Mechanical Behavior of Unidirectional Fiber Composites under Different Loads | 188 |
| P. Qu, Y.X. Jia, G.W. Zhu, Y.L. Guo and X.C. Sun | |
| Interfacial Effect on Bending Property of Al/Cu/Al Laminated Composite Produced by Asymmetrical Roll Bonding | 194 |
| X.B. Li, G.Y. Zu and P. Wang | |
| Fabrication & Microstructure of TiB₂+TiC Duplex Particulates Reinforced Carbon Steel Matrix Surface Composite | 198 |
| C.Q. Guo | |
| Comparison of Mechanical and Frictional Properties of PTFE Matrix Composites Reinforced by Different Fibers and Graphite | 203 |
| H.X. Xu, X.H. Yuan, E.B. Zhu, S.L. Li, L. Chen and Z.R. Han | |

| | |
|--|-----|
| Facile Synthesis of Hierarchical Architecture FePO₄/C Composite Microspheres | 209 |
| S.S. Wang, L.F. Mu, S. Li, H. Li, Z.S. Wen, S.J. Ji and J.C. Sun | |
| Fabrication of Bifunctional SiO₂/Europium-Polyoxometalates/Ag Particles and their Luminescence and Catalysis Properties | 216 |
| J. Wang, S.H. Fan, W.Q. Zhao, W.K. Li and X.L. Lu | |
| Synthesis and Characterization of g-C₃N₄/α-Fe₂O₃ Composites with Enhanced Photocatalytic Activity | 225 |
| L.Y. Huang, R.X. Zhang, X.J. Sun and X.N. Cheng | |
| Fabrication and Microstructure of HA Containing Composite Coating on AZ91 Biomedical Magnesium by Plasma Electrolytic Oxidation | 229 |
| M. Wang and Y.L. Wang | |

Chapter 4: Biomaterials and Tissues

| | |
|---|-----|
| Effects of Annealing on Microstructure and Mechanical Properties of Backward Extruded Mg-0.5Mn-1Nd Alloy | 235 |
| N. Ma, Q.M. Peng, H. Li and J.L. Pan | |
| Ultra-High-Strength Concrete-Filled FRP Tubes: Compression Tests on Square and Rectangular Columns | 239 |
| T. Ozbakkoglu | |
| Antimicrobial Study of Symmetrical Gemini Cationic Surfactant Based on N-Hexadecyldimethylamine | 245 |
| Z.C. Miao, Y.W. Wang, X. Zhang, L. Zhang, Z.X. Wang and Y.Y. Li | |
| Chemiluminescence Enhancement Effect for the Determination of Acetaminophen with the Catalysis of Manganese Deuteroporphyrin (Mn(III)DP) | 249 |
| Y.J. Chao, L.X. Xie and W. Cao | |
| Fabrication of Nanostructured Hierarchical Coatings Composed of Calcium Phosphate/Titanate on Titanium Substrate | 253 |
| C.D. Zhang, D.Q. Xiao, Y.K. Fu, K. Duan, X. Lu and J. Weng | |
| Friction/Wear Properties of Ta-Doped TiO₂ Films on Surface of Nano-Grained 316L | 259 |
| H.H. Shao, X.Y. Jiang, Y.T. Peng, C. Chen and R. Zhai | |

Chapter 5: Green Materials

| | |
|---|-----|
| Preparation and Characterization of PVDF Modified Ultrafiltration Membrane for Purification of Hg in Water | 265 |
| X.J. Wang, X.J. Lu, W.Y. Xu, J.C. Zhu and L.G. Wang | |
| Synthesis of 5-Cyano-3-(4-Chlorobutanoyl) Indole in 1-Butyl-3-Methylimidazolium Chloroaluminate | 270 |
| Y.X. Jiang, H.J. Zuo, Y.J. Shen and F.P. Yi | |
| Study on the Adsorption Performance of Zn(II) over Bentonite | 276 |
| G.X. Pan, Y.J. Zhang, D.G. Chai and Y.F. Yu | |
| Synthesis and DNA Binding Studies of Platinum (II) Complexes Based on Cyclodextrin | 280 |
| S.P. Tang, Y.L. Feng, Z.F. Xu and D.P. Wang | |
| Biocompatibility of Degradable Stents Constructed Different Biomaterials | 287 |
| C.H. Ma | |

Chapter 6: Optical and Electronic Materials

| | |
|---|-----|
| The Analysis and Design of Three-Phase Static Inverter Deadband Effect and Harmonic Suppression | 293 |
| Q.M. Yan | |
| Optimization of Thermal Emittance Tuneability of La (Sr, Ca)MnO₃ Thin-Film Materials in 173-373 K | 297 |
| C.H. Wu, J.W. Qiu, M. Xu, J.B. Wang, H.P. Zuo, B.S. Zhang, L. Li and Y.Z. Zhao | |
| Preparation of TiO₂ Photocatalysis Antibacterial Ceramics | 302 |
| J. Ding | |

The Influence of Top Layer on ZnO/Cu₂S/ZnO Films in Optoelectric and Photocatalytic Performance

F. Xu, S.N. Sun, Y.X. Wang, F.L. Bian, H. Wang, Z.X. Fu, H.S. Wang and H.N. Cui

306

Chapter 7: Superconductive and Magnetic Materials

Heat-Treatment Temperature Influence on Structure and Magnetic Properties of SrFe_{11.85}Sm_{0.15}O₁₉ Ferrite Nanofiber

X.F. Meng, Y.B. Hong and Y.K. Ji

313

Chapter 8: Structural and Constructional Materials

Research on the Properties of Composite Portland Cement with High Volume of Industry Waste

B.L. Du, X.H. Fu, W.H. Tao and X. Jin

319

Study on Hydraulicity and Alkali Activation of Ferroalloy Slag

B.L. Du, X.H. Fu, W.H. Tao and X. Jin

323

The Experimental Study on Consolidation of Acrylic Non-Aqueous Dispersion for Wet-Area Earthen Ruins in Southwest China

Y. Wu

327

Analysis of the Flexible Prismatic Pair Processing Errors of a Flexible Parallel Vibration Platform with High Frequency

Q.Z. Yang, D.M. Yuan, J.Q. Zhuang and D.F. Cao

331

Cementitious Property Comparison of Steel Slags with Different Basicity

Z.B. Li, X.G. Zhao, S.Y. Zhao and T.S. He

337

Analysis and Simulation of a Hybrid Mechanism with 2R-3T of Special Machining Platform

Q.Z. Yang, B.B. Yao and D.F. Cao

341

Study on Properties of Al₂TiO₅ Coating on Ti-6Al-4V Titanium Alloy

N.S. Xie and J. Wang

348

Research on Temperature Effect of Autogenous Deformation and Mechanical Properties of HPC

X.H. Gan, C.H. Jiang and S.L. Huang

352

Study on Producing Sand-Lime Bricks with Iron Ore Tailings and Phosphogypsum and other Solid Wastes

W.H. Tao, X.H. Fu, G.L. Chen and B. Wu

357

Study on Preparation and Properties of Foam Glazed Hollow Bead Thermal Insulation Mortar

H.T. Yu, W.H. Tao, X.H. Fu, B.L. Du and Y.P. Chen

361

The Research and Development of High Strength Spring Steel with Long Service Life

B. Xiao, Y.C. Lei and X.D. Wu

365

Research on the Melting Temperature of CaO-SiO₂-B₂O₃ Ternary Slag Systems

L.L. Yang, H.M. Wang, X. Zhu and G.R. Li

370

Microstructure and Hardness of 7055 Aluminum Alloy Processed by Circular Cryogenic-Aging Treatment

H.M. Wang, G. Li, Y. Cai, Y.T. Zhao, J.J. Wang, K.X. Gu and H. Zhang

374

Thermodynamic Condition and Behavior of Precipitates in Al₂O_{3p}/7055 Composites with Cryogenic Treatment

H.M. Wang, T.Y. Xing, G. Li, X.T. Yuan, Y.T. Zhao, J.J. Wang, K.X. Gu and H. Zhang

378

Compare the Fluxing Effect of Boron Sludge and CaF₂ on CaO-Based Steelmaking Slag

H.M. Wang, X. Zhu, G.R. Li, L.L. Yang, C.X. Peng and C.C. Qu

382

Nanocrystalline Microstructure in AZ91 Magnesium Alloy Prepared with Cryogenic Treatment

G.R. Li, H.M. Wang, Y. Cai, Y.T. Zhao, J.J. Wang, K.X. Gu and H. Zhang

386

Behavior of β(Mg₁₇Al₁₂) Phases in Mg-Al Alloy Subject to Cycling Cryogenic Treatment

G. Li, H.M. Wang, Y. Cai and X.T. Yuan

390

Manufacture and Analysis of Directional Solidification Organization of CMSX-6 Nickel-Base Superalloy

X.F. Liang, Y.T. Zhao, Z.L. Zuo and Z.H. Jia

394

| | |
|--|-----|
| Effect of Fiber Coating on Properties of Ni-MF/Al₂O₃ Composites | 398 |
| L.H. Liu, Z. Wang, G.P. Shi, Y. Ma, S.A. Feng and C. Wu | |
| Influence of Extrusion Methods on Microstructure of Mg-Al-Zn Alloy | 402 |
| Y. Cai, G. Li, X.T. Yuan, H.M. Wang, Y.T. Zhao and J.J. Wang | |
| Dislocation Character and Evolution Mechanism of Particles Reinforced Aluminum Matrix Composites Impacted by Pulsed Electromagnetic Field | 406 |
| X.T. Yuan, G. Li, H.M. Wang, Y. Cai, Y.T. Zhao and X.Y. Zhang | |
| Effects of Heat Treatment on Microstructure and Properties of AZ91D Magnesium Alloy | 410 |
| M. Wu, F. Long, H.R. Geng and F. Yang | |
| High-Temperature Oxidation Resistance of Austenitic Stainless Steels | 414 |
| D.S. Li, D. Li, H. Dou, P. Gao, Y. Liu, X.J. Chen, X.C. Jiang and J.J. Pei | |
| Effect of Impulse Voltage on Microstructure and Corrosion Resistance of Microarc Oxidation Coatings on AZ80 Magnesium Alloy | 418 |
| J. Ma, Y.S. Yang, X.C. Wang, J. Zhang, S. Liu and X.B. Yi | |
| Investigation on the Reaction of Refractories with 16MnRE Steel | 423 |
| D. Wang and Y.F. Guan | |
| Analysis of Silicone Rubber Elastomer Elastic Failure in Small-Size Flexible Joint at Low Temperature | 427 |
| C. Wang, J.X. Ren, Y. Liu, W.Q. Hao and J.X. Yang | |
| The Application of Wooden Building Materials in Contemporary Architectural Design | 434 |
| Z.M. Xu | |
| Annealing and Deposition Parameters Influence on the Performance of AlN Thin Films | 441 |
| T.L. Gui and S.D. Jiang | |
| Advances in Development of Titanium Alloys for Spinal Fixation Applications-Titanium Alloys with High Fatigue Strength and Low Springback for Spinal Fixation Applications- | 446 |
| M. Niinomi, M. Nakai, J. Hieda, K. Cho and K. Narita | |
| Development of Changeable Young's Modulus with Good Mechanical Properties in β-Type Ti-Cr-O Alloys | 453 |
| H.H. Liu, M. Niinomi, M. Nakai, J. Hieda and K. Cho | |
| Foamed Glass-Ceramics Made from Red-Mud | 461 |
| Z.N. Ye, Y.W. Wang, H. Jiang, N. Li and S.Q. Liu | |

Chapter 9: Other Topics

| | |
|---|-----|
| Research and Design of an Equipment for Multi-Point Press Forming Sheet Metal Parts | 467 |
| R.Y. Ma, H. Ding and D.Y. Yang | |
| Influence of Negative Voltage on Micro-Arc Oxidation of Magnesium Alloy under Two Steps Voltage-Increasing Mode | 472 |
| X.Z. Jiang, S. Lu, L. Tang, Z.X. Wang and J. Chen | |
| Formaldehyde Gas Sensor Based on Pentacene Organic Thin-Film Transistor | 477 |
| Y.C. Chen, J. Zhong and L. Zhang | |
| Design and Test of Controlled Droplet Sprayer for Facility Agriculture | 481 |
| Y. Gong, X.B. Chen, Y. Liu, L. Pei and J.C. Zhang | |
| Discussion on Applicability of the Technology of Using Light to Trap in the Field of Pests and Diseases Control in Tea Plantation of China | 487 |
| Y. Liu, C. Liu, J.C. Zhang and S.Y. Zhao | |
| Effects of Sr and Mn-Doping on the Electrical Properties of CaBi₄Ti₄O₁₅-Based Ceramics | 494 |
| B. Fu, Y.L. Hou, T. Li and X.H. Fu | |
| Structure and Dielectric Properties of Mn, Co, and Ni-Doped LaSrFeO₃ Films | 499 |
| B. Fu, Y.L. Hou, W.B. Wu and X.H. Fu | |
| Research of PSS on the Inhibiting Effect of Low Frequency Oscillation | 504 |
| A. Li | |
| Zinc Coating Failure Analysis and Sheet Formability during Hot-Dip Galvanized Sheet Stamping | 510 |
| L.G. Wang, T. Zhou and Y. Huang | |
| Catalytic Degradation of Rhodamine B with Cobalt Phthalocyanine Supported Hydrotalcites | 515 |
| M.H. Xu and M.L. Zhu | |

| | | |
|---|--|-----|
| Influence of Compound Bonding Agent on the Performance and the Microstructure of Proppant | | |
| J.J. Sun, L.L. Qin and X.H. Song | | 519 |
| Finite Element Simulation and Experimental Study on Isothermal Forging Technology for a Complex-Shaped Titanium Alloy Wing | | |
| F. Cheng and H.Y. Jiang | | 523 |
| The Mineral Composition and Microstructure of MAC Cementing Material Prepared Using Hydrated Lime | | |
| Y.J. Liu, L. Chen, S.Q. Liu and R.X. Shi | | 527 |
| Reaction of CO₂ and CS₂ with Aniline Catalyzed by AlCl₃ under Mild Condition | | |
| H.X. Xu and X.H. Yuan | | 531 |
| Study on Erosion Wear Property of Nickel-Chromium Cast Iron | | |
| J.P. Xie, L.J. Zhang, A.Q. Wang and X.H. Shao | | 535 |
| Extraction Joined with Adsorption and Catalytic Oxidation of Dibenzothiophene with Commercially Available Tungsten Carbide | | |
| Y.H. Xu, J.J. Zhou, T. Zhou, Y.H. Chao, S. Yan, X.C. Jiang, X.J. Chen, W.S. Zhu and H.M. Li | | 539 |
| Size Error and Modification of V-Groove in Thermal Microimprint | | |
| H.X. Wang, J.B. Li and Y.H. Lv | | 543 |
| Study of the Impact Abrasive Wear of New Super-High Manganese Steel | | |
| W.Y. WANG, J. Xu and J.P. Xie | | 550 |