

# Table of Contents

## Preface, Committees and Sponsors

## Chapter 1: Material Development and Characterisation

|                                                                                                                                                                                                                         |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Semisolid Processing of Magnesium Alloys: Microstructure - Property Relationship</b><br>F. Czerwiński                                                                                                                | 3   |
| <b>Preparation of Globular Microstructure in H18 Steel for Semi Solid Processing with the Use of Boron Addition</b><br>J. Dutkiewicz, J. Głownia and Ł. Rogal                                                           | 8   |
| <b><i>In Situ</i> Microstructure Observation of Steel Grades in the Semi-Solid State for Thixoforging Process by Using Confocal Laser Scanning Microscopy</b><br>G.C. Gu, R. Pesci, E. Becker, L. Langlois and R. Bigot | 15  |
| <b>A Comparison of Grain Refinement Efficiency by Shearing above and below the Liquidus</b><br>R. Haghayeghi and P. Kapranos                                                                                            | 23  |
| <b>Microstructural Evolution of 7050 Aluminum Alloy Semisolid Billets Fabricated by RAP Process</b><br>J.F. Jiang, Z.M. Du, Y. Wang and S.J. Luo                                                                        | 29  |
| <b>Effect of Manganese on the Fe-Rich Phases in Al-22Si-2Fe Alloy by Cooling Slope</b><br>Y.H. Jiang, L. Li, R. Zhou, R.F. Zhou and J. Wang                                                                             | 37  |
| <b>Effect of Casting Size on Microstructure and Mechanical Properties of Thixocastings</b><br>H.X. Lu, Q. Zhu, Y.F. He, D.Q. Li and S.P. Midson                                                                         | 45  |
| <b>Effects of Post Heat Treatment on Microstructure and Mechanical Properties of RAP-Processed Cr-V-Mo Steel</b><br>Y. Meng, S. Sugiyama and J. Yanagimoto                                                              | 53  |
| <b>The Mechanical Properties of Rheo-High Pressure Die Cast Al-Mg-Si-(Cu) 6xxx Series Alloys</b><br>H. Möller, P. Daswa and G. Govender                                                                                 | 61  |
| <b>Influence of Microstructural Inhomogeneity on Fracture Behaviour in SSM-HPDC Al-Si-Cu-Fe Component with Low Si Content</b><br>M. Payandeh, A.E.W. Jarfors and M. Wessen                                              | 67  |
| <b>Aluminum Segregation in ZA27 Rheocast Alloy</b><br>A. Pola, L. Montesano, M. Gelfi, R. Roberti and G.M. La Vecchia                                                                                                   | 75  |
| <b>Morphological Evolution of SCN Crystals in a Shear Flow</b><br>M. Reisi, B. NIROUMAND and E. Shirani                                                                                                                 | 83  |
| <b>Effects of Cu on the Microstructures and Tensile Properties of Thixoformed Al-Si Alloys</b><br>M.S. Salleh, M.Z. Omar, J. Syarif, K.S. Alhawari and M.N. Mohammed                                                    | 91  |
| <b>Microstructural Evolution of Semi-Solid Type 304 Stainless Steel Deformed Severely by ECAP</b><br>M. Toofaninejad, M. Nili-Ahmadabadi and H. Shirazi                                                                 | 99  |
| <b>Morphological Evolution of Al-2wt%Si-2.5wt%Cu Alloy Produced by EMS and EMS Enhanced by ECAP</b><br>L.V. Torres, D.M. Benati and E.J. Zoqui                                                                          | 105 |
| <b>Wear Properties of Al-17Si Alloys with Variable Fe Levels Formed by Semi-Solid Process</b><br>S.S. Wu, C. Lin, S.L. Lü and P. An                                                                                     | 111 |

## Chapter 2: Rheology, Modelling and Simulation

|                                                                                                                                |     |
|--------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Squeeze Flow of Thixotropic Semisolid Slurries</b><br>A.N. Alexandrou, G.C. Florides and G. Georgiou                        | 121 |
| <b>Thermomechanical Modelling and Simulation of C38 Thixoextrusion Steel</b><br>E. Becker, L. Langlois, V. Favier and R. Bigot | 130 |
| <b>Rheological Behavior of Semisolid Hypoeutectic Cast Iron Alloyed to Chromium</b><br>D.M. Benati, L.V. Torres and E.J. Zoqui | 138 |

|                                                                                                                                                                              |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Experimental Study and Numerical Simulation on the Blistering Defect during Thixocasting</b><br>X.G. Hu, F. Zhang, Y.F. He, S.P. Midson and Q. Zhu                        | 144 |
| <b>Semi-Solid Forging Process and Die Design in the Production of Aluminum Thin Plates</b><br>C.K. Jin and C.G. Kang                                                         | 151 |
| <b>Semi-Solid Metal Processing: "Unlimited" Flow Velocity without Turbulence in Thin Cast Sections</b><br>J.L. Jorstad, A.N. Alexandrou and E. Mitsoulis                     | 159 |
| <b>Semisolid Metals: A Suspension with Non-Newtonian Liquid Matrix</b><br>M. Modigell, S. Harboe, A. Pola and C. Zang                                                        | 166 |
| <b>Solidification of a Binary Solution (NH<sub>4</sub>Cl+H<sub>2</sub>O) under Shear Flow: A Numerical Study</b><br>A.K. Nayak, N. Barman and H. Chattopadhyay               | 174 |
| <b>Analysis by Micromechanical Modeling on Material Flow under Rapid Compression in the Semi-Solid State</b><br>A. Neag, V. Favier, R. Bigot and H.V. Atkinson               | 182 |
| <b>Modelling of Extrusion Process for Aluminium A356 Alloy</b><br>S. Simlandi, N. Barman and H. Chattopadhyay                                                                | 188 |
| <b>Deformation Characteristics and Mechanism of Martensitic Stainless Steel during Thixoforming</b><br>R.B. Song, Y.P. Li, Y.J. Wang and C.Q. Zhao                           | 195 |
| <b>Simulation on Flexible Thixo-Extrusion of Variable Cross-Section Part Based on DEFORM-3D Software</b><br>C.F. Wang, K.K. Wang and Z. Luo                                  | 201 |
| <b>3D Numerical and Experimental Investigation on Semi-Solid AlSi9Mg Alloy Slurry Prepared by Electromagnetic Stirring</b><br>C.Y. Zhang, S.D. Zhao, G.H. Yan and Y.F. Wang  | 208 |
| <b>Simulation on the Thixocasting Process of the Turbocharger Impellers and Selection of the Viscosity Models</b><br>F. Zhang, X.G. Hu, D.Q. Li, Y.F. He, X.J. Xu and Q. Zhu | 219 |

### **Chapter 3: Process Development**

|                                                                                                                                                                                               |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Effect of the Rheocasting Process and of the SLS Layer on the Fatigue Behavior of 357 Aluminum Alloy</b><br>A. Abou Antoun, M. Brochu and H. Möller                                        | 227 |
| <b>Unconventional Microstructures in Tool Steel Obtained by Semi-Solid Processing and Subsequent Heat Treatment</b><br>D. Aišman, B. Mašek and Š. Jeníček                                     | 235 |
| <b>The Research on the Annulus Electromagnetic Stirring for Preparing the Semisolid A356 Aluminum Alloy Slurry</b><br>Y.L. Bai, J. Xu and Z.F. Zhang                                          | 241 |
| <b>Anodising of Aluminium Alloy Plates from Different Series Produced by Rheo-High Pressure Die Casting</b><br>L. Chauke, H. Möller and G. Govender                                           | 247 |
| <b>Study on Refining Mechanism of Primary Si in Semi-Solid Al-25%Si Alloy Slurry Prepared by Rotating-Rod Induced Nucleation</b><br>Z.B. Chen, L. Li, R.F. Zhou, Y.H. Jiang and R. Zhou       | 253 |
| <b>The Solution Heat Treatment of Rheo-High Pressure Die Cast Al-Mg-Si-(Cu) 6xxx Series Alloys</b><br>P. Daswa, H. Möller, M. du Toit and G. Govender                                         | 259 |
| <b>Continuous Production of a Multi-Filament Reinforced Metal Matrix Composite Strip from the Semisolid State</b><br>A. de Pádua Lima Filho, R.S. Ikeda, T.P. de Castro and R.L. Pugina Filho | 265 |
| <b>Study of Defect Formation during Solution Treatment of 319S Thixocast Turbo Impellers</b><br>K. Du, D.Q. Li, X.K. Liang and Q. Zhu                                                         | 274 |
| <b>Investigation of Parameters Promoting Hot Cracking during Semi-Solid Forming Processes</b><br>V. Favier, E. Becker and R. Bigot                                                            | 281 |
| <b>Production of Aluminum/SiC/NiAl<sub>2</sub>O<sub>4</sub> MMCs by Thixoforming of Recycled Chips</b><br>L.M.P. Ferreira, M.H. Robert and E. Bayraktar                                       | 286 |

|                                                                                                                                         |     |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>THINCAST™; Providing Strong, Lightweight Castings for Automobiles and Other Applications</b>                                         |     |
| A. Franke and J.L. Jorstad                                                                                                              | 294 |
| <b>A Study on Bubbles in Semisolid Alloys</b>                                                                                           |     |
| L.J. Guo, S.M. Xing and P.W. Bao                                                                                                        | 302 |
| <b>Semi-Solid Die Casting of Al-25%Si</b>                                                                                               |     |
| T. Haga and H. Fuse                                                                                                                     | 312 |
| <b>Influence of Process Parameters on Surface Appearance and Roughness of a Low Si Containing Al-Alloy, in Semisolid Casting</b>        |     |
| A.E.W. Jarfors, D. Rigovacca, M. Payandeh, M. Wessen, S. Seifeddine and P. Jansson                                                      | 318 |
| <b>Steels with High Temperature Carbides - New Possibilities for Semi-Solid State Processing</b>                                        |     |
| H. Jirková, K. Rubešová, V. Pileček and M. Behúlová                                                                                     | 325 |
| <b>Comparison of Microstructure and Mechanical Properties of Semi-Solid Castings Produced Using Billets Made by EMS and SEED</b>        |     |
| X.K. Liang, D.Q. Li, P. Côté, S.P. Midson and Q. Zhu                                                                                    | 332 |
| <b>The Refinement Mechanism of La-Ce Binary Alloy on Primary <math>\alpha</math> Phase in A356 Alloy under Electromagnetic Stirring</b> |     |
| Z. Liu, H.L. Luo and Q.C. Chen                                                                                                          | 340 |
| <b>Analysis of a Thixo-Lateral Forged Spindle from LTT C45, LTT C38 and LTT 100Cr6 Steel Grades</b>                                     |     |
| J. Lozares, Z. Azpilgain, I. Hurtado and I. Loizaga                                                                                     | 347 |
| <b>Semi-Solid Joining of D2 Cold-Work Tool Steel</b>                                                                                    |     |
| M.N. Mohammed, M.Z. Omar, J. Syarif, Z. Sajuri, M.S. Salleh and K.S. Alhawari                                                           | 355 |
| <b>Development of New Type Semi-Solid Injection Process for Magnesium Alloy</b>                                                         |     |
| Y. Murakami, K. Miwa, N. Omura and S. Tada                                                                                              | 361 |
| <b>From Hot Forging to Thixoforging: FEM Analysis of Thixoforging Process for Steering Piston Production</b>                            |     |
| I. Peter and M. Rosso                                                                                                                   | 366 |
| <b>Tooling Materials and Solutions for Thixoforming Steel: A Key to the Process Industrialization</b>                                   |     |
| A. Rassili and J. Lecomte-Beckers                                                                                                       | 374 |
| <b>Effect of Hot Rolling and Equal-Channel Angular Pressing on Generation of Globular Microstructure in Semi-Solid Mg-3%Zn Alloy</b>    |     |
| Ł. Rogal, F. Czerwiński, L. Litynska-Dobrzyńska, P. Bobrowski, A. Wierzbicka-Miernik and J. Dutkiewicz                                  | 381 |
| <b>New Semisolid Casting of an Al-25Wt.% Mg<sub>2</sub>Si Composite Using Vibrating Cooling Slope</b>                                   |     |
| S. Saffari and F. Akhlaghi                                                                                                              | 389 |
| <b>Effect of Semi-Solid Processing on Iron-Bearing Intermetallic Compounds in A380 Aluminum Alloy</b>                                   |     |
| S.G. Shabestari, M.M. Tavakoli and M. Ghanbari                                                                                          | 397 |
| <b>Fracture Property Correlation of Rheocast (EMS) and Thixocast 6061 Aluminium Alloy</b>                                               |     |
| S.K. Singh, P. Das, K. Chattopadhyay and P. Dutta                                                                                       | 405 |
| <b>Effects of Inclined Plate Angle and Length on Semi-Solid Microstructure of Martensitic Stainless Steel</b>                           |     |
| R.B. Song, Y.P. Li, Y.J. Wang and P. Wang                                                                                               | 412 |
| <b>Effect of Rolling-Remelting SIMA Process on Semi-Solid Microstructure of ZCuSn10 Alloy</b>                                           |     |
| J. Wang, D.H. Lu, H. Xiao, R.F. Zhou, R. Zhou and L.B. Wu                                                                               | 418 |
| <b>Using Semi-Solid Extrusion for the Production of Aluminum-Nanocomposite Master Alloys</b>                                            |     |
| D. Weiss and M. Black                                                                                                                   | 426 |
| <b>Grain Refining through Semisolid Processing</b>                                                                                      |     |
| M.X. Xia, J.G. Li and Z.Y. Fan                                                                                                          | 431 |
| <b>Squeeze Casting of Semi-Solid A356 Alloy</b>                                                                                         |     |
| X.J. Yang, M. Wang, L.S. Ding, H.M. Guo and X.B. Liu                                                                                    | 436 |
| <b>Comparison between Prediction of Liquid Fraction versus Temperature and Experimental Results from DSC and SPSC</b>                   |     |
| D.Y. Zhang, H.V. Atkinson, H.B. Dong and Q. Zhu                                                                                         | 442 |
| <b>A New Technology to Improve the Elongation of A356 Alloy</b>                                                                         |     |
| Y.J. Zhang, N.H. Ma, X.F. Li and H.W. Wang                                                                                              | 450 |

|                                                                                                             |     |
|-------------------------------------------------------------------------------------------------------------|-----|
| <b>Microstructure and Property of Rheo-Diecasting Magnesium-Alloy with Forced Convection Mixing Process</b> |     |
| B. Zhou, Y.L. Kang, M.F. Qi, H.H. Zhang and G.M. Zhu                                                        | 455 |
| <b>Hypereutectic Al-Si Alloy Tube with Gradient Structure Produced by Rheo-Squeeze Casting</b>              |     |
| R. Zhou, L. Li, Y.H. Jiang, R.F. Zhou and J. Wang                                                           | 461 |

## **Chapter 4: Industrial Application**

|                                                                                                                      |     |
|----------------------------------------------------------------------------------------------------------------------|-----|
| <b>New Generation of Brake Callipers to Improve Competitiveness and Energy Savings in Very High Performance Cars</b> |     |
| I. Gattelli, G.L. Chiarmetta, M. Boschini, R. Moschini, M. Rosso and I. Peter                                        | 471 |
| <b>SSM Provides Important Advantages; So, why has SSM Failed to Achieve Greater Market Share?</b>                    |     |
| J.L. Jorstad                                                                                                         | 481 |
| <b>Industrial Applications for Aluminum Semi-Solid Castings</b>                                                      |     |
| S.P. Midson                                                                                                          | 487 |