

Table of Contents

| | |
|--|----|
| Preface | iv |
| Overview | iv |
| Silicon Carbide Technology in New Era | 3 |
| H. Matsunami | 3 |
| Characterisation and Defects in Silicon Carbide | 9 |
| P. Bergman, H. Jakobsson, L. Storasta, F.H.C. Carlsson, B. Magnusson, S.G. Sridhara, G.R. Pozina, H. Lendenmann and E. Janzén | 9 |
| Opportunities and Technical Strategies for Silicon Carbide Device Development | 15 |
| J.A. Cooper | 15 |
| High Quality SiC Substrates for Semiconductor Devices: From Research to Industrial Production | 15 |
| S.G. Müller, M.F. Brady, W.H. Brixius, G. Fechko, R.C. Glass, D. Henshall, H. McD. Hobgood, J.R. Jenny, R.T. Leonard, D.P. Malta, A.R. Powell, V.F. Tsvetkov, S.T. Allen, J.W. Palmour and C.H. Carter Jr. | 23 |
| Growth and Defect Reduction of Bulk SiC Crystals | 29 |
| N. Ohtani, T. Fujimoto, M. Katsuno, T. Aigo and H. Yashiro | 29 |
| Growth of 3-inch Diameter 6H-SiC Single Crystals by Sublimation Physical Vapor Transport | 35 |
| S.P. Wang, E.M. Sanchez, A. Kopec, S. Poplawski, R. Ware, S.N. Holmes, C.M. Balkas and A.G. Timmerman | 35 |
| Lateral Enlargement of Silicon Carbide Crystals | 39 |
| H. Jacobsson, R. Yakimova, P. Råback, M. Syväjärvi, J. Birch and E. Janzén | 39 |
| Numerical Simulation of Heat and Mass Transfer in SiC Sublimation Growth | 43 |
| S.I. Nishizawa, T. Kato, Y. Kitou, N. Oyanagi and K. Arai | 43 |
| 4H Polytype Grain Formation in PVT-Grown 6H-SiC Ingots | 47 |
| T. Fujimoto, M. Katsuno, N. Ohtani, T. Aigo and H. Yashiro | 47 |
| The Development of 2in 6H-SiC Wafer with High Thermal-Conductivity | 51 |
| Y. Miyanagi, K. Nakayama, H. Shiomi and S. Nishino | 51 |
| Evolution of Crystal Mosaicity during Physical Vapor Transport Growth of SiC | 55 |
| M. Katsuno, N. Ohtani, T. Fujimoto, T. Aigo and H. Yashiro | 55 |
| Reduction of Macrodefects in Bulk SiC Single Crystals | 59 |
| C.M. Balkas, A.A. Maltsev, M.D. Roth, V.D. Heydemann, M. Sharma and N.K. Yushin | 59 |
| Model for Macroscopic Slits in 6H- and 4H-SiC Single Crystals | 63 |
| J. Wollweber, H.J. Rost, D. Schulz and D. Siche | 63 |
| Macrodefect Generation in SiC Single Crystals Caused by Polytype Changes | 67 |
| H.J. Rost, J. Doerschel, D. Schulz, D. Siche and J. Wollweber | 67 |
| The Nucleation of Polytype Inclusions during the Sublimation Growth of 6H and 4H Silicon Carbide | 71 |
| E.M. Sanchez, A. Kopec, S. Poplawski, R. Ware, S.N. Holmes, S.P. Wang and A.G. Timmerman | 71 |
| Characterization of Inclusions in SiC Bulk Crystals Grown by Modified Lely Method | 75 |
| F. Hirose, Y. Kitou, N. Oyanagi, T. Kato, S.I. Nishizawa and K. Arai | 75 |
| Observation of Planar Defects in 2-inch SiC Wafer | 79 |
| H. Tanaka, T. Nishiguchi, M. Sasaki and S. Nishino | 79 |
| Flux-Controlled Sublimation Growth by an Inner Guide-Tube | 83 |
| Y. Kitou, W. Bahng, T. Kato, S.I. Nishizawa and K. Arai | 83 |
| Growth and Evaluation of High Quality SiC Crystal by Sublimation Method | 87 |
| N. Oyanagi, H. Yamaguchi, T. Kato, S.I. Nishizawa and K. Arai | 87 |
| 'Insitu Synthesis' of Source Material from Elemental Si and C during SiC PVT Growth Process and Characterization Using Digital X-Ray Imaging | 91 |
| P.J. Wellmann, Z.G. Herro, T.L. Straubinger and A. Winnacker | 91 |
| Influence of the Crystal Thickness on the SiC PVT Growth Rate | 95 |
| D.I. Cherednichenko, Y.I. Khlebnikov, R. Drachev, I.I. Khlebnikov and T.S. Sudarshan | 95 |
| Micropipe Formation Model via Surface Step Interaction | 99 |
| N. Ohtani, M. Katsuno, T. Fujimoto, T. Aigo and H. Yashiro | 99 |

| | |
|--|-----|
| Self-Healing Phenomenon of Micropipes in Silicon Carbide | |
| A. Okamoto, Y. Seno, N. Sugiyama, F. Hirose, K. Hara, T. Tani, D. Nakamura, N. Kamiya and S. Onda | 103 |
| A Method of Reducing Micropipes in Thin Films by Using Sublimation Growth | |
| N. Oyanagi, S.I. Nishizawa and K. Arai | 107 |
| Dislocation Constraint by Etch-Back Process of Seed Crystal in SiC Bulk Crystal Growth | |
| T. Kato, N. Oyanagi, Y. Kitou, S.I. Nishizawa and K. Arai | 111 |
| The Effect of Nitrogen on Crystal Growth of SiC on (11-20) Substrates | |
| T. Nishiguchi, Y. Masuda, S. Ohshima and S. Nishino | 115 |
| Temperature Dependence of Sublimation Growth of 6H-SiC on (11-20) Substrates | |
| T. Nishiguchi, Y. Masuda, S. Ohshima and S. Nishino | 119 |
| The Development of 4H-SiC {03-38} Wafers | |
| K. Nakayama, Y. Miyanagi, H. Shiomi, S. Nishino, T. Kimoto and H. Matsunami | 123 |
| Incorporation of Boron and the Role of Nitrogen as a Compensation Source in SiC Bulk Crystal Growth | |
| M. Bickermann, R. Weingärtner, D. Hofmann, T.L. Straubinger and A. Winnacker | 127 |
| Aluminum Doping of 6H- and 4H-SiC with a Modified PVT Growth Method | |
| T.L. Straubinger, M. Bickermann, M. Rasp, R. Weingärtner, P.J. Wellmann and A. Winnacker | 131 |
| Resistivity Mapping of Semi-Insulating 6H-SiC Wafers | |
| M.D. Roth, V.D. Heydemann, W.C. Mitchel, N.K. Yushin, M. Sharma, S.P. Wang and C.M. Balkas | 135 |
| On the Preparation of Vanadium-Doped Semi-Insulating SiC Bulk Crystals | |
| M. Bickermann, D. Hofmann, T.L. Straubinger, R. Weingärtner and A. Winnacker | 139 |
| Solid-Phase Epitaxial Growth of Bulk SiC Single Crystals | |
| E. Pernot, M. Anikin, M. Pons, O. Chaix-Pluchery, F. Baillet, I. Matko and R. Madar | 143 |
| Full Si Wafer Conversion into Bulk 3C-SiC | |
| A. Leycuras, O. Tottereau, P. Vicente, L.A. Falkovsky, P. Girard and J. Camassel | 147 |
| QuaSiC Smart-Cut® Substrates for SiC High Power Devices | |
| F. Letertre, E. Jalaguier, L. Di Cioccio, F. Templier, J.M. Bluet, C. Banc, I. Matko, B. Chenevier, E. Bano, G. Guillot, T. Billon, B. Aspar, R. Madar and B. Ghyselen | 151 |
| CVD SiC Powder for High-Purity SiC Source Material | |
| S. Ezaki, M. Saito and K. Ishino | 155 |
| Direct Synthesis and Growth of SiC Single Crystal from Ultrafine Particle Precursor | |
| Y. Yamada and K. Sagawa | 159 |
| Recent Achievements and Future Challenges in SiC Homoepitaxial Growth | |
| T. Kimoto, S. Nakazawa, K. Fujihira, T. Hirao, S. Nakamura, Y. Chen, K. Hashimoto and H. Matsunami | 165 |
| Growth and Electrical Characterization of the Lightly-Doped Thick 4H-SiC Epilayers | |
| H. Tsuchida, I. Kamata, T. Jikimoto and K. Izumi | 171 |
| Fast Epitaxial Growth of 4H-SiC by Chimney-Type Hot-Wall CVD | |
| K. Fujihira, T. Kimoto and H. Matsunami | 175 |
| High-Rate Epitaxial Growth of 4H-SiC Using a Vertical-Type, Quasi-Hot-Wall CVD Reactor | |
| K. Masahara, T. Takahashi, M. Kushibe, T. Ohno, J. Nishio, K. Kojima, Y. Ishida, T. Suzuki, T. Tanaka, S. Yoshida and K. Arai | 179 |
| Fast Growth and Doping Characteristics of α-SiC in Horizontal Cold-Wall Chemical Vapor Deposition | |
| S. Nakamura, T. Kimoto and H. Matsunami | 183 |
| Highly Uniform Epitaxial SiC-Layers Grown in a Hot-Wall CVD Reactor with Mechanical Rotation | |
| A. Schöner, A.O. Konstantinov, S. Karlsson and R. Berge | 187 |
| Growth Characteristics of SiC in a Hot-Wall CVD Reactor with Rotation | |
| J. Zhang, U. Forsberg, M. Isacson, A. Ellison, A. Henry, O. Kordina and E. Janzén | 191 |
| Epitaxial Growth of (11-20) 4H-SiC Using Substrate Grown in the [11-20] Direction | |
| K. Kojima, T. Ohno, J. Senzaki, K. Fukuda, T. Fujimoto, M. Katsuno, N. Ohtani, J. Nishio, K. Masahara, Y. Ishida, T. Takahashi, T. Suzuki, T. Tanaka, S. Yoshida and K. Arai | 195 |
| Hot-Wall CVD Growth of 4H-SiC Using $\text{Si}_2\text{Cl}_6 + \text{C}_3\text{H}_8 + \text{H}_2$ System | |
| T. Miyanagi and S. Nishino | 199 |

| | |
|--|-----|
| Aluminum Doping of Epitaxial Silicon Carbide Grown by Hot-Wall CVD; Effect of Process Parameters | 203 |
| U. Forsberg, Ö. Danielsson, A. Henry, M.K. Linnarsson and E. Janzén | |
| Aluminum Incorporation into 4H-SiC Layers during Epitaxial Growth in a Hot-Wall CVD System | 207 |
| G. Wagner, W. Leitenberger, K. Irmscher, F. Schmid, M. Laube and G. Pensl | |
| Vapor-Phase Epitaxial Growth of n-Type SiC Using Phosphine as the Precursor | 211 |
| R.J. Wang, I. Bhat and T.P. Chow | |
| Investigation of Residual Impurities in 4H-SiC Epitaxial Layers Grown by Hot-Wall Chemical Vapor Deposition | 215 |
| J. Nishio, M. Kushibe, K. Masahara, K. Kojima, T. Ohno, Y. Ishida, T. Takahashi, T. Suzuki, T. Tanaka, S. Yoshida and K. Arai | |
| Predicting Growth Rates of SiC Epitaxial Layers Grown by Hot-Wall Chemical Vapor Deposition | 219 |
| Ö. Danielsson, S. Jönsson, A. Henry and E. Janzén | |
| Simulation of the Large-Area Growth of Homoepitaxial 4H-SiC by Chemical Vapor Deposition | 223 |
| M. Pons, J. Mezière, S.W.T. Kuan, E. Blanquet, P. Ferret, L. Di Cioccio, T. Billon and R. Madar | |
| Simulation of High-Temperature SiC Epitaxial Growth Using Vertical, Quasi-Hot-Wall CVD Reactor | 227 |
| M. Hasegawa, A. Miyauchi, K. Masahara, Y. Ishida, T. Takahashi, T. Ohno, J. Nishio, T. Suzuki, T. Tanaka, S. Yoshida and K. Arai | |
| Bending of Basal-Plane Dislocations in VPE Grown 4H-SiC Epitaxial Layers | 231 |
| S.Y. Ha, P. Mieszkowski, L.B. Rowland and M. Skowronski | |
| The Effect of Epitaxial Growth on Warp of SiC Wafers | 235 |
| K. Nakayama, Y. Miyanagi, K. Maruyama, Y. Okamoto, H. Shiomi and S. Nishino | |
| In Situ Etching of 4H-SiC in H₂ with Addition of HCl for Epitaxial CVD Growth | 239 |
| J. Zhang, O. Kordina, A. Ellison and E. Janzén | |
| Surface Morphology of SiC Epitaxial Layers Grown by Vertical Hot-Wall Type CVD | 243 |
| K. Takahashi, M. Uchida, T. Yokogawa, O. Kusumoto, K. Yamashita, R. Miyanaga and M. Kitabatake | |
| Delta-Doped Layers of SiC Grown by 'Pulse Doping' Technique | 247 |
| K. Takahashi, T. Yokogawa, M. Uchida, O. Kusumoto, K. Yamashita, R. Miyanaga and M. Kitabatake | |
| Homoepitaxial 'Web Growth' of SiC to Terminate C-Axis Screw Dislocations and Enlarge Step-Free Surfaces | 251 |
| P.G. Neudeck, J.A. Powell, A.J. Trunek, D.J. Spry, G.M. Beheim, E. Benavage, P.B. Abel, W.M. Vetter and M. Dudley | |
| Formation of Epitaxial Mesa Structures on 4H-SiC (0001) and (11-20) Substrates | 255 |
| Y. Chen, T. Kimoto, Y. Takeuchi and H. Matsunami | |
| Characteristics of Boron in 4H-SiC Layers Produced by High-Temperature Techniques | 259 |
| A. Kakanakova-Georgieva, R. Yakimova, J. Zhang, L. Storasta, M. Syväjärvi and E. Janzén | |
| Epitaxial Growth of 4H-SiC with Hexamethyldisilane HMDS | 263 |
| C. Sartel, V. Soulière, J. Dazord, Y. Monteil, I. El Harrouni, J.M. Bluet and G. Guillot | |
| Homoepitaxial Growth of 4H-SiC on Porous Substrate Using Bis-Trimethylsilylmethane Precursor | 267 |
| J.K. Jeong, M.Y. Um, H.J. Na, B.S. Kim, I.B. Song and H.J. Kim | |
| TEM (XHREM) and EDX Studies of 6H-SiC Porous Layer as a Substrate for Subsequent Homoepitaxial Growth | 271 |
| L.M. Sorokin, J.L. Hutchison, J. Sloan, G.N. Mosina, N.S. Savkina, V.B. Shuman and A.A. Lebedev | |
| 3C-SiC(100) Homoepitaxial Growth by Chemical Vapor Deposition and Schottky Barrier Junction Characteristics | 275 |
| Y. Ishida, M. Kushibe, T. Takahashi, H. Okumura and S. Yoshida | |
| Homoepitaxial Growth of Cubic Silicon Carbide by Sublimation Epitaxy | 279 |
| T. Furusho, T. Miyanagi, Y. Okui, S. Ohshima and S. Nishino | |
| Impact of the Initial Surface Conditions on Defect Appearance in 4H-SiC Epilayers | 283 |
| R. Yakimova, H. Jacobsson, M. Syväjärvi, A. Kakanakova-Georgieva, T. Iakimov, C. Virojanadara, L.I. Johansson and E. Janzén | |

| | |
|---|-----|
| Effect of the Si Droplet Size on the VLS Growth Mechanism of SiC Homoepitaxial Layers G. Ferro, D. Chaussende, F. Cauwet and Y. Monteil | 287 |
| Liquid-Phase Epitaxial Growth of Heavily Doped Al p-Type Contact Layers for SiC Devices and Resulting Ohmic Contacts A. Syrkin, V. Dmitriev, O. Kovalenkov, D. Bauman and J. Crofton | 291 |
| Traveling Self-Confined-Solvent Method: A Novel LPE Growth of 6H-SiC Y. Asaoka, M. Hiramoto, N.Y. Sano and T. Kaneko | 295 |
| Homoepitaxial Growth of 4H-SiC Thin Film Below 1000°C by Microwave Plasma Chemical Vapor Deposition M. Okamoto, Y. Tanaka, R. Kosugi, D. Takeuchi, S. Nakashima, S.I. Nishizawa, K. Fukuda, H. Okushi and K. Arai | 299 |
| In Situ Etching of SiC Wafers in a CVD System Using Oxygen as the Source R.J. Wang, I. Bhat and T.P. Chow | 303 |
| SiO₂ as Oxygen Source for the Chemical Vapor Transport of SiC C. Jacquier, G. Ferro, F. Cauwet and Y. Monteil | 307 |
| Growth of Defect-Free 3C-SiC on 4H- and 6H-SiC Mesas Using Step-Free Surface Heteroepitaxy P.G. Neudeck, J.A. Powell, A.J. Trunek, X. Huang and M. Dudley | 311 |
| 3C-SiC Growth on 6H-SiC (0001) Substrates I. Matko, B. Chenevier, M. Audier, R. Madar, M. Diani, L. Simon, L. Kubler and D. Aubel | 315 |
| Heteroepitaxial Growth and Characteristics of 3C-SiC on Large-Diameter Si(001) Substrates H. Nagasawa, T. Kawahara and K. Yagi | 319 |
| Comparative Study of Heteroepitaxially and Homoepitaxially Grown 3C-SiC Films T. Takahashi, Y. Ishida, H. Tsuchida, I. Kamata, H. Okumura, S. Yoshida and K. Arai | 323 |
| Growth of 3C-SiC on Si(100) by LPCVD and Patterning of the Grown Layers A. Bakin, I. Behrens, A.A. Ivanov, E. Peiner, D. Piester, H.-. Wehmann and A. Schlachetzki | 327 |
| Selective Epitaxial Growth of Pyramidal 3C-SiC on Patterned Si Substrate Y. Okui, C. Jacob, S. Ohshima and S. Nishino | 331 |
| Evaluation of Carbonized Layers for 3C-SiC/Si Epitaxial Growth by Ellipsometry H. Shimizu, T. Ohba and K. Hisada | 335 |
| In Situ Doping of 3C-SiC Grown on (0001) Sapphire Substrates by LPCVD G.S. Sun, M.C. Luo, L. Wang, S.R. Zhu, J.M. Li, Y.P. Zeng and L.Y. Lin | 339 |
| Improved SiCOI Structures Elaborated by Heteroepitaxy of 3C-SiC on SOI T. Chassagne, G. Ferro, H. Wang, Y. Stoimenos, H. Peyre, S. Contreras, J. Camassel, Y. Monteil and B. Ghyselen | 343 |
| Study of Metamorphosing Top Si Layer of SOI Wafer into 3C-SiC Using Conventional Electric Furnace S. Hirai, F. Jobe, M. Nakao and K. Izumi | 347 |
| Formation of Extremely Thin, Quasi-Single-Domain 3C-SiC Film on Resistively Heated On-Axis Si(001) Substrate Using Organo-Silane Buffer Layer H. Nakazawa and M. Suemitsu | 351 |
| Electrical Characterization of SiC/Si Heterostructures with Modified Interfaces C. Förster, P.M. Masri and J. Pezoldt | 355 |
| Void-Free Epitaxial Growth of Cubic SiC Crystallites during CO Heat Treatment of Oxidized Silicon O.H. Krafcsik, G. Vida, V.K. Josepovits, P. Deák, G.Z. Radnócz, B. Pécz and I. Bársny | 359 |
| Reaction Mechanism of the Carbonization Process by Low-Energy Ion Substitution N. Tsubouchi, A. Chayahara, Y. Mokuno, A. Kinomura and Y. Horino | 363 |
| Comparison of the Growth Characteristics of SiC on Si between Low-Pressure CVD and Triode Plasma CVD K. Yasui, M. Hashiba, Y. Narita and T. Akahane | 367 |
| Fabrication of α-SiC Heteroepitaxial Films by YAG-PLAD Method H. Muto and T. Kusumori | 371 |
| Low-Temperature Preparation of α-SiC Epitaxial Films by Nd: YAG Pulsed-Laser Deposition T. Kusumori and H. Muto | 375 |
| Physics of Heteroepitaxy and Heterophases P.M. Masri, J. Pezoldt, M. Sumiya and M. Averous | 379 |

| | |
|--|-----|
| Growth-Induced Structural Defects in SiC PVT Boules | 385 |
| M. Skowronski | |
| Polytype Identification and Mapping in Heteroepitaxial Growth of 3C on Atomically Flat 4H-SiC Mesas Using Synchrotron White-Beam X-Ray Topography | |
| M. Dudley, W.M. Vetter, X. Huang, P.G. Neudeck and J.A. Powell | 391 |
| Behavior of Micropipes during Growth in 4H-SiC | |
| N. Vouroutzis, R. Yakimova, M. Syväjärvi, H. Jacobsson, J. Stoemenos and E. Janzén | 395 |
| Reduced Micropipe Density in Boule-Derived 6H-SiC Substrates via H Etching of Seed Crystals | |
| S.E. Saddow, T. Elkington and M.C.D. Smith | 399 |
| Stress Distribution in 2in SiC Wafer Measured by Photoelastic Method | |
| M. Sasaki, Y. Miyanagi, K. Nakayama, H. Shiomi and S. Nishino | 403 |
| Characterization of 2in SiC As-Grown Bulk by SWBXT at SPring-8 | |
| M. Sasaki, A. Hirai, T. Miyanagi, T. Furusho, T. Nishiguchi, H. Shiomi and S. Nishino | 407 |
| Observation of 2in SiC Wafer by SWBXT at SPring-8 | |
| M. Sasaki, A. Hirai, T. Miyanagi, T. Furusho, T. Nishiguchi, H. Shiomi and S. Nishino | 411 |
| Analysis of Sub-Surface Damage-Induced Threading Dislocations in Physical Vapor Transport Growth of 6H-SiC | |
| J.Q. Liu, E.M. Sanchez and M. Skowronski | 415 |
| Investigation of Structural Defects during 4H-SiC Schottky Diode Processing by Synchrotron Topography | |
| E. Pernot, E. Neyret, C. Moulin, P. Pernot-Rejmánková, F. Templier, L. Di Cioccio, T. Billon and R. Madar | 419 |
| Structural Defects in Electrically Degraded 4H-SiC PiN Diodes | |
| P.O.Å. Persson, J.M. Molina-Aldareguía, P. Bergman, H. Jacobsson, T.O. Tuomi, W.J. Clegg, E. Janzén and L. Hultman | 423 |
| Propagation of Current-Induced Stacking Faults and Forward Voltage Degradation in 4H-SiC PiN Diodes | |
| R.E. Stahlbush, J.B. Fedison, S. Arthur, L.B. Rowland, J.W. Kretchmer and S.P. Wang | 427 |
| Optical Emission Microscopy of Structural Defects in 4H-SiC PiN Diodes | |
| A. Galeckas, J. Linnros and B. Breitholtz | 431 |
| Structure of 2D-Nucleation-Induced Stacking Faults in 6H-SiC | |
| J.Q. Liu, E.M. Sanchez and M. Skowronski | 435 |
| Theoretical Calculation of Stacking Fault Energies in Silicon Carbide | |
| H. Iwata, U. Lindefelt, S. Öberg and P.R. Briddon | 439 |
| A Simple Mapping Method for Elementary Screw Dislocations in Homoepitaxial SiC Layers | |
| S.Y. Ha, W.M. Vetter, M. Dudley and M. Skowronski | 443 |
| Replication of Defects from 4H-SiC Wafer to Epitaxial Layer | |
| T. Ohno, H. Yamaguchi, K. Kojima, J. Nishio, K. Masahara, Y. Ishida, T. Takahashi, T. Suzuki and S. Yoshida | 447 |
| 4H- to 3C-SiC Polytypic Transformation during Oxidation | |
| R.S. Okojie, M. Xhang, P. Pirouz, S.P. Tumakha, G. Jessen and L.J. Brillson | 451 |
| Oxidation-Induced Crystallographic Transformation in Heavily N-Doped 4H-SiC Wafers | |
| B.J. Skromme, K. Palle, C.D. Poweleit, L.R. Bryant, W.M. Vetter, M. Dudley, K. Moore and T. Gehoski | 455 |
| Investigation of the Relationship between Defects and Electrical Properties of 3C-SiC Epilayers | |
| Y. Ishida, M. Kushibe, T. Takahashi, H. Okumura and S. Yoshida | 459 |
| RHEED: A Tool for Structural Investigations of Thin Polytypic SiC Layers | |
| F. Scharmann and J. Pezoldt | 463 |
| Electron-Irradiation-Induced Amorphization of 6H-SiC by 300 keV Transmission Electron Microscope Equipped with a Field-Emission Gun | |
| I. Bae, M. Ishimaru and Y. Hirotsu | 467 |
| The Nature and Diffusion of Intrinsic Point Defects in SiC | |
| M. Bockstedte, M. Heid, A. Mattausch and O. Pankratov | 471 |
| Theoretical Investigation of an Intrinsic Defect in SiC | |
| A. Gali, P. Deák, N.T. Son and E. Janzén | 477 |
| Carbon Interstitials in SiC: A Model for the D_{II} Center | |
| A. Mattausch, M. Bockstedte and O. Pankratov | 481 |

| | |
|--|-----|
| Chemical Environment of Atomic Vacancies in Electron Irradiated Silicon Carbide Measured by a 2D-Doppler Broadening Technique | |
| A. Rempel, K. Blaurock, K.J. Reichle, W. Sprengel and H.E. Schaefer | 485 |
| Radiation-Induced Defects in 4H- and 6H-SiC Epilayers Studied by Positron Annihilation and Deep-Level Transient Spectroscopy | |
| A. Kawasuso, M. Weidner, F. Redmann, T. Frank, R. Krause-Rehberg, G. Pensl, P. Sperr, W. Triftshäuser and H. Itoh | 489 |
| Vacancy Defects in As-Polished and in High-Fluence H⁺-Implanted 6H-SiC Detected by Slow Positron Annihilation Spectroscopy | |
| M.F. Barthe, P. Desgardin, L. Henry, C. Corbel, D.T. Britton, G. Kögel, P. Sperr, W. Triftshäuser, P. Vicente and L. diCioccio | 493 |
| EPR Study of Single Silicon Vacancy-Related Defects in 4H- and 6H-SiC | |
| N. Mizuochi, J. Isoya, S. Yamasaki, H. Takizawa, N. Morishita, T. Ohshima and H. Itoh | 497 |
| The Neutral Silicon Vacancy in SiC: Ligand Hyperfine Interaction | |
| M. Wagner, N.Q. Thinh, N.T. Son, P.G. Baranov, E.N. Mokhov, C. Hallin, W.M. Chen and E. Janzén | 501 |
| Properties of the UD-1 Deep-Level Center in 4H-SiC | |
| B. Magnusson, A. Ellison and E. Janzén | 505 |
| Electronic Structure of the UD3 Defect in 4H- and 6H-SiC | |
| M. Wagner, B. Magnusson, W.M. Chen and E. Janzén | 509 |
| Depth Distribution of Lattice Damage-Related D_I and D_{II} Defects after Ion Implantation and Annealing of 6H-SiC | |
| Y. Koshka and G. Melnychuck | 513 |
| Electrical Properties of Neutron-Irradiated Silicon Carbide | |
| S. Kanazawa, M. Okada, J. Ishii, T. Nozaki, K. Shin, S. Ishihara and I. Kimura | 517 |
| Radiation-Induced Defects in p-Type Silicon Carbide | |
| S. Kanazawa, M. Okada, T. Nozaki, K. Shin, S. Ishihara and I. Kimura | 521 |
| Hole and Electron Effective Masses in 6H-SiC Studied by Optically Detected Cyclotron Resonance | |
| N.T. Son, C. Hallin and E. Janzén | 525 |
| Electronic Localization around Stacking Faults in Silicon Carbide | |
| H. Iwata, U. Lindefelt, S. Öberg and P.R. Briddon | 529 |
| Theoretical Study of Cubic Polytype Inclusions in 4H-SiC | |
| H. Iwata, U. Lindefelt, S. Öberg and P.R. Briddon | 533 |
| Full-Band Monte Carlo Simulation of Electron Transport in 3C-SiC | |
| H.-. Nilsson, U. Englund and M. Hjelm | 537 |
| Physical Mechanism for the Anomalous Behavior of n-Type Dopants in SiC | |
| R. Küller, J. Kozima, T. Yamamoto and A. Fukumoto | 541 |
| Influence of Junction Potential Distribution on Effective Impurity Ionization Time Constants in SiC for Admittance Spectroscopy Data Analysis | |
| A.V. Los and M.S. Mazzola | 545 |
| Electrical Activity of Residual Boron in Silicon Carbide | |
| L. Storasta, P. Bergman, E. Janzén and C. Hallin | 549 |
| Ab Initio Calculations of B Diffusion in SiC | |
| R. Rurali, E. Hernández, P. Godignon, J. Rebollo and P. Ordejón | 553 |
| Aluminum and Boron Diffusion into (1-100) Face SiC Substrates | |
| S.I. Soloviev, Y. Gao, Y.I. Khlebnikov, I.I. Khlebnikov and T.S. Sudarshan | 557 |
| Impurity-Controlled Dopant Activation - The Role of Hydrogen in p-Type Doping of SiC | |
| B. Aradi, A. Gali, P. Deák, N.T. Son and E. Janzén | 561 |
| Incorporation of Hydrogen (¹H and ²H) into 4H-SiC during Epitaxial Growth | |
| M.K. Linnarsson, U. Forsberg, M.S. Janson, E. Janzén and B.G. Svensson | 565 |
| Hydrogen Incorporation into SiC Using Plasma-Hydrogenation | |
| Y. Koshka, W.A. Draper, R.Y. Lakshman, J.D. Scofield and S.E. Saddow | 569 |
| Polytype Dependence of Transition Metal-Related Deep Levels in 4H-, 6H- and 15R-SiC | |
| J. Grillenberger, N. Achtziger, G. Pasold and W. Witthuhn | 573 |
| Theoretical Studies of Vanadium Impurity in β-SiC | |
| Y.M. Tairov, S.A. Reshanov, I.I. Parfenova, E.I. Yuryeva and A.L. Ivanovskii | 577 |

| | |
|--|-----|
| New and Improved Quantitative Characterization of SiC Using SIMS | 581 |
| L. Wang, D.B. Sams, A. Wang and B.S. Park | |
| Experiment and Theory of the Anharmonic Effect in C-H and C-D Vibrations of SiC | 585 |
| W.J. Choyke, R.P. Devaty, S. Bai, A. Gali, P. Deák and G. Pensl | |
| Spectra Associated with Stacking Faults in 4H-SiC Grown in a Hot-Wall CVD Reactor | 589 |
| S. Bai, G. Wagner, E. Shishkin, W.J. Choyke, R.P. Devaty, M. Zhang, P. Pirouz and T. Kimoto | |
| Characterization of Bulk and Epitaxial SiC Material Using Photoluminescence Spectroscopy | |
| A. Henry, A. Ellison, U. Forsberg, B. Magnusson, G.R. Pozina and E. Janzén | 593 |
| Characterization of SiC Epitaxial Wafers by Photoluminescence under Deep UV Excitation | 597 |
| M. Tajima, M. Tanaka and N. Hoshino | |
| UV Scanning Photoluminescence Spectroscopy Investigation of 6H- and 4H-SiC | 601 |
| L. Masarotto, J.M. Bluet and G. Guillot | |
| Mapping of the Luminescence Decay of Lightly-Doped n-4H-SiC at Room-Temperature | 605 |
| K. Schneider and R. Helbig | |
| Photoluminescence Investigation of Hydrogen Interaction with Defects in SiC | 609 |
| Y. Koshka and M.S. Mazzola | |
| Photoconductivity of Lightly-Doped and Semi-Insulating 4H-SiC and the Free Exciton Binding Energy | |
| I.G. Ivanov, J. Zhang, L. Storasta and E. Janzén | 613 |
| Characterization of 4H-SiC Band-Edge Absorption Properties by Free-Carrier Absorption Technique with a Variable Excitation Spectrum | |
| P. Grivickas, V. Grivickas, A. Galeckas and J. Linnros | 617 |
| Spatial Mapping of the Carrier Concentration and Mobility in SiC Wafers by Micro Fourier-Transform Infrared Spectroscopy | |
| H. Yaguchi, K. Narita, Y. Hijikata, S. Yoshida, S. Nakashima and N. Oyanagi | 621 |
| Experimental Determination of the Phonon-Eigenvectors of Silicon Carbide by Raman Spectroscopy | |
| B. Herzog, S. Rohmfeld, R. Püsche, M. Hundhausen, L. Ley, K. Semmelroth and G. Pensl | 625 |
| Sensitive Detection of Defects in α and β SiC by Raman Scattering | |
| S. Nakashima, Y. Nakatake, Y. Ishida, T. Takahashi and H. Okumura | 629 |
| Raman Microprobe Study of Carrier Density Profiles in Modulation-Doped 6H SiC | |
| S. Nakashima, Y. Nakatake, Y. Yano, H. Harima, N. Ohtani and M. Katsuno | 633 |
| A Raman Study of Metal-SiC Interface Reactions | |
| E. Kurimoto, H. Harima, T. Toda, M. Sawada, S. Nakashima and M. Iwami | 637 |
| Ultrafast Electron Relaxation Processes in SiC | |
| T. Tomita, S. Saito, T. Suemoto, H. Harima and S. Nakashima | 641 |
| Optical Characterization of Ion-Implanted 4H-SiC | |
| Z.C. Feng, F. Yan, W.Y. Chang, J.H. Zhao and J.Y. Lin | 647 |
| Breakdown Fields along Various Crystal Orientations in 4H-, 6H- and 3C-SiC | |
| S. Nakamura, H. Kumagai, T. Kimoto and H. Matsunami | 651 |
| Quantitative High-Resolution Two-Dimensional Profiling of SiC by Scanning Capacitance Microscopy | |
| V. Raineri, F. Giannazzo, L. Calcagno, P. Musumeci, F. Roccaforte and F. La Via | 655 |
| Scanning Capacitance Microscopy of SiC Multiple PN Junction Structure Grown by Cold-Wall Chemical Vapor Deposition | |
| J. Suda, S. Nakamura, M. Miura, T. Kimoto and H. Matsunami | 659 |
| Carrier Concentrations in Implanted and Epitaxial 4H-SiC by Scanning Spreading Resistance Microscopy | |
| J. Österman, S. Anand, M.K. Linnarsson and A. Hallén | 663 |
| Nanoscale Electrical Characterization of 3C-SiC Layers by Conductive Atomic Force Microscopy | |
| A. Yahata, L. Zhang and T. Shinohre | 667 |
| Point-Contact Current Voltage Technique for Depth Profiling of Dopants in Silicon Carbide | |
| Y. Fukuda, K. Nishikawa, M. Shimizu and H. Iwakuro | 671 |
| Optical and Electrical Characterization of Free-Standing 3C-SiC Films Grown on Undulant 6in Si Substrates | |
| T. Yamada and K.M. Itoh | 675 |

| | |
|--|-----|
| Influence of Excited States of Deep Acceptors on Hole Concentrations in SiC | 679 |
| H. Matsuura | |
| p-3C-SiC/n-6H-SiC Heterojunctions: Structural and Electrical Characterization | |
| A.A. Lebedev, A.M. Strel'chuk, D.V. Davydov, N.S. Savkina, A.S. Tregubova, A.N. Kuznetsov, V.A. Soloviev and N.K. Poletaev | 683 |
| Scanning Acoustic Microscopy in Porous SiC | |
| S.S. Ostapenko, M.C.D. Smith, I. Tarasov, J.T. Wolan, M.G. Mynbaeva, J. Goings, J.C.P. McKeon and S.E. Sadow | 687 |
| Atomic-Scale Passivation of Silicon Carbide Surfaces | |
| P. Soukiassian | 691 |
| Adsorption of Metastable Molecular Oxygen on SiC(0001)-$\sqrt{3} \times \sqrt{3}$ | |
| C. Virojanadara and L.I. Johansson | 697 |
| Oxidation States Present on SiC (0001) after Oxygen Exposure | |
| C. Virojanadara and L.I. Johansson | 701 |
| Adsorbate Effects of the Surface Structure of 6H-SiC(0001) $\sqrt{3} \times \sqrt{3}$-R30° | |
| T. Aoyama, Y. Hisada, S. Mukainakano and A. Ichimiya | 705 |
| In Situ Analysis of Thermal Oxidation on H-Terminated 4H-SiC Surfaces | |
| T. Jikimoto, H. Tsuchida, I. Kamata and K. Izumi | 709 |
| A High-Resolution Photoemission Study of Hydrogen-Terminated 6H-SiC Surfaces | |
| N. Sieber, T. Seyller, L. Ley, M. Polcik, D. James, J.D. Riley and R.C.G. Leckey | 713 |
| Wet-Chemical Preparation of Silicate Adlayer Reconstructed SiC(0001) Surfaces as Studied by PES and LEED | |
| N. Sieber, T. Seyller, R. Graupner, L. Ley, R.P. Mikalo, P. Hoffmann, D.R. Batchelor and D. Schmeisser | 717 |
| Photoemission Electron Imaging of Transition Metal (Ti, Ni) Surfaces on Si and SiC | |
| J. Labis, C. Kamezawa, M. Hirai, M. Kusaka and M. Iwami | 721 |
| In Situ RHEED Analysis of the Ge-Induced Surface Reconstructions on 6H-SiC(0001) | |
| P. Weih, T. Stauden and J. Pezoldt | 725 |
| Atomic-Step Observations on 6H- and 15R-SiC Polished Surfaces | |
| P. Vicente, E. Pernot, D. Chaussende and J. Camassel | 729 |
| Optimization of Interface and Interphase Systems: The Case of SiC and III-V Nitrides | |
| P.M. Masri, J. Pezoldt, M. Sumiya and M. Averous | 733 |
| Towards Quantum Structures in SiC | |
| F. Bechstedt, A. Fissel, U. Grossner, U. Kaiser, H. Weissker and W. Wesch | 737 |
| Modification of SiC Properties by Insertion of Ge and Si Nanocrystals - Description by ab initio Supercell Calculations | |
| H. Weissker, J. Furthmüller and F. Bechstedt | 743 |
| Growth and Characterization of Three-Dimensional SiC Nanostructures on Si | |
| V. Cimalla and K. Zekentes | 747 |
| Hole Resonant Tunneling through SiC/Si-dot/SiC Heterostructures | |
| Y. Ikoma, K. Uchiyama, F. Watanabe and T. Motooka | 751 |
| Development of a Multilayer SiC Surface Micromachining Process with Capabilities and Design Rules Comparable to Conventional Polysilicon Surface Micromachining | |
| X.Y. Song, S. Rajgopal, J.M. Melzak, C.A. Zorman and M. Mehregany | 755 |
| Influence of Deposition Parameters and Temperature on Stress and Strain of In Situ Doped PECVD Silicon Carbide | |
| H.T.M. Pham, C.R. de Boer, L. Pakula and P.M. Sarro | 759 |
| Thermoelectric Properties of 3C-SiC Produced by Silicon Carbonization | |
| M. Masuda, H. Mabuchi, H. Tsuda, T. Matsui and K. Morii | 763 |
| The Brittle-to-Ductile Transition in 4H-SiC | |
| M. Zhang, H. McD. Hobgood, J.L. Demenet and P. Pirouz | 767 |
| Annealing of Implanted Layers in (1-100) and (11-20) Oriented SiC | |
| M. Satoh | 773 |
| Range Distributions of Implanted Ions in Silicon Carbide | |
| M.S. Janson, M.K. Linnarsson, A. Hallén and B.G. Svensson | 779 |
| Phosphorus Ion Implantation into 4H-SiC (0001) and (11-20) | |
| Y. Negoro, N. Miyamoto, T. Kimoto and H. Matsunami | 783 |

| | |
|---|-----|
| Electrical Activation of Implanted Phosphorus Ions in (0001)/(11-20)-Oriented 4H-SiC | 787 |
| F. Schmid, M. Laube, G. Pensl, G. Wagner and M. Maier | |
| Codoping of 4H-SiC with N- and P-Donors by Ion Implantation | 791 |
| M. Laube, F. Schmid, G. Pensl and G. Wagner | |
| Improvements in Electrical Properties of n-Type-Implanted 4H-SiC Substrates Using High-Temperature Rapid Thermal Annealing | 795 |
| J. Senzaki, S. Harada, R. Kosugi, S. Suzuki, K. Fukuda and K. Arai | |
| Low-Temperature Activation of the Ion-Implanted Dopants in 4H-SiC by Excimer Laser Annealing | 799 |
| Y. Tanaka, H. Tanoue and K. Arai | |
| Electrical Characteristics of Al⁺ Ion-Implanted 4H-SiC | 803 |
| H. Tanaka, S. Tanimoto, M. Yamanaka and M. Hoshi | |
| Micro-Structural and Electrical Properties of Al-Implanted & Lamp-Annealed 4H-SiC | 807 |
| H. Nakamura, H. Watanabe, J. Yamazaki, N. Tanaka and R.K. Malhan | |
| Comparison between Chemical and Electrical Profiles in Al⁺ or N⁺ Implanted and Annealed 6H-SiC | 811 |
| R. Nipoti, A. Carnera and V. Rainieri | |
| Damage Evolution and Recovery in Al-Implanted 4H-SiC | 815 |
| Y.L. Zhang, W.J. Weber, W. Jiang, A. Hallén and G. Possnert | |
| Comparison of Al and Al/C Co-Implants in 4H-SiC Annealed with an AlN Cap | 819 |
| K.A. Jones, P.B. Shah, M.A. Derenge, M.H. Ervin, G.J. Gerardi, J.A. Freitas, G.C.B. Braga, R.D. Vispute, R.P. Sharma and O.W. Holland | |
| Influence of Implantation Temperature and Dose Rate on Secondary Defect Formation in 4H-SiC | 823 |
| T. Ohno and K. Amemiya | |
| A Comparative Study of High-Temperature Aluminum Post-Implantation Annealing in 6H- and 4H-SiC, Non-Uniform Temperature Effects | 827 |
| M. Lazar, C. Raynaud, D. Planson, M.L. Locatelli, K. Isoird, L. Ottaviani, J. Chante, R. Nipoti, A. Poggi and G.C. Cardinali | |
| Post-Implantation Annealing Effects on the Surface Morphology and Electrical Characteristics of 6H-SiC Implanted with Aluminum | 831 |
| A. Ohi, T. Ohshima, M. Yoshikawa, K.K. Lee, M. Iwami and H. Itoh | |
| Ion Implantation - Tool for Fabrication of Advanced 4H-SiC Devices | 835 |
| E.V. Kalinina, G. Kholuyanov, Y. Gol'dberg, T. Blank, G. Onushkin, A.M. Strel'chuk, G. Violina, V. Kossov, R. Yafaev, A. Hallén and A.O. Konstantinov | |
| Annealing Kinetics of Implantation-Induced Amorphous Layer in 6H-SiC (0001) | 839 |
| T. Nakamura, S. Matsumoto, T. Horibe and M. Satoh | |
| Direct Observation of the Solid-Phase Recrystallization of Self-Implanted Amorphous SiC Layer on (11-20), (1-100), and (0001) Oriented 6H-SiC | 843 |
| O. Eryu, D. Matsuo, K. Abe and K. Nakashima | |
| Ion-Implantation Induced Deep Levels in SiC Studied by Isothermal Capacitance Transient Spectroscopy (ICTS) | 847 |
| R. Ono, M. Fujimaki, J. Senzaki, S. Tanimoto, T. Shinohe, H. Okushi and K. Arai | |
| Distribution Profile of Deep Levels in SiC Observed by Isothermal Capacitance Transient Spectroscopy | 851 |
| M. Fujimaki, R. Ono, M. Kushibe, K. Masahara, K. Kojima, T. Shinohe, H. Okushi and K. Arai | |
| Enhanced Dopant Diffusion Effects in 4H Silicon Carbide | 855 |
| G.J. Phelps, N.G. Wright, E.G. Chester, C.M. Johnson, A.G. O'Neill, S. Ortolland, A.B. Horsfall, K. Vassilevski and R. Gwilliam | |
| Infrared Investigation of Implantation Damage in 6H-SiC | 859 |
| J. Camassel, H. Wang, J. Pernot, P. Godignon, N. Mestres and J. Pascual | |
| Suppression of Macrostep Formation in 4H-SiC Using a Cap Oxide Layer | 863 |
| W. Bahng, N.K. Kim, S.C. Kim, G.H. Song and E.D. Kim | |
| Masking Process for High-Energy and High-Temperature Ion Implantation | 867 |
| T. Ohyanagi, H. Onose, A. Watanabe, T. Someya, T. Ohno, K. Amemiya and Y. Kobayashi | |
| Laser Crystallization Mechanism of Amorphous SiC Thin Films | 871 |
| S. Urban, F. Falk, T. Gorelik and U. Kaiser | |

| | |
|--|-----|
| Experimental and Computer Simulation Studies of Defects and Ion-Solid Interactions in Silicon Carbide | |
| W.J. Weber, F. Gao, W. Jiang and R. Devanathan | 875 |
| Ohmic Contact Structure and Fabrication Process Applicable to Practical SiC Devices | |
| S. Tanimoto, N. Kiritani, M. Hoshi and H. Okushi | 879 |
| CoAl Ohmic Contact Materials with Improved Surface Morphology for p-Type 4H-SiC | |
| O. Nakatsuka, Y. Koide and M. Murakami | 885 |
| NiSi₂ Ohmic Contact to n-Type 4H-SiC | |
| T. Nakamura and M. Satoh | 889 |
| Electrical Characterization of Nickel Silicide Contacts on Silicon Carbide | |
| F. Roccaforte, F. La Via, V. Rainieri, P. Musumeci and L. Calcagno | 893 |
| Effects of Interfacial Reactions on Electrical Properties of Ni Ohmic Contacts on n-Type 4H-SiC | |
| S.Y. Han, N.K. Kim, E.D. Kim and J.L. Lee | 897 |
| Influence of Rapid Thermal Annealing on Ni/6H-SiC Contact Formation | |
| O.A. Agueev, A.M. Svetlichnyi and R.N. Razgonov | 901 |
| Effect of Rapid Thermal Annealing Conditions on Parameters of Ni/21R-SiC Contacts | |
| V.L. Litvinov, K.D. Demakov, O.A. Agueev, A.M. Svetlichnyi, R.V. Konakova, P.M. Lytvyn and V.V. Milenin | 905 |
| Effects of Surface Treatments of 6H-SiC upon Metal-SiC Interfaces | |
| K. Abe, M. Sumitomo, T. Sumi, O. Eryu and K. Nakashima | 909 |
| Titanium-Based Ohmic Contact on p-Type 4H-SiC | |
| K.H. Jung, N.I. Cho, J.H. Lee, S.J. Yang, C.K. Kim, B.T. Lee, K.H. Rim, N.K. Kim and E.D. Kim | 913 |
| Reliable Ohmic Contacts to LPE p-Type 4H-SiC for High-Power p-n Diode | |
| R. Kakanakov, L. Kassamakova, N. Hristeva, G. Lepoeva, N.I. Kuznetsov and K. Zekentes | 917 |
| Schottky Barriers for Pt on 6H- and 4H-SiC (0001), (000-1), (1-100) and (1-210) Faces Measured by I-V, C-V and Internal Photoemission | |
| O. Shigiltchoff, T. Kimoto, H. McD. Hobgood, P.G. Neudeck, L.M. Porter, R.P. Devaty and W.J. Choyke | 921 |
| Electrical Properties and Interface Reaction of Annealed Cu/4H-SiC Schottky Rectifiers | |
| T. Hatayama, K. Kawahito, H. Kijima, Y. Uraoka and T. Fuyuki | 925 |
| Effect of Temperature Treatment on Au/Pd Schottky Contacts to 4H-SiC | |
| L. Kassamakova, R. Kakanakov, R. Yakimova, A. Kakanakova-Georgieva, M. Syväjärvi, L. Wilzén and E. Janzén | 929 |
| Characteristics of Schottky Diodes on 6H-SiC Surfaces after Sacrificial Anodic Oxidation | |
| M. Kato, M. Ichimura and E. Arai | 933 |
| Reduction of the Barrier Height and Enhancement of Tunneling Current of Titanium Contacts Using Embedded Au Nano-Particles on 4H and 6H Silicon Carbide | |
| S.K. Lee, C. Zetterling, M. Östling, I. Fusegawa, M.H. Magnusson, K. Deppert, L.-. Wernersson, L. Samuelson and A. Litwin | 937 |
| Some Comparative Properties of Diffusion-Welded Contacts to 6H and 4H Silicon Carbide | |
| O. Korolkov and T. Rang | 941 |
| Electrical Properties of Graphite/p-Type Homoepitaxial Diamond Contact | |
| Y. Chen, M. Hasegawa, S. Yamanaka, H. Okushi and N. Kobayashi | 945 |
| Reactive Ion Etching Process of 4H-SiC Using the CHF₃/O₂ Mixtures and a Post-O₂ Plasma-Etching Process | |
| S.C. Kang and M.W. Shin | 949 |
| Electrical Properties of 4H-SiC Thin Films Reactively Ion-Etched in SF₆/O₂ Plasma | |
| B.S. Kim, J.K. Jeong, M.Y. Um, H.J. Na, I.B. Song and H.J. Kim | 953 |
| Photoelectrochemical Etching Process of 6H-SiC Wafers Using HF-Based Solution and H₂O₂ Solution as Electrolytes | |
| J.G. Song and M.W. Shin | 957 |
| Oxidation of Silicon Carbide: Problems and Solutions | |
| V.V. Afanas'ev, M. Bassler, G. Pensl and A. Stesmans | 961 |
| Passivation of the 4H-SiC/SiO₂ Interface with Nitric Oxide | |
| J.R. Williams, G.Y. Chung, C.C. Tin, K. McDonald, D. Farmer, R.K. Chanana, R.A. Weller, S.T. Pantelides, O.W. Holland, M.K. Das and L.C. Feldman | 967 |

| | |
|--|------|
| Passivation of the Oxide/4H-SiC Interface | 973 |
| P. Jamet, S. Dimitrijev and P. Tanner | |
| Effect of Process Variations on 4H Silicon Carbide n-Channel MOSFET Mobilities | 977 |
| C.Y. Lu, J.A. Cooper, G.Y. Chung, J.R. Williams, K. McDonald and L.C. Feldman | |
| High-Current, NO-Annealed Lateral 4H-SiC MOSFETs | 981 |
| M.K. Das, G.Y. Chung, J.R. Williams, N.S. Saks, L.A. Lipkin and J.W. Palmour | |
| N₂O Processing Improves the 4H-SiC:SiO₂ Interface | 985 |
| L.A. Lipkin, M.K. Das and J.W. Palmour | |
| Reduction of Interface Trap Density in 4H-SiC MOS by High-Temperature Oxidation | 989 |
| E. Okuno and S. Amano | |
| Improving 4H-SiC/SiO₂ Interface Properties by Depositing Ultra-Thin Si Nitride Layer Prior to Formation of SiO₂ and Annealing | 993 |
| X.W. Wang, H.M. Bu, B.L. Laube, C. Caragianis-Broadbridge and T.P. Ma | |
| Improvement of SiO₂/α-SiC Interface Properties by Nitrogen Radical Treatment | 997 |
| Y. Maeyama, H. Yano, T. Hatayama, Y. Uraoka, T. Fuyuki and T. Shirafuji | |
| New Evidence of Interfacial Oxide Traps in n-Type 4H- and 6H-SiC MOS Structures | 1001 |
| H.Ö. Ólafsson, E.Ö. Sveinbjörnsson, T.E. Rudenko, V.I. Kilchytska, I.P. Tyagulski and I.N. Osiyuk | |
| On Shallow Interface States in n-Type 4H-SiC Metal-Oxide-Semiconductor Structures | 1005 |
| H.Ö. Ólafsson, F. Allerstam and E.Ö. Sveinbjörnsson | |
| Effects of Successive Annealing of Oxides on Electrical Characteristics of Silicon Carbide Metal-Oxide-Semiconductor Structures | 1009 |
| M. Yoshikawa, M. Satoh, T. Ohshima and H. Itoh | |
| The Investigation of 4H-SiC/SiO₂ Interfaces by Optical and Electrical Measurements | 1013 |
| Y. Ishida, T. Takahashi, H. Okumura, T. Jikimoto, H. Tsuchida, M. Yoshikawa, Y. Tomioka, M. Midorikawa, Y. Hijikata and S. Yoshida | |
| Characteristics of Mobile Ions in the SiO₂ Films of SiC-MOS Structures | 1017 |
| S.J. Jang, H.J. Song, K.Y. Oh, K.H. Lee, Y.J. Lim and N.I. Cho | |
| Abnormal Hysteresis Property of SiC Oxide C-V Characteristics | 1021 |
| J.S. Choi, W.S. Lee, D.H. Shin, H.G. Lee, Y.S. Kim and K.H. Park | |
| ESR Characterization of SiC Bulk Crystals and SiO₂/SiC Interface | 1025 |
| J. Isoya, R. Kosugi, K. Fukuda and S. Yamasaki | |
| Characterization of the Interfaces between SiC and Oxide Films by Spectroscopic Ellipsometry | 1029 |
| Y. Tomioka, T. Iida, M. Midorikawa, H. Tukada, K. Yoshimoto, Y. Hijikata, H. Yaguchi, M. Yoshikawa, Y. Ishida, R. Kosugi and S. Yoshida | |
| X-Ray Photoelectron Spectroscopy Studies of Post-Oxidation Process Effects on Oxide/SiC Interfaces | 1033 |
| Y. Hijikata, H. Yaguchi, M. Yoshikawa and S. Yoshida | |
| SIMS Analyses of SiO₂/4H-SiC(0001) Interface | 1037 |
| K. Yamashita, M. Kitabatake, O. Kusumoto, K. Takahashi, M. Uchida, R. Miyanaga, H. Itoh and M. Yoshikawa | |
| Hall Measurements of Inversion and Accumulation-Mode 4H-SiC MOSFETs | 1041 |
| K. Chatty, S. Banerjee, T.P. Chow, R.J. Gutmann, E. Arnold and D. Alok | |
| Correlation between Inversion Channel Mobility and Interface Traps near the Conduction Band in SiC MOSFETs | 1045 |
| S. Suzuki, S. Harada, R. Kosugi, J. Senzaki and K. Fukuda | |
| Influence of the Wet Re-Oxidation Procedure on Inversion Mobility of 4H-SiC MOSFETs | 1049 |
| R. Kosugi, M. Okamoto, S. Suzuki, J. Senzaki, S. Harada, K. Fukuda and K. Arai | |
| Influence of the Crystalline Quality of Epitaxial Layers on Inversion Channel Mobility in 4H-SiC MOSFETs | 1053 |
| K. Kojima, T. Ohno, S. Suzuki, J. Senzaki, S. Harada, K. Fukuda, M. Kushibe, K. Masahara, Y. Ishida, S. Yoshida, T. Takahashi, T. Suzuki, T. Tanaka and K. Arai | |
| A Large Reduction in Interface-State Density for MOS Capacitor on 4H-SiC (11-2 0) Face Using H₂ and H₂O Vapor Atmosphere Post-Oxidation Annealing | 1057 |
| K. Fukuda, J. Senzaki, M. Kushibe, K. Kojima, R. Kosugi, S. Suzuki, S. Harada, T. Suzuki, T. Tanaka and K. Arai | |

| | |
|---|------|
| Significant Improvement of Inversion Channel Mobility in 4H-SiC MOSFET on (11-20) Face Using Hydrogen Post-Oxidation Annealing | 1061 |
| J. Senzaki, K. Fukuda, K. Kojima, S. Harada, R. Kosugi, S. Suzuki, T. Suzuki and K. Arai | |
| 4H-SiC MOSFETs on (03-38) Face | 1065 |
| T. Hirao, H. Yano, T. Kimoto, H. Matsunami and H. Shiomi | |
| Improved Channel Mobility in Normally-Off 4H-SiC MOSFETs with Buried Channel Structure | 1069 |
| S. Harada, S. Suzuki, J. Senzaki, R. Kosugi, K. Adachi, K. Fukuda and K. Arai | |
| 4H-SiC ACCUFET with a Two-Layer Stacked Gate Oxide | 1073 |
| S. Kaneko, H. Tanaka, Y. Shimoida, N. Kiritani, S. Tanimoto, M. Yamanaka and M. Hoshi | |
| 4H-SiC Delta-Doped Accumulation-Channel MOS FET | 1077 |
| T. Yokogawa, K. Takahashi, O. Kusumoto, M. Uchida, K. Yamashita and M. Kitabatake | |
| Channel Engineering of Buried-Channel 4H-SiC MOSFET Based on the Mobility Model of the Oxide/4H-SiC Interface | 1081 |
| T. Hatakeyama, S. Harada, S. Suzuki, J. Senzaki, R. Kosugi, K. Fukuda, T. Shinohe and K. Arai | |
| TCAD Optimisation of 4H-SiC Channel-Doped MOSFET with P-Polysilicon Gate | 1085 |
| K. Adachi, C.M. Johnson, K. Arai, K. Fukuda, S. Harada and T. Shinohe | |
| Hysteresis in Transfer Characteristics in 4H-SiC Depletion/Accumulation-Mode MOSFETs | 1089 |
| K. Chatty, S. Banerjee, T.P. Chow and R.J. Gutmann | |
| Gamma-Ray Irradiation Effects on the Electrical Characteristics of 6H-SiC MOSFETs with Annealed Gate-Oxide | 1093 |
| T. Ohshima, K.K. Lee, A. Ohi, M. Yoshikawa and H. Itoh | |
| Radiation Response of p-Channel 6H-SiC MOSFETs Fabricated Using Pyrogenic Conditions | 1097 |
| K.K. Lee, T. Ohshima and H. Itoh | |
| Surface Morphology and Chemistry of 4H- and 6H-SiC after Cyclic Oxidation | 1101 |
| R.S. Okojie, D. Lukco, L. Keys, S.P. Tumakha and L.J. Brillson | |
| Plasma Oxidation of SiC at Low Temperatures (below 300°C) | 1105 |
| M. Satoh, H. Shimada, T. Nakamura, N. Nagamoto and S. Yanagihara | |
| Low-Temperature Thermal Oxidation of Ion-Amorphized 6H-SiC | 1109 |
| R. Nipoti, A. Parisini and A. Poggi | |
| Oxidation of Porous 4H-SiC Substrates | 1113 |
| S.I. Soloviev, T. Das and T.S. Sudarshan | |
| Advances in SiC Materials and Technology for Schottky Diode Applications | 1119 |
| L. Di Cioccio and T. Billon | |
| Comparison of 4H-SiC pn, Pinch and Schottky Diodes for the 3 kV Range | 1125 |
| D. Peters, P. Friedrichs, R. Schörner and D. Stephani | |
| A JBS Diode with Controlled Forward Temperature Coefficient and Surge Current Capability | 1129 |
| F. Dahlquist, H. Lendenmann and M. Östling | |
| Impact of Material Defects on SiC Schottky Barrier Diodes | 1133 |
| D.T. Morisette and J.A. Cooper | |
| A Comparative Study of the Electrical Properties of 4H-SiC Epilayers with Continuous and Dissociated Micropipes | 1137 |
| I. Kamata, H. Tsuchida, T. Jikimoto and K. Izumi | |
| Analysis of High Leakage Currents in 4H-SiC Schottky Barrier Diodes Using Optical Beam-Induced Current Measurements | 1141 |
| T. Tsuji, S. Izumi, A. Ueda, H. Fujisawa, K. Ueno, H. Tsuchida, I. Kamata, T. Jikimoto and K. Izumi | |
| 4H-SiC Schottky Diodes with High On/Off Current Ratio | 1145 |
| K. Vassilevski, A.B. Horsfall, C.M. Johnson, N.G. Wright and A.G. O'Neill | |
| Optimisation of Implanted Guard-Ring Terminations in 4H-SiC Schottky Diodes | 1149 |
| A.B. Horsfall, K. Vassilevski, C.M. Johnson, N.G. Wright, A.G. O'Neill and R. Gwilliam | |
| Performance of 4H-SiC Schottky Diodes with Al-Doped p-Guard-Ring Junction Termination at Reverse Bias | 1153 |
| H.P. Felsl and G. Wachutka | |
| High-Voltage Pulse Instabilities in SiC Schottky Diodes with Implanted Resistive Edge Terminations | 1157 |
| D.T. Morisette and J.A. Cooper | |

| | |
|--|------|
| Development of 600 V/ 8 A SiC Schottky Diodes with Epitaxial Edge Termination F. Templier, P. Ferret, L. Di Cioccio, E. Collard, A. Lhorte and T. Billon | 1161 |
| Minimization of Electric Field Enhancement at Electrode Edge by Surface High Resistive Layer in Ti/4H-SiC Schottky Barrier Diode K. Ohtsuka, H. Sugimoto, S.I. Kinouchi, Y. Tarui, M. Imaizumi, T. Takami and T. Ozeki | 1165 |
| Reverse Characteristics of a 4H-SiC Schottky Barrier Diode T. Hatakeyama and T. Shinohe | 1169 |
| Power Schottky and p-n Diodes on SiC Epi-Wafers with Reduced Micropipe Density A. Syrkin, V. Dmitriev, R. Yakimova, A. Henry and E. Janzén | 1173 |
| 4H-SiC MPS Diode Fabrication and Characterization in an Inductively Loaded Half-Bridge Inverter up to 100 kW P. Alexandrov, B. Wright, M. Pan, M. Weiner, L. Fursin and J.H. Zhao | 1177 |
| Performance of SiC Bipolar (PiN) and Unipolar (SBD) Power Rectifiers in Current-Voltage-Frequency Parameter Space D.T. Morisette and J.A. Cooper | 1181 |
| Application-Oriented Unipolar Switching SiC Devices P. Friedrichs, H. Mitlehner, R. Schörner, K.O. Dohnke, R. Elpelt and D. Stephani | 1185 |
| High-Performance UMOSFETs in 4H-SiC Y. Li, J.A. Cooper and M.A. Capano | 1191 |
| Large-Area (3.3 mm x 3.3 mm) Power MOSFETs in 4H-SiC S.H. Ryu, A.K. Agarwal, J. Richmond, M.K. Das, L.A. Lipkin, J.W. Palmour, N.S. Saks and J.R. Williams | 1195 |
| 5.0 kV 4H-SiC SEMOSFET with Low RonS of 88 m Ω cm² Y. Sugawara, K. Asano, D. Takayama, S.H. Ryu, R. Singh, J.W. Palmour and T. Hayashi | 1199 |
| Fabrication and Initial Characterization of 4H-SiC Epilayer Channel MOSFETs M. Imaizumi, Y. Tarui, H. Sugimoto, K. Ohtsuka, T. Takami and T. Ozeki | 1203 |
| Optimized P-Well Profile Preventing Punch-Through for 4H-SiC Power MOSFETs Y. Shimoida, S. Kaneko, H. Tanaka and M. Hoshi | 1207 |
| SiC Vertical DACFET (Vertical Delta-Doped Accumulation Channel MOSFET) O. Kusumoto, T. Yokogawa, K. Yamashita, K. Takahashi, M. Kitabatake, M. Uchida and R. Miyanaga | 1211 |
| 4H- and 6H-SiC MOSFETs Fabricated on Sloped Sidewalls Formed by Molten KOH Etching Q. Wahab, H. Kosugi, H. Yano, C. Hallin, T. Kimoto and H. Matsunami | 1215 |
| A 600 V SiC Trench JFET R.N. Gupta, H.R. Chang, E. Hanna and C. Bui | 1219 |
| A Novel High-Voltage Normally-Off 4H-SiC Vertical JFET J.H. Zhao, L.X. Li, K. Tone, P. Alexandrov, M. Pan and M. Weiner | 1223 |
| 2 kV 4H-SiC Junction FETs H. Onose, A. Watanabe, T. Someya and Y. Kobayashi | 1227 |
| Design and Processing of High-Voltage 4H-SiC Trench Junction Field-Effect Transistor L. Zhu and T.P. Chow | 1231 |
| Influence of Trenching Effect on the Characteristics of Buried-Gate SiC Junction Field-Effect Transistors S. Koo, S.K. Lee, C. Zetterling, M. Östling, U. Forsberg and E. Janzén | 1235 |
| Static and Dynamic Behaviour of SiC JFET/Si MOSFET Cascade Configuration for High-Performance Power Switches A. Mihaila, F. Udrea, R. Azar, G. Brezeanu and G. Amarantunga | 1239 |
| Simulation Study of a Novel Current-Limiting Device: A Vertical α-SiC JFET - Controlled Current Limiter D. Tournier, P. Godignon, D. Planson, J. Chante and F. Sarrus | 1243 |
| Realization of a High-Current and Low R_{ON} 600V Current-Limiting Device F. Nallet, P. Godignon, D. Planson, C. Raynaud and J. Chante | 1247 |
| Super-Junction Device Forward Characteristics and Switched Power Limitations K. Adachi, C.M. Johnson, H. Ohashi, T. Shinohe, K. Kinoshita and K. Arai | 1251 |
| Silicon/Oxide/Silicon Carbide (SiOSiC) - A New Approach to High-Voltage, High-Frequency Integrated Circuits F. Udrea, A. Mihaila and R. Azar | 1255 |

| | |
|--|------|
| High-Power SiC Diodes: Characteristics, Reliability and Relation to Material Defects | 1259 |
| H. Lendenmann, F. Dahlquist, P. Bergman, H. Bleichner and C. Hallin | |
| High-Temperature Performance of 10 Kilovolts, 200 Amperes (Pulsed) 4H-SiC PiN Rectifiers | 1265 |
| R. Singh, K.G. Irvine, J. Richmond and J.W. Palmour | |
| Study of SiC PiN Diodes Subjected to High Current Density Pulses | 1269 |
| L.M. Hillkirk and M. Bakowski | |
| High-Voltage SiC pn Diodes with Avalanche Breakdown Fabricated by Aluminum or Boron Ion Implantation | 1273 |
| Y. Negoro, N. Miyamoto, T. Kimoto and H. Matsunami | |
| Measurement and Device Simulation of Avalanche Breakdown in High-Voltage 4H-SiC Diodes Including the Influence of Macroscopic Defects | 1277 |
| M. Domeij, H. Brünahl and M. Östling | |
| Microstructural Characterization of Recombination-Induced Stacking Faults in High-Voltage SiC Diodes | 1281 |
| J.Q. Liu, M. Skowronski, C. Hallin, R. Söderholm and H. Lendenmann | |
| Electrical Characterization of High-Voltage 4H-SiC Diodes on High-Temperature CVD-Grown Epitaxial Layers | 1285 |
| U. Zimmermann, J. Österman, J. Zhang, A. Henry and A. Hallén | |
| Study of 4H-SiC High-Voltage Bipolar Diodes under Reverse Bias Using Electrical and OBIC Characterization | 1289 |
| K. Isoird, M. Lazar, M.L. Locatelli, C. Raynaud, D. Planson and J. Chante | |
| Photon Emission Analysis of Defect-Free 4H-SiC pn Diodes in Avalanche Regime | 1293 |
| C. Banc, E. Bano, T. Ouisse, K. Vassilevski and K. Zekentes | |
| Electroluminescence Analysis of Al⁺ and B⁺ Implanted pn Diodes | 1297 |
| H. Fujisawa, T. Tsuji, S. Izumi, K. Ueno, I. Kamata, T. Tsuchida, T. Jikimoto and K. Izumi | |
| An Effective High-Voltage Termination for SiC Planar pn Junctions for Use in High-Voltage Devices and UV Detectors | 1301 |
| G. Brezeanu, M. Badila, P. Godignon, J. Millan, F. Udrea, A. Mihaila and G. Amarantunga | |
| A Novel Technology for the Formation of a Very Small Bevel Angle for Edge Termination | 1305 |
| F. Yan, C. Qin, J.H. Zhao and M. Weiner | |
| The Deep Boron Level in High-Voltage PiN Diodes | 1309 |
| W. Stadler, A. Hallén, J. Österman, U. Zimmermann and B.G. Svensson | |
| Electrical Characteristics of 4H-SiC pn Diode Grown by LPE Method | 1313 |
| N.I. Kuznetsov, D. Bauman, A. Gavrilin and E.V. Kalinina | |
| Highly-Doped Implanted pn Junction for SiC Zener Diode Fabrication | 1317 |
| P. Godignon, X. Jordá, R. Nipoti, G.C. Cardinali and N. Mestres | |
| Unipolar and Bipolar SiC Integral Cascoded Switches with MOS and Junction Gate - Simulation Study | 1321 |
| M. Bakowski and U. Gustafsson | |
| All-SiC Inductively-Loaded Half-Bridge Inverter Characterization of 4H-SiC Power BJTs up to 400V/22 A | 1325 |
| Y.B. Luo, L. Fursin, J.H. Zhao, P. Alexandrov, B. Wright and M. Weiner | |
| Improvement and Analysis of Implanted-Emitter Bipolar Junction Transistors in 4H-SiC | 1329 |
| Y. Tang, J.B. Fedison and T.P. Chow | |
| On the Temperature Coefficient of 4H-SiC npn Transistor Current Gain | 1333 |
| L.X. Li, Y.B. Luo, J.H. Zhao, P. Alexandrov, M. Pan and M. Weiner | |
| Investigation of Thermal Properties in Fabricated 4H-SiC High-Power Bipolar Transistors | 1337 |
| E. Danielsson, C. Zetterling, M. Östling, U. Forsberg and E. Janzén | |
| Hybrid MOS-Gated Bipolar Transistor Using 4H-SiC BJT | 1341 |
| Y. Tang, T.P. Chow, A.K. Agarwal, S.H. Ryu and J.W. Palmour | |
| A Novel, Planar 3,000 V Normally-Off Field Gated Bipolar Transistor in 4H-SiC | 1345 |
| L.X. Li, L. Fursin, J.H. Zhao, P. Alexandrov, M. Pan, M. Weiner, T. Burke and G. Khalil | |
| Dynamic Performance of 3.1 kV 4H-SiC Asymmetrical GTO Thyristors | 1349 |
| A.K. Agarwal, P.A. Ivanov, M.E. Levenshtein, J.W. Palmour and S.L. Rumyantsev | |
| 4H-SiC IMPATT Diode Fabrication and Testing | 1353 |
| K. Vassilevski, A.V. Zorenko, K. Zekentes, K. Tsagaraki, E. Bano, C. Banc and A.A. Lebedev | |

| | |
|--|------|
| Demonstration of IMPATT Diode Oscillators in 4H-SiC | 1359 |
| L. Yuan, J.A. Cooper, K.J. Webb and M.R. Melloch | |
| Influence of Semi-Insulating Substrate Purity on the Output Characteristics of 4H-SiC MESFETs | 1363 |
| N. Sghaier, J.M. Bluet, A. Souifi, G. Guillot, E. Morvan and C. Brylinski | |
| Development and Demonstration of High-Power X-Band SiC MESFETs | 1367 |
| H.R. Chang, E. Hanna, J. Hacker, R. Hackett and C. Bui | |
| Hot-Carrier Luminescence in 4H-SiC MESFETs | 1371 |
| C. Banc, E. Bano, T. Ouisse, O. Noblanc and C. Brylinski | |
| High-Performance Silicon Carbide MESFET Utilizing Lateral Epitaxy | 1375 |
| A.O. Konstantinov, C.I. Harris and P. Ericsson | |
| Influence of Gate Finger Width on RF Characteristics of 4H-SiC MESFET | 1379 |
| M. Arai, H. Honda, M. Ogata, H. Sawazaki and S. Ono | |
| Fabrication of 4H-SiC Planar MESFETs Having Low Contact Resistance | 1383 |
| H.J. Na, H.J. Kim, K. Adachi, N. Kiritani, S. Tanimoto, H. Okushi and K. Arai | |
| Surface Control of 4H-SiC MESFETs | 1387 |
| K.P. Hilton, M.J. Uren, D.G. Hayes, H.K. Johnson and P.J. Wilding | |
| Characteristics of MESFETs Made by Ion-Implantation in Bulk Semi-Insulating 4H-SiC | 1391 |
| S. Mitra, J.B. Tucker, M.V. Rao, N. Papanicolaou and K.A. Jones | |
| Evaluation of SiC MESFET Structures Using Large-Signal Time-Domain Simulations | 1395 |
| R. Jonsson, J. Eriksson, Q. Wahab, S. Rudner, N. Rorsman, H. Zirath and C. Svensson | |
| 4H-SiC MESFET Large-Signal Modeling Using Modified Materka Model | 1399 |
| S.W. Lee, N.J. Song, J. Burn and C. An | |
| Compatibility of VJFET Technology with MESFET Fabrication and Its Interest for System Integration: Fabrication of 6H and 4H-SiC 110 V Lateral MESFET | 1403 |
| D. Tournier, P. Godignon, J. Montserrat, D. Planson, J. Chante and F. Sarrus | |
| The Development of Ultra-High Frequency Power 6H-SiC Vertical Static Induction Transistor with p-n Junction as a Gate | 1407 |
| V.I. Sankin, P.P. Shkrebyi, A.N. Kuznetsov and N.S. Savkina | |
| Silicon Carbide Microwave Limiters | 1411 |
| A. Syrkin, V. Dmitriev and A. Lapidus | |
| MISiCFET Chemical Gas Sensors for High Temperature and Corrosive Environment Applications | 1415 |
| A. Lloyd Spetz, L. Unéus, H. Svenningstorp, H. Wingbrant, C.I. Harris, P. Salomonsson, P. Tengström, P. Mårtensson, P. Ljung, M. Mattsson, J.H. Visser, S.G. Ejakov, D. Kubinski, L. Ekedahl, I. Lundström and S. Savage | |
| The Effect of Hydrogen Diffusion in p- and n-Type SiC Schottky Diodes at High Temperatures | 1419 |
| L. Unéus, S. Nakagomi, M.K. Linnarsson, M.S. Janson, B.G. Svensson, R. Yakimova, M. Syväjärvi, A. Henry, E. Janzén, L. Ekedahl, I. Lundström and A. Lloyd Spetz | |
| Influence of Epitaxial Layer on SiC Schottky Diode Gas Sensors Operated under High-Temperature Conditions | 1423 |
| S. Nakagomi, H. Shinobu, L. Unéus, I. Lundström, L. Ekedahl, R. Yakimova, M. Syväjärvi, A. Henry, E. Janzén and A. Lloyd Spetz | |
| A New Type of SiC Gas Sensor with a pn-Junction Structure | 1427 |
| K. Nakashima, Y. Okuyama, S. Ando, O. Eryu, K. Abe, H. Yokoi and T. Oshima | |
| Demonstration of 4H-SiC Avalanche Photodiode Linear Array | 1431 |
| F. Yan, C. Qin, J.H. Zhao, M. Bush and G.H. Olsen | |
| 4H-SiC Material for Hall Effect and High-Temperature Sensors Working in Harsh Environments | 1435 |
| J. Robert, S. Contreras, J. Camassel, J. Pernot, S. Juillaguet, L. Di Cioccio and T. Billon | |
| N and p Type 6H-SiC Films for the Creation Diode and Triode Structure of Nuclear Particle Detectors | 1439 |
| A.M. Ivanov, N.B. Strokan, A.A. Lebedev, D.V. Davydov, N.S. Savkina and E.V. Bogdanova | |
| Sublimation Growth of Bulk AlN Crystals: Materials Compatibility and Crystal Quality | 1445 |
| B.M. Epelbaum, D. Hofmann, M. Bickermann and A. Winnacker | |
| Crystal Growth of Aluminum Nitride by Sublimation Close Space Technique | 1449 |
| T. Furusho, S. Ohshima and S. Nishino | |

| | |
|--|------|
| Aluminium Nitride Bulk Crystals by Sublimation Method: Growth and X-Ray Characterization | 1453 |
| S.I. Dorozhkin, A.O. Lebedev, A.Y. Maximov and Y.M. Tairov | |
| Heteroepitaxial Growth of Insulating AlN on 6H-SiC by MBE | 1457 |
| N. Onojima, J. Suda and H. Matsunami | |
| RHEED Studies of In Effect on the N-Polarity GaN Surface Kinetics Modulation in Plasma-Assisted Molecular-Beam Epitaxy | 1461 |
| X. Shen, T. Ide, M. Shimizu and H. Okumura | |
| Surface Morphology of GaN Epilayer with Si_xN_{1-x} Buffer Layer Grown by Ammonia-source MBE | 1465 |
| M. Shimizu, H. Ohkita, A. Suzuki and H. Okumura | |
| Growth of AlN Films by Hot-Wall CVD and Sublimation Techniques: Effect of Growth Cell Pressure | 1469 |
| A. Kakanakova-Georgieva, U. Forsberg, B. Magnusson, R. Yakimova and E. Janzén | |
| GaN Grown by Hydride - Metal Organic Vapor Phase Epitaxy (H-MOVPE) on Lattice-Matched Oxide and Silicon Substrates | 1473 |
| M.A. Mastro, O. Kryliouk, T. Dann, T.J. Anderson, A.E. Nikolaev, Y.V. Melnik and V. Dmitriev | |
| Growth and Characterization of GaGdN and AlGdN on SiC by RF-MBE | 1477 |
| N. Teraguchi, A. Suzuki and Y. Nanishi | |
| Growth of Epitaxial (SiC)_x(AlN)_{1-x} Thin Films on 6H-SiC by Ion-Assisted Dual Magnetron Sputter Deposition | 1481 |
| S. Tungasmita, P.O.Å. Persson, T. Seppänen, L. Hultman and J. Birch | |
| Silicon Carbide Buffer Layers for Nitride Growth on Si | 1485 |
| P.M. Masri, Z.G. Herro, T. Stauden, J. Pezoldt, M. Sumiya and M. Averous | |
| Crystallographic Growth Models of Wurtzite-Type Thin Films on 6H-SiC | 1489 |
| H. Ohsato, K. Wada, T. Kato, C.J. Sun and M. Razeghi | |
| Photoluminescence and Electroluminescence Characterization of In_xGa_{1-x}N/In_yGa_{1-y}N Multiple Quantum Well Light Emitting Diodes | 1493 |
| P. Bergman, G.R. Pozina, B. Monemar, S. Kamiyama, M. Iwaya, H. Amano and I. Akasaki | |
| Photoreflectance Characterization of GaNAs/GaAs Multiple Quantum Well Structures | 1497 |
| C. Lu, J.R. Lee, Y. Chen, W.I. Lee and S. Lee | |
| Raman Scattering from Wurtzite GaN Bulk Crystal | 1501 |
| P. Verma and A. Yamada | |
| Recent Progress of AlGaN/GaN Heterojunction FETs for Microwave Power Applications | 1505 |
| H. Miyamoto | |
| High Performance AlGaN/GaN HEMTs with Recessed Gate | 1511 |
| Y. Sano, J. Mita, T. Yamada, T. Makita, K. Kaifu, H. Ishikawa, T. Egawa and T. Jimbo | |
| Broadband Push-Pull Microwave Power Amplifier Using AlGaN/GaN HEMTs on SiC | 1515 |
| J.W. Lee and K.J. Webb | |
| Temperature Dependence of DC Characteristics in AlN/GaN Metal Insulator Semiconductor Field Effect Transistor | 1519 |
| T. Ide, M. Shimizu, A. Suzuki, X. Shen, H. Okumura and T. Nemoto | |
| Thermal Analysis of GaN-Based HFET Devices Using the Unit Thermal Profile Approach | 1523 |
| J. Park, C.C. Lee, J.W. Kim, J.S. Lee, W.S. Lee, J. Shin and M.W. Shin | |
| AlGaN/GaN Hetero-Field-Effect Transistor for a Large Current Operation | 1527 |
| S. Yoshida, H. Ishii and J. Li | |
| Gallium Nitride Power Device Design Tradeoffs | 1531 |
| K. Matocha, T.P. Chow and R.J. Gutmann | |
| Gallium Nitride Metal-Insulator-Semiconductor Capacitors Using Low-Pressure Chemical Vapor Deposited Oxides | 1535 |
| K. Matocha, T.P. Chow and R.J. Gutmann | |