

Table of Contents

Sponsors

Committees

Preface

Chapter 1: SiC Bulk Growth

1.1 Bulk Growth of 4H-SiC

High Quality 100mm 4H-SiC Substrates with Low Resistivity

T.L. Straubinger, E. Schmitt, S. Storm, M. Vogel, A.D. Weber and A. Wohlfart 3

Growth and Characterization of Large-Diameter 4H-SiC Crystals with High Crystal Quality

M. Nakabayashi, T. Fujimoto, M. Katsuno, H. Tsuge, T. Aigo, S. Satoh, H. Yashiro, T. Hoshino, H. Hirano and W. Ohashi 9

High-Speed Growth of High-Quality 4H-SiC Bulk by Solution Growth Using Si-Cr Based Melt

K. Danno, H. Saitoh, A. Seki, H. Daikoku, Y. Fujiwara, T. Ishii, H. Sakamoto and Y. Kawai 13

Growth of 4H-SiC Crystals on the 8° Off-Axis 6H-SiC Seed by PVT Method

E. Tymicki, K. Graszka, K. Racka, M. Raczekiewicz, T. Łukasiewicz, M. Gała, K. Kościewicz, R. Diduszko and R. Bożek 17

Characterization of Vanadium Doped 4H- and 6H-SiC Grown by PVT Method Using the Open Seed Backside

K. Racka, E. Tymicki, K. Graszka, M. Raczekiewicz, R. Jakiela, M. Kozubal, E. Jurkiewicz-Wegner, A. Brzozowski, R. Diduszko, M. Piersa, K. Kościewicz, M. Pawłowski and J. Krupka 21

1.2 Bulk Growth of 6H-, 2H- and 3C-SiC

Status of 3" 6H SiC Bulk Crystal Growth

Y. Makarov, D.P. Litvin, A.V. Vasiliev, A.S. Segal, S.S. Nagalyuk, H. Helava, M.I. Voronova and K.D. Scherbachov 25

Observation of Lattice Plane Bending during SiC PVT Bulk Growth Using *In Situ* High Energy X-Ray Diffraction

R. Hock, K. Konias, L. Perdicaro, A. Magerl, P. Hens and P.J. Wellmann 29

Solution Growth and Crystallinity Characterization of Bulk 6H-SiC

N. Yashiro, K. Kusunoki, K. Kamei and A. Yauchi 33

Non-Polar SiC Crystal Growth with *m*-Plane(1-100) and *a*-Plane(11-20) by PVT Method

I.G. Yeo, T.W. Lee, W.J. Lee, B.C. Shin, I.S. Kim, J.W. Choi, K.R. Ku, Y.H. Kim and S. Nishino 37

Purifying Mechanism in the Acheson Process - A Thermodynamic Study

L.Y. Zhou and R. Telle 41

Growth of Single-Phase 2H-SiC Layers by Vapor-Liquid-Solid Process

M. Imade, S. Takeuchi, M. Uemura, M. Yoshimura, Y. Kitaoka, T. Sasaki, Y. Mori, S. Itoh, H. Okuda and M. Yamazaki 45

Overview of 3C-SiC Crystalline Growth

G. Ferro 49

Study of the Spontaneous Nucleation of 3C-SiC Single Crystals Using CF-PVT Technique

I.G. Galben-Sandulache, G.L. Sun, J.M. Dedulle, T. Ouisse, R. Madar, M. Pons and D. Chaussende 55

Heavily p-Type Doping of Bulk 6H-SiC and 3C-SiC Grown from Al-Si Melts

F. Mercier, I.G. Galben-Sandulache, M. Marinova, G. Zoulis, T. Ouisse, E.K. Polychroniadis and D. Chaussende 59

Improvements of the Continuous Feed-Physical Vapor Transport Technique (CF-PVT) for the Seeded Growth of 3C-SiC Crystals

G.L. Sun, I.G. Galben-Sandulache, T. Ouisse, J.M. Dedulle, M. Pons, R. Madar and D. Chaussende 63

Is the Liquid Phase a Viable Approach for Bulk Growth of 3C-SiC?	
F. Mercier, O. Kim-Hak, J. Lorenzzi, J.M. Dedulle, G. Ferro and D. Chaussende	67
The Effect of Phenol Resin Types and Mixing Ratios on the Synthesis of High-Purity β-SiC Powder by the Sol-Gel Method	
Y.K. Byeun, R. Telle, K.S. Han and S.W. Park	71

Chapter 2: SiC Epitaxial Growth

2.1 Homoepitaxial Growth

Low-Pressure Fast Growth and Characterization of 4H-SiC Epilayers	
H. Tsuchida, M. Ito, I. Kamata, M. Nagano, T. Miyazawa and N. Hoshino	77
Growth and Properties of SiC On-Axis Homoepitaxial Layers	
J. ul Hassan, P. Bergman, J. Palisaitis, A. Henry, P.J. McNally, S. Anderson and E. Janzén	83
High-Performance Multi-Wafer SiC Epitaxy – First Results of Using a 10x100mm Reactor	
C. Hecht, R.A. Stein, B. Thomas, L. Wehrhahn-Kilian, J. Rosberg, H. Kitahata and F. Wischmeyer	89
Concentrated Chloride-Based Epitaxial Growth of 4H-SiC	
A. Henry, S. Leone, S. Andersson, O. Kordina and E. Janzén	95
4H-SiC Homoepitaxial Growth on Vicinal-Off Angled Si-Face Substrate	
K. Kojima, S. Ito, J. Senzaki and H. Okumura	99
Epitaxial Growth of 4H-SiC with High Growth Rate Using CH₃Cl and SiCl₄ Chlorinated Growth Precursors	
S.P. Kotamraju, B. Krishnan and Y. Koshka	103
Chloride-Based CVD at High Growth Rates on 3" Vicinal Off-Angles SiC Wafers	
S. Leone, A. Henry, O. Kordina and E. Janzén	107
Use of SiCl₄ as Silicon Precursor for Low-Temperature Halo-Carbon Epitaxial Growth of 4H-SiC	
S.P. Kotamraju, B. Krishnan, G. Melnychuk and Y. Koshka	111
Short-Length Step Morphology on 4° Off Si-Face Epitaxial Surface Grown on 4H-SiC Substrate	
K. Momose, M. Odawara, Y. Tajima, H. Koizumi, D. Muto and T. Sato	115
Improvement of Surface Roughness for 4H-SiC Epilayers Grown on 4° Off-Axis Substrates	
T. Aigo, H. Tsuge, H. Yashiro, T. Fujimoto, M. Katsuno, M. Nakabayashi, T. Hoshino and W. Ohashi	119
Doping Concentration and Surface Morphology of 4H-SiC C-Face Epitaxial Growth	
K.Y. Lee, S.Y. Lee and C.F. Huang	123
Investigation of 3C-SiC(111) Homoepitaxial Growth by CVD at High Temperature	
N. Jegenyes, J. Lorenzzi, V. Soulière, J. Dazord, F. Cauwet and G. Ferro	127

2.2 Heteroepitaxial and Heteropolytypic Growth

The Deposition of 3C-SiC Thin Films onto the (111) and (110) Faces of Si Using Pulsed Sputtering of a Hollow Cathode	
J. Huguenin-Love, N.T. Lauer, R.J. Soukup, N.J. Ianno, Š. Kment and Z. Hubička	131
3C-SiC Heteroepitaxial Growth on Inverted Silicon Pyramids (ISP)	
G. D'Arrigo, A. Severino, G. Milazzo, C. Bongiorno, N. Piluso, G. Abbondanza, M. Mauceri, G. Condorelli and F. La Via	135
SiC Epitaxial Growth on Si(100) Substrates Using Carbon Tetrabromide	
G. Attolini, M. Bosi, F. Rossi, B.E. Watts, G. Salvati, G. Battistig, L. Dobos and B. Pécz	139
Growth Rate Effect on 3C-SiC Film Residual Stress on (100) Si Substrates	
R. Anzalone, C. Locke, J. Carballo, N. Piluso, A. Severino, G. D'Arrigo, A.A. Volinsky, F. La Via and S.E. Sadow	143
Low-Temperature, Low-Pressure and Ultrahigh-Rate Growth of Single-Crystalline 3C-SiC on Si Substrate by ULP-CVD Using Organosilane	
E. Saito, S. Filimonov and M. Suemitsu	147
Fundamental Study of the Temperature Ramp-Up Influence for 3C-SiC Hetero-Epitaxy on Silicon (100)	
P. Hens, G. Wagner, A. Hölzing, R. Hock and P.J. Wellmann	151

Thermally Induced Surface Reorganization of 3C-SiC(111) Epilayers Grown on Silicon Substrates	
M. Portail, T. Chassagne, S. Roy, C. Moisson and M. Zielinski	155
Tuning Residual Stress in 3C-SiC(100) on Si(100)	
J. Pezoldt, T. Stauden, F. Niebelschütz, M.A. Alsoufy, R. Nader and P.M. Masri	159
Further Evidence of Nitrogen Induced Stabilization of 3C-SiC Polytype during Growth from a Si-Ge Liquid Phase	
O. Kim-Hak, J. Lorenzzi, N. Jegenyes, G. Ferro, D. Carole, P. Chaudouët, O. Dezellus, D. Chaussende, J.C. Viala and C. Brylinski	163
Bow in 6 Inch High-Quality Off-Axis (111) 3C-SiC Films	
A. Severino, M. Camarda, N. Piluso, M. Italia, G. Condorelli, M. Mauceri, G. Abbondanza and F. La Via	167
Low Doped 3C-SiC Layers Deposited by the Vapour-Liquid-Solid Mechanism on 6H-SiC Substrates	
J. Lorenzzi, G. Zoulis, O. Kim-Hak, N. Jegenyes, D. Carole, F. Cauwet, S. Juillaguet, G. Ferro and J. Camassel	171
Sublimation Growth and Structural Characterization of 3C-SiC on Hexagonal and Cubic SiC Seeds	
R. Vasiliauskas, M. Marinova, M. Syväjärvi, A. Mantzari, A. Andreadou, J. Lorenzzi, G. Ferro, E.K. Polychroniadis and R. Yakimova	175
Investigation of Low Doped n-Type and p-Type 3C-SiC Layers Grown on 6H-SiC Substrates by Sublimation Epitaxy	
G. Zoulis, J.W. Sun, M. Beshkova, R. Vasiliauskas, S. Juillaguet, H. Peyre, M. Syväjärvi, R. Yakimova and J. Camassel	179
Properties of 3C-SiC Grown by Sublimation Epitaxy on Different Type of Substrates	
M. Beshkova, J. Lorenzzi, N. Jegenyes, J. Birch, M. Syväjärvi, G. Ferro and R. Yakimova	183
SiC Nanowires Grown on 4H-SiC Substrates by Chemical Vapor Deposition	
B. Krishnan, S.P. Kotamraju, S.G. Sundaresan and Y. Koshka	187

Chapter 3: Physical Properties and Characterization of SiC

3.1 Physical Properties

Identification of Defects Limiting the Carrier Lifetime in n⁻ Epitaxial Layers of 4H-SiC	
P.B. Klein	193
Temperature and Injection Level Dependencies of Carrier Lifetimes in p-Type and n-Type 4H-SiC Epilayers	
T. Hayashi, K. Asano, J. Suda and T. Kimoto	199
Temperature Dependence of the Carrier Lifetime in 4H-SiC Epilayers	
P.B. Klein, R.L. Myers-Ward, K.K. Lew, B.L. VanMil, C.R. Eddy, D.K. Gaskill, A. Shrivastava and T.S. Sudarshan	203
Characterization of the Excess Carrier Lifetime of As-Grown and Electron Irradiated Epitaxial p-Type 4H-SiC Layers by the Microwave Photoconductivity Decay Method	
Y. Matsushita, M. Kato, M. Ichimura, T. Hatayama and T. Ohshima	207
CL/EBIC-SEM Techniques for Evaluation of Impact of Crystallographic Defects on Carrier Lifetime in 4H-SiC Epitaxial Layers	
S.I. Maximenko, J.A. Freitas, Y.N. Picard, P.B. Klein, R.L. Myers-Ward, K.K. Lew, P.G. Muzykov, D.K. Gaskill, C.R. Eddy and T.S. Sudarshan	211
Nonequilibrium Carrier Recombination in Highly Excited Bulk SiC Crystals	
K. Jarašiūnas, P. Ščajev, V. Gudelis, P.B. Klein and M. Kato	215
On the Correlation of the Structural Perfection and Nonequilibrium Carrier Parameters in 3C SiC Heterostructures	
A. Kadys, P. Ščajev, G. Manolis, V. Gudelis, K. Jarašiūnas, P.L. Abramov, S.P. Lebedev and A.A. Lebedev	219
Increase of SiC Substrate Resistance Induced by Annealing	
T.L. Straubinger, R.L. Woodin, T. Witt, J. Shovlin, G.M. Dolny, P. Sasahara, E. Schmitt, A.D. Weber, J.B. Casady and J.R.B. Casady	223
Barrier Inhomogeneities of Mo Schottky Barrier Diodes on 4H-SiC	
M. Naretto, D. Perrone, S. Ferrero and L. Scaltrito	227

Fundamental Band Edge Absorption in 3C-SiC: Phonon Absorption Assisted Transitions V. Grivickas, K. Gulbinas, P. Grivickas, G. Manolis and J. Linnros	231
Electronic Structure and Momentum-Dependent Resonant Inelastic X-Ray Scattering in Broad Band Materials Y. Nisikawa	235
Electronic Properties of Femtosecond Laser Induced Modified Spots on Single Crystal Silicon Carbide T. Tomita, M. Iwami, M. Yamamoto, M. Deki, S. Matsuo, S. Hashimoto, Y. Nakagawa, T. Kitada, T. Isu, S. Saito, K. Sakai, S. Onoda and T. Ohshima	239
Modeling of Boron Diffusion and Segregation in Poly-Si/4H-SiC Structures K. Mochizuki, H. Shimizu and N. Yokoyama	243
Calculation of Lattice Constant of 4H-SiC as a Function of Impurity Concentration T. Matsumoto, S.I. Nishizawa and S. Yamasaki	247
Polytypism Study in SiC Epilayers Using Electron Backscatter Diffraction K. Kościwicz, W. Strupiński, W. Wierzchowski, K. Wieteska and A.R. Olszyna	251
Raman Characterization of Doped 3C-SiC/Si for Different Silicon Substrates and C/Si Ratios N. Piluso, A. Severino, M. Camarda, R. Anzalone, A. Canino, G. Condorelli, G. Abbondanza and F. La Via	255
Low Temperature near Band Gap Photoluminescence of 3C-SiC/15R-SiC and 3C-SiC/6H-SiC Heterostructures A.A. Lebedev, P.L. Abramov, E.V. Bogdanova, S.Y. Davydov, S.P. Lebedev, D.K. Nelson, G.A. Oganessian, B.S. Razbirin and A.S. Tregubova	259
Determination of the Optical Bandgap of Thin Amorphous (SiC)_{1-x}(AlN)_x Films J.A. Guerra, A. Winterstein, O. Erlenbach, G. Gálvez, F. De Zela, R. Weingärtner and A. Winnacker	263
Elastic Properties of Dense Organosilicate Glasses Dependent on the C/Si Ratio J.M. Knaup, H. Li, J.J. Vlassak and E. Kaxiras	267
3.2 Extended Defects and multicrystalline SiC	
A Pictorial Tracking of Basal Plane Dislocations in SiC Epitaxy R.E. Stahlbush, R.L. Myers-Ward, B.L. VanMil, D.K. Gaskill and C.R. Eddy	271
On the Luminescence and Driving Force of Stacking Faults in 4H-SiC J.D. Caldwell, A.J. Giles, R.E. Stahlbush, M.G. Ancona, O.J. Glembocki, K.D. Hobart, B.A. Hull and K.X. Liu	277
Systematic First Principles Calculations of the Effects of Stacking Fault Defects on the 4H-SiC Band Structure M. Camarda, P. Delugas, A. Canino, A. Severino, N. Piluso, A. La Magna and F. La Via	283
In-Grown Stacking Faults Identified in 4H-SiC Epilayers Grown at High Growth Rate G. Feng, J. Suda and T. Kimoto	287
Characterization of 100 mm Diameter 4H-Silicon Carbide Crystals with Extremely Low Basal Plane Dislocation Density M. Dudley, N. Zhang, Y. Zhang, B. Raghothamachar, S.Y. Byrapa, G. Choi, E. Sanchez, D.M. Hansen, R. Drachev and M.J. Loboda	291
Nucleation of c-Axis Screw Dislocations at Substrate Surface Damage during 4H-Silicon Carbide Homo-Epitaxy M. Dudley, N. Zhang, Y. Zhang, B. Raghothamachar and E. Sanchez	295
Dislocation Conversion and Propagation during Homoepitaxial Growth of 4H-SiC B. Kallinger, B. Thomas, S. Polster, P. Berwian and J. Friedrich	299
Characterization of Basal Plane Dislocations in 4H-SiC Substrates by Topography Analysis of Threading Edge Dislocations in Epilayers I. Kamata, M. Nagano and H. Tsuchida	303
Optical and Structural Properties of In-Grown Stacking Faults in 4H-SiC Epilayers J. ul Hassan, A. Henry and P. Bergman	307
Structural Analysis of Dislocations in Highly Nitrogen-Doped 4H-SiC Substrates M. Katsuno, N. Ohtani, M. Nakabayashi, T. Fujimoto, H. Yashiro, H. Tsuge, T. Aigo, T. Hoshino, H. Hirano and W. Ohashi	311

Structure of Inclusions in 4° Offcut 4H-SiC Epitaxy N.A. Mahadik, R.E. Stahlbush, S.B. Qadri, O.J. Glembocki, D.A. Alexson, R.L. Myers-Ward, J.L. Tedesco, C.R. Eddy and D.K. Gaskill	315
Time Sequential Evolutions of Optically-Induced Single Shockley Stacking Faults Formed in 4H-SiC Epitaxial Layers T. Fujimoto, T. Aigo, M. Nakabayashi, S. Satoh, M. Katsuno, H. Tsuge, H. Yashiro, H. Hirano, T. Hoshino and W. Ohashi	319
Condition Dependences of Extended Defect Formation in 4H-SiC by Ion-Implantation/Activation-Anneal Process M. Nagano, H. Tsuchida, T. Suzuki, T. Hatakeyama, J. Senzaki and K. Fukuda	323
Single Shockley Stacking Faults in As-Grown 4H-SiC Epilayers J. ul Hassan and P. Bergman	327
Influence of Shockley Stacking Fault Generation on Electrical Behavior of 4H-SiC 10 kV MPS Diodes Q.C.J. Zhang, A.K. Agarwal, A.A. Burk, M.J. O'Loughlin, J.W. Palmour, R.E. Stahlbush and C. Scozzie	331
Dislocation Activity in 4H-SiC in the Brittle Domain J.L. Demenet, M. Amer, A. Mussi and J. Rabier	335
Correlation between Leakage Current and Stacking Fault Density of p-n Diodes Fabricated on 3C-SiC T. Kawahara, N. Hatta, K. Yagi, H. Uchida, M. Kobayashi, M. Abe, H. Nagasawa, B. Zippelius and G. Pensl	339
Temperature-Dependence of the Leakage Current of 3C-SiC p⁺-n Diodes Caused by Extended Defects B. Zippelius, M. Krieger, H.B. Weber, G. Pensl, H. Nagasawa, T. Kawahara, N. Hatta, K. Yagi, H. Uchida and M. Kobayashi	343
6H-Type Zigzag Faults in Low-Doped 4H-SiC Epitaxial Layers T. Robert, M. Marinova, S. Juillaguet, A. Henry, E.K. Polychroniadis and J. Camassel	347
Characterization of Surface Defects of Highly N-Doped 4H-SiC Substrates that Produce Dislocations in the Epitaxial Layer Y. Ishikawa, Y. Sugawara, H. Saitoh, K. Danno, Y. Kawai, N. Shibata, T. Hirayama and Y. Ikuhara	351
Room-Temperature Photoluminescence Observation of Stacking Faults in 3C-SiC R. Hirano, M. Tajima and K.M. Itoh	355
Raman Investigation of Different Polytypes in SiC Thin Films Grown by Solid-Gas Phase Epitaxy on Si (111) and 6H-SiC Substrates J. Wasyluk, T.S. Perova, S.A. Kukushkin, A.V. Osipov, N.A. Feoktistov and S.A. Grudinkin	359
Stacking Faults around the Hetero-Interface Induced by 6H-SiC Polytype Transformation on 3C-SiC with Solution Growth K. Seki, K. Morimoto, T. Ujihara, T. Tokunaga, K. Sasaki, K. Kuroda and Y. Takeda	363
The Influence of the Temperature Gradient on the Defect Structure of 3C-SiC Grown Heteroepitaxially on 6H-SiC by Sublimation Epitaxy M. Marinova, A. Mantzari, M. Beshkova, M. Syväjärvi, R. Yakimova and E.K. Polychroniadis	367
A Study of Structural Defects in 3C-SiC Hetero-Epitaxial Films A. Severino, R. Anzalone, C. Bongiorno and F. La Via	371
Macrodefects in Cubic Silicon Carbide Crystals V. Jokubavicius, J. Palisaitis, R. Vasiliauskas, R. Yakimova and M. Syväjärvi	375
Microstructural Characterization of Epitaxial Cubic Silicon Carbide Using Transmission Electron Microscopy B. Chayasombat, Y. Kimata, T. Kato, T. Tokunaga, K. Sasaki and K. Kuroda	379
TEM and LTPL Investigations of 3C-SiC Layers Grown by LPE on (100) and (111) 3C-SiC Seeds M. Marinova, G. Zoulis, T. Robert, F. Mercier, A. Mantzari, I.G. Galben-Sandulache, O. Kim-Hak, J. Lorenzzi, S. Juillaguet, D. Chaussende, G. Ferro, J. Camassel and E.K. Polychroniadis	383
TEM and SEM-CL Studies of SiC Nanowires F. Rossi, F. Fabbri, G. Attolini, M. Bosi, B.E. Watts and G. Salvati	387
Characteristics of Porous 3C-SiC Thin Films Formed with Nitrogen Doping Concentrations K.S. Kim and G.S. Chung	391

3.3 Point Defects: Intrinsic Defects and Impurities

Theory of Neutral Divacancy in SiC: A Defect for Spintronics

A. Gali, A. Gällström, N.T. Son and E. Janzén 395

The Carbon Vacancy Related E14 Defect in 4H-SiC

N.T. Son, P. Carlsson, J. Isoya, N. Morishita, T. Ohshima, B. Magnusson and E. Janzén 399

Fine Structure of Triplet Centers in Room Temperature Irradiated 6H-SiC

A. Scholle, S. Greulich-Weber, E. Rauls, W.G. Schmidt and U. Gerstmann 403

The Formation of Alphabet Lines in 4H SiC after Low-Energy Electron Irradiation

J.W. Steeds 407

New Lines and Issues Associated with Deep Defect Spectra in Electron, Proton and ^4He Ion Irradiated 4H SiC

F. Yan, R.P. Devaty, W.J. Choyke, T. Kimoto, T. Ohshima, G. Pensl and A. Gali 411

LTPL Investigation of N-Ga and N-Al Donor-Acceptor Pair Spectra in 3C-SiC Layers Grown by VLS on 6H-SiC Substrates

J.W. Sun, G. Zoulis, J. Lorenz, N. Jegenyes, S. Juillaguet, H. Peyre, V. Soulière, G. Ferro, F. Milesi and J. Camassel 415

Thermal Histories of Defect Centers as Measured by Low Temperature Photoluminescence in n- and p-Type 4H SiC Epilayers Generated by Irradiation with 170 keV or 1 MeV Electrons

F. Yan, R.P. Devaty, W.J. Choyke, K. Danno, G. Alfieri, T. Kimoto, S. Onoda, T. Ohshima, S.A. Reshanov, S. Beljakowa, B. Zippelius and G. Pensl 419

Thermal Stability of Defect Centers in n- and p-Type 4H-SiC Epilayers Generated by Irradiation with High-Energy Electrons

S.A. Reshanov, S. Beljakowa, B. Zippelius, G. Pensl, K. Danno, G. Alfieri, T. Kimoto, S. Onoda, T. Ohshima, F. Yan, R.P. Devaty and W.J. Choyke 423

Shallow Defects Observed in As-Grown and Electron-Irradiated or He^+ -Implanted Al-Doped 4H-SiC Epilayers

S. Beljakowa, S.A. Reshanov, B. Zippelius, M. Krieger, G. Pensl, K. Danno, T. Kimoto, S. Onoda, T. Ohshima, F. Yan, R.P. Devaty and W.J. Choyke 427

A Laterally Resolved DLTS Study of Intrinsic Defect Diffusion in 4H-SiC after Low Energy Focused Proton Beam Irradiation

L.S. Løvlie, L. Vines and B.G. Svensson 431

Metastable Defects in Low-Energy Electron Irradiated n-Type 4H-SiC

F.C. Beyer, C.G. Hemmingsson, H. Pedersen, A. Henry, J. Isoya, N. Morishita, T. Ohshima and E. Janzén 435

Deep Defects in 3C-SiC Generated by H^+ - and He^+ -Implantation or by Irradiation with High-Energy Electrons

M. Weidner, L. Trapaidze, G. Pensl, S.A. Reshanov, A. Schöner, H. Itoh, T. Ohshima and T. Kimoto 439

Optical Characterization of VLS+CVD Grown 3C-SiC Films by Non-Linear and Photoluminescence Techniques

G. Manolis, G. Zoulis, S. Juillaguet, J. Lorenz, G. Ferro, J. Camassel and K. Jarašiūnas 443

Elastic Waves in Nano-Columnar Porous 4H-SiC Measured by Brillouin Scattering

R.P. Devaty, M.J. Clouter, Y. Ke and W.J. Choyke 447

Breakdown of Impurity Al in SiC Polytypes

V.I. Sankin, N.S. Averkiev, A.M. Monakhov, P.P. Shkrebiy, A.A. Lepneva, A.G. Ostroumov, P.L. Abramov, E.V. Bogdanova, S.P. Lebedev and A.M. Strel'chuk 451

Deep Levels Observed in High-Purity Semi-Insulating 4H-SiC

G. Alfieri, T. Kimoto and G. Pensl 455

Thermal Activation and Cathodoluminescence Measurements of Tb^{3+} -Doped α -(SiC) $_1$ - $\text{x}(\text{AlN})_{\text{x}}$ Thin Films

O. Erlenbach, G. Gálvez, J.A. Guerra, F. De Zela, R. Weingärtner and A. Winnacker 459

3.4 Interfaces and Surfaces

Detection and Electrical Characterization of Defects at the SiO_2 /4H-SiC Interface

M. Krieger, S. Beljakowa, B. Zippelius, V.V. Afanas'ev, A.J. Bauer, Y. Nanen, T. Kimoto and G. Pensl 463

Thermally Stimulated Current Separation of Hole and Acceptor Trap Density in 4H-SiC MOS Devices Using Gamma Ray Irradiation	
M.J. Tadjer, K.D. Hobart, R.E. Stahlbush, P.J. McMarr, H.L. Hughes, F.J. Kub and S.K. Haney	469
SiC and GaN MOS Interfaces – Similarities and Differences	
T.P. Chow	473
Multiscale Modeling and Analysis of the Nitridation Effect of SiC/SiO₂ Interface	
A. Chatterjee, K. Matocha, V. Tilak, J. Fronheiser and H. Piao	479
Dynamical Simulations of Dry Oxidation and NO Annealing of SiO₂/4H-SiC Interface on C-Face at 1500K: From First Principles	
T. Ohnuma, A. Miyashita, M. Yoshikawa and H. Tsuchida	483
Precannealing Effect on Mobility of N-/Al-Coimplanted and Over-Oxidized 4H-SiC MOSFETs	
Y. Nanen, B. Zippelius, S. Beljakowa, L. Trapaidze, M. Krieger, T. Kimoto and G. Pensl	487
Nitridation of the SiO₂/SiC Interface by N⁺ Implantation: Hall versus Field Effect Mobility in n-Channel Planar 4H-SiC MOSFETs	
F. Moscatelli, A. Poggi, S. Solmi, R. Nipoti, A. Armigliato and L. Belsito	491
Systematic Investigation of Interface Properties in 4H-SiC MOS Structures Prepared by Over-Oxidation of Ion-Implanted Substrates	
D. Okamoto, H. Yano, T. Hatayama and T. Fuyuki	495
Effect of NO Annealing on 6H- and 4H-SiC MOS Interface States	
A.F. Basile, J. Rozen, X.D. Chen, S. Dhar, J.R. Williams, L.C. Feldman and P.M. Mooney	499
Significant Decrease of the Interface State Density by NH₃ Plasma Pretreatment at 4H-SiC (000-1) Surface and its Bond Configuration	
Y. Iwasaki, H. Yano, T. Hatayama, Y. Uraoka and T. Fuyuki	503
Improved Electrical Properties of SiC-MOS Interfaces by Thermal Oxidation of Plasma Nitrided 4H-SiC(0001) Surfaces	
Y. Kagei, T. Kirino, Y. Watanabe, S. Mitani, Y. Nakano, T. Nakamura, T. Hosoi, T. Shimura and H. Watanabe	507
Improved 4H-SiC MOS Interface Produced by Oxidized-SiN Gate Oxide	
J.H. Moon, J.H. Yim, H.S. Seo, C.H. Kim, D.H. Lee, K.Y. Cheong, W. Bahng, N.K. Kim and H.J. Kim	511
Investigation of Oxide Films Prepared by Direct Oxidation of C-Face 4H-SiC in Nitric Oxide	
D. Okamoto, H. Yano, Y. Oshiro, T. Hatayama, Y. Uraoka and T. Fuyuki	515
Experimental Identification of Extra Type of Charges at SiO₂/SiC Interface in 4H-SiC	
H. Naik, Z. Li and T.P. Chow	519
A C-V Method of Slow-Switching Interface Traps Identification in Silicon Carbide MOS Structures	
T. Gutt, H.M. Przewlocki and M. Bakowski	523
EDMR and EPR Studies of 4H SiC MOSFETs and Capacitors	
C.J. Cochrane, B.C. Bittel, P.M. Lenahan, J. Fronheiser, K. Matocha and A.J. Lelis	527
Electrical Properties and Gas Sensing Characteristics of the Al₂O₃/4H SiC Interface Studied by Impedance Spectroscopy	
P.A. Sobas, O. Nilsen, H. Fjellvåg and B.G. Svensson	531
Crystalline Quality of Channel Regions in SiC Buried Gate Static Induction Transistors (SiC-BGSITs)	
A. Takatsuka, Y. Tanaka, K. Yano, T. Yatsuo and K. Arai	535
Study of the Evolution of Basal Plane Dislocations during Epitaxial Growth: Role of the Surface Kinetics	
M. Camarda, A. La Magna, A. Canino and F. La Via	539
Experimental Verification of the Cluster Effect on Giant Step Bunching on 4H-SiC (0001) Surfaces	
Y. Ishida, T. Takahashi, H. Okumura, K. Arai and S. Yoshida	543
Modal Composition of the SiC Surface Electromagnetic Response to the External Radiation at Lattice Resonant Frequency	
D. Kazantsev	547
Study of Indentation Damage in Single Crystal Silicon Carbide by Using Micro Raman Spectroscopy	
M. Yamaguchi, M. Fujitsuka, S. Ueno, I. Miura, W. Erikawa and T. Tomita	551

3.5 Wafer Mapping Techniques

Single Shockley Faults Enlargement during Micro-Photoluminescence Defects Mapping A. Canino, M. Camarda and F. La Via	555
Characterization of Defects in Semi-Insulating 6H-SiC Substrates Using IR Thermal Imaging Camera K.Y. Lee, H. Miyazaki, Y. Okamoto and J. Morimoto	559

Chapter 4: Graphene

4.1 Growth

Analysis of the Formation Conditions for Large Area Epitaxial Graphene on SiC Substrates R. Yakimova, C. Virojanadara, D. Gogova, M. Syväjärvi, D. Siche, K. Larsson and L.I. Johansson	565
Growth Rate and Thickness Uniformity of Epitaxial Graphene W. Strupiński, A. Drabińska, R. Bożek, J. Borysiuk, A. Wyszomolek, R. Stepniewski, K. Kościwicz, P. Caban, K. Korona, K. Grodecki, P.A. Geslin and J.M. Baranowski	569
Structural Evaluation of Graphene/SiC (0001) Grown in Atmospheric Pressure J. Boeckl, W.C. Mitchell, E. Clarke, R.L. Barbosa and W.J. Lu	573
Graphene Growth on C and Si-Face of 4H-SiC – TEM and AFM Studies J. Borysiuk, R. Bożek, W. Strupiński and J.M. Baranowski	577
Differences between Graphene Grown on Si-Face and C-Face N. Camara, A. Caboni, J.R. Huntzinger, A. Tiberj, N. Mestres, P. Godignon and J. Camassel	581
Epitaxial Graphene Elaborated on 3C-SiC(111)/Si Epilayers A. Ouerghi, M. Portail, A. Kahouli, L. Travers, T. Chassagne and M. Zielinski	585
Growth of Few Layers Graphene on Silicon Carbide from Nickel Silicide Supersaturated with Carbon K. Vassilevski, I.P. Nikitina, A.B. Horsfall, N.G. Wright and C.M. Johnson	589
Growth and Characterization of Epitaxial Graphene on SiC Induced by Carbon Evaporation A. Al-Temimy, C. Riedl and U. Starke	593

4.2 Characterization and Modelling

Epitaxial Graphene Growth Studied by Low-Energy Electron Microscopy and First-Principles H. Kageshima, H. Hibino and M. Nagase	597
Strain and Charge in Epitaxial Graphene on Silicon Carbide Studied by Raman Spectroscopy J. Röhl, M. Hundhausen, F. Speck and T. Seyller	603
Uniformity of Epitaxial Graphene on On-Axis and Off-Axis SiC Probed by Raman Spectroscopy and Nanoscale Current Mapping S. Sonde, F. Giannazzo, J.R. Huntzinger, A. Tiberj, M. Syväjärvi, R. Yakimova, V. Raineri and J. Camassel	607
Deep UV Raman Spectroscopy of Epitaxial Graphenes on Vicinal 6H-SiC Substrates S. Kamoi, N. Hasuike, K. Kisoda, H. Harima, K. Morita, S. Tanaka and A. Hashimoto	611
Optical Transmission of Epitaxial Graphene Layers on SiC in the Visible Spectral Range A. Drabińska, J. Borysiuk, W. Strupiński and J.M. Baranowski	615
Density Functional Simulations of Physisorbed and Chemisorbed Single Graphene Layers on 4H-SiC (0001), (000-1) and 4H-SiC:H Surface J.P. Goss, P.R. Briddon, N.G. Wright and A.B. Horsfall	619

4.3 Processing and Devices

Hydrogen Intercalation below Epitaxial Graphene on SiC(0001) C. Riedl, C. Coletti, T. Iwasaki and U. Starke	623
---	-----

Quasi-Freestanding Graphene on SiC(0001) F. Speck, M. Ostler, J. Röhl, J. Jobst, D. Waldmann, M. Hundhausen, L. Ley, H.B. Weber and T. Seyller	629
Techniques for the Dry Transfer of Epitaxial Graphene onto Arbitrary Substrates J.D. Caldwell, T.J. Anderson, K.D. Hobart, J.C. Culbertson, G.G. Jernigan, F.J. Kub, J.L. Tedesco, J.K. Hite, M.A. Mastro, R.L. Myers-Ward, C.R. Eddy, P.M. Campbell and D.K. Gaskill	633
Transport Properties of Single-Layer Epitaxial Graphene on 6H-SiC (0001) J. Jobst, D. Waldmann, K.V. Emtsev, T. Seyller and H.B. Weber	637

Chapter 5: Processing of SiC

5.1 Processing of MOS and SBD Power Devices

Defect Control in Growth and Processing of 4H-SiC for Power Device Applications T. Kimoto, G. Feng, T. Hiyoshi, K. Kawahara, M. Noborio and J. Suda	645
Effects of Thermal Oxidation on Deep Levels Generated by Ion Implantation into n-Type and p-Type 4H-SiC K. Kawahara, G. Alfieri, T. Hiyoshi, G. Pensl and T. Kimoto	651
Influence of Processing and of Material Defects on the Electrical Characteristics of SiC-SBDs and SiC-MOSFETs K. Fukuda, A. Kinoshita, T. Ohyanagi, R. Kosugi, T. Sakata, Y. Sakuma, J. Senzaki, A. Minami, A. Shimozato, T. Suzuki, T. Hatakeyama, T. Shinohe, H. Matsuhata, H. Yamaguchi, I. Nagai, S. Harada, K. Ichinoseki, T. Yatsuo, H. Okumura and K. Arai	655
Experimental Evaluation of Different Passivation Layers on the Performance of 3kV 4H-SiC BJTs R. Ghandi, M. Domeij, R. Esteve, B. Buono, A. Schöner, J.S. Han, S. Dimitrijević, S.A. Reshanov, C. Zetterling and M. Östling	661
Novel Fabrication Technology for Devices with nearly Temperature-Independent Forward Characteristics S. Heim, A. Albrecht and W. Bartsch	665
Correlation between Schottky Contact Characteristics and Regions with a Low Barrier Height Revealed by the Electrochemical Deposition on 4H-SiC M. Kato, H. Ono and M. Ichimura	669
Investigations on Surge Current Capability of SiC Schottky Diodes by Implementation of New Pad Metallizations J. Hilsenbeck, M. Treu, R. Rupp, K. Rüschemschmidt, R. Kern and M. Holz	673
On the Viability of Au/3C-SiC Schottky Barrier Diodes J. Eriksson, M.H. Weng, F. Roccaforte, F. Giannazzo, S. Di Franco, S. Leone and V. Raineri	677
Comparison of the Threshold-Voltage Stability of SiC MOSFETs with Thermally Grown and Deposited Gate Oxides M. Grieb, M. Noborio, D. Peters, A.J. Bauer, P. Friedrichs, T. Kimoto and H. Ryssel	681
Significant Improvement in Reliability of Thermal Oxide on 4H-SiC (0001) Face Using Ammonia Post-Oxidation Annealing J. Senzaki, T. Suzuki, A. Shimozato, K. Fukuda, K. Arai and H. Okumura	685
Consequences of NO Thermal Treatments in the Properties of Dielectric Films / SiC Structures F.C. Stedile, S.A. Corrêa, C. Radtke, L. Miotti, I.J.R. Baumvol, G.V. Soares, F. Kong, J.S. Han, L. Hold and S. Dimitrijević	689
The Limits of Post Oxidation Annealing in NO J. Rozen, X.G. Zhu, A.C. Ahyi, J.R. Williams and L.C. Feldman	693

5.2 Doping, Implantation and Annealing

Electrical Activation of B⁺-Ions Implanted into 4H-SiC T. Tsirimpis, M. Krieger, H.B. Weber and G. Pensl	697
Manganese in 4H-SiC M.K. Linnarsson, A. Audren and A. Hallén	701
Effects of Implantation Temperature on Sheet and Contact Resistance of Heavily Al Implanted 4H-SiC T. Watanabe, S. Aya, R. Hattori, M. Imaizumi and T. Oomori	705

Ultra Fast High Temperature Microwave Annealing of Ion Implanted Large Bandgap Semiconductors	
M.V. Rao, Y.L. Tian, S.B. Qadri, J.A. Freitas and R. Nipoti	709
Effect of Dopant Concentrations and Annealing Conditions on the Electrically Active Profiles and Lattice Damage in Al Implanted 4H-SiC	
M.H. Weng, F. Roccaforte, F. Giannazzo, S. Di Franco, C. Bongiorno, M. Saggio and V. Raineri	713
Influence of Heating and Cooling Rates of Post-Implantation Annealing Process on Al-Implanted 4H-SiC Epitaxial Samples	
L. Ottaviani, S. Biondo, S. Morata, O. Palais, T. Sauvage and F. Torregrosa	717
Effects of Helium Implantation on the Mechanical Properties of 4H-SiC	
J.F. Barbot, M.F. Beaufort and V. Audurier	721
Novel Cap Annealing Process for SiC Crystal Using ECR-Sputtered Carbon Films and ECR Plasma Ashing	
S. Hirono, H. Torii, T. Tajima, T. Amazawa, S. Umemura, T. Kamata and Y. Hirabayashi	725

5.3 Ohmic Contacts and Bonding

TEM Observations of Ti/AlNi/Au Contacts on p-Type 4H-SiC	
B.H. Tsao, J.W. Lawson, J.D. Scofield and J.F. Baca	729
Comparative Study of Ohmic Contact Metallizations to Nanocrystalline Diamond Films	
M.J. Tadjer, T.J. Anderson, K.D. Hobart, T.I. Feygelson, J.E. Butler and F.J. Kub	733
Reliability Tests of Au-Metallized Ni-Based Ohmic Contacts to 4H-n-SiC with and without Nanocomposite Diffusion Barriers	
A.V. Kuchuk, M. Guziewicz, R. Ratajczak, M. Wzorek, V.P. Kladko and A. Piotrowska	737
SiC-Die-Attachment for High Temperature Applications	
N. Heuck, G. Palm, T. Sauerberg, A. Stranz, A. Waag and A. Bakin	741
Characteristics of Gold Wire Bonds with Ti- and Ni-Based Contact Metallization to n-SiC for High Temperature Applications	
M. Guziewicz, R. Kisiel, K. Gołaszewska, M. Wzorek, A. Stonert, A. Piotrowska and J. Szmidt	745
Development of a Wire-Bond Technology for SiC High Temperature Applications	
N. Heuck, F. Baars, A. Bakin and A. Waag	749

5.4 Polishing and Etching of Surfaces

Recent Advances in Surface Preparation of Silicon Carbide and other Wide Band Gap Materials	
M. Zielinski, C. Moisson, S. Monnoye, H. Mank, T. Chassagne, S. Roy, A.E. Bazin, J.F. Michaud and M. Portail	753
Reactive-Ion-Etching Induced Deep Levels Observed in n-Type and p-Type 4H-SiC	
K. Kawahara, G. Alfieri, M. Krieger and T. Kimoto	759
Morphology Improvement of Step Bunching on 4H-SiC Wafers by Polishing Technique	
T. Kato, A. Kinoshita, K. Wada, T. Nishi, E. Hozomi, H. Taniguchi, K. Fukuda and H. Okumura	763
Fabrication and Use of Atomically Smooth Steps on 6H-SiC for Calibration of z-Displacements in Scanning Probe Microscopy	
S.P. Lebedev, P.A. Dement'ev, A.A. Lebedev, V.N. Petrov and A.N. Titkov	767
Hexagonality and Stacking Sequence Dependence of Etching Properties in Cl₂-O₂-SiC System	
T. Hatayama, H. Koketsu, H. Yano and T. Fuyuki	771
Reduction of Surface Roughness of 4H-SiC by Catalyst-Referred Etching	
T. Okamoto, Y. Sano, H. Hara, T. Hatayama, K. Arima, K. Yagi, J. Murata, S. Sadakuni, K. Tachibana, Y. Shirasawa, H. Mimura, T. Fuyuki and K. Yamauchi	775
Self-Formation of Specific Pyramidal Planes in 4H-SiC Formed by Chlorine Based Ambience	
H. Koketsu, T. Hatayama, K. Amijima, H. Yano and T. Fuyuki	779
Impact of CF₄ Plasma Treatment on the Surface Roughness of Ion Implanted SiC Induced by High Temperature Annealing	
T. Sugimoto, M. Satoh, T. Nakamura, K. Mashimo, H. Doi and M. Shibagaki	783
4H-SiC Surface Morphology Etched Using ClF₃ Gas	
H. Habuka, K. Tanaka, Y. Katsumi, N. Takechi, K. Fukae and T. Kato	787

Influence of Negative Charging on High Rate SiC Etching for GaN HEMT MMICs N. Okamoto, K. Imanishi, T. Kikkawa and N. Nara	791
Influence of the UV Light Intensity on the Photoelectrochemical Planarization Technique for Gallium Nitride S. Sadakuni, J. Murata, K. Yagi, Y. Sano, K. Arima, A.N. Hattori, T. Okamoto and K. Yamauchi	795

5.5 Oxides and other Dielectrics

Impact of Oxidation Conditions and Surface Defects on the Reliability of Large-Area Gate Oxide on the C-Face of 4H-SiC T. Hatakeyama, T. Suzuki, K. Ichinoseki, H. Matsuhata, K. Fukuda, T. Shinohe and K. Arai	799
Gate Oxide Long-Term Reliability of 4H-SiC MOS Devices L.C. Yu, K.P. Cheung, G. Dunne, K. Matocha, J.S. Suehle and K. Sheng	805
Model Calculations of SiC Oxide Growth Rate at Various Oxidation Temperatures Based on the Silicon and Carbon Emission Model Y. Hijikata, H. Yaguchi and S. Yoshida	809
<i>In Situ</i> Spectroscopic Ellipsometry Study of SiC Oxidation at Low Oxygen-Partial-Pressures K. Kouda, Y. Hijikata, H. Yaguchi and S. Yoshida	813
Rapid and Efficient Oxidation Process of SiC by <i>In Situ</i> Multiple RTP Steps A. Constant, N. Camara, P. Godignon, M. Berthou, J. Camassel and J.M. Decams	817
Direct Observation of Dielectric Breakdown Spot in Thermal Oxides on 4H-SiC(0001) Using Conductive Atomic Force Microscopy K. Kozono, T. Hosoi, Y. Kagei, T. Kirino, S. Mitani, Y. Nakano, T. Nakamura, T. Shimura and H. Watanabe	821
Electrical Characterization and Reliability of Nitrided-Gate Insulators for N- and P-Type 4H-SiC MIS Devices M. Noborio, M. Grieb, A.J. Bauer, D. Peters, P. Friedrichs, J. Suda and T. Kimoto	825
Comparative Study of Thermal Oxides and Post-Oxidized Deposited Oxides on n-Type Free Standing 3C-SiC R. Esteve, A. Schöner, S.A. Reshanov and C. Zetterling	829
Reliability of Thin Thermally Grown SiO₂ on 3C-SiC Studied by Scanning Probe Microscopy J. Eriksson, M.H. Weng, F. Roccaforte, F. Giannazzo, P. Fiorenza, J. Lorenzzi, G. Ferro and V. Raineri	833
Effects of Post-Deposition Annealing on CeO₂ Gate Prepared by Metal-Organic Decomposition (MOD) Method on 4H-SiC W.F. Lim, K.Y. Cheong, Z. Lockman, F.A. Jasni and H.J. Quah	837

5.6 Micromachining

Nanostructuring Techniques for 3C-SiC(100) NEMS Structures M. Hofer, T. Stauden, I.W. Rangelow and J. Pezoldt	841
SiC on SOI Resonators: A Route for Electrically Driven MEMS in Harsh Environment M. Placidi, A. Pérez-Tomás, P. Godignon, N. Mestres, G. Abadal, T. Chassagne and M. Zielinski	845
Temperature Facilitated ECR-Etching for Isotropic SiC Structuring F. Niebelschütz, T. Stauden, K. Tonisch and J. Pezoldt	849
Ultra-Precision Machining of Stainless Steel and Nickel with Single Crystal 4H and 6H Boule SiC W.J. Choyke, B. D'Urso, F. Yan and R.P. Devaty	853
Thinning of SiC Wafer by Plasma Chemical Vaporization Machining Y. Sano, T. Kato, T. Hori, K. Yamamura, H. Mimura, Y. Katsuyama and K. Yamauchi	857
Property Modification of 3C-SiC MEMS on Ge-Modified Si(100) Substrates F. Niebelschütz, W.H. Zhao, K. Brueckner, K. Tonisch, M. Linß, M.A. Hein and J. Pezoldt	861
Residual Stress Measurement and Simulation of 3C-SiC Single and Poly Crystal Cantilevers R. Anzalone, M. Camarda, D. Alquier, M. Italia, A. Severino, N. Piluso, A. La Magna, G. Foti, C. Locke, S.E. Sadow, A. Roncaglia, F. Mancarella, A. Poggi, G. D'Arrigo and F. La Via	865
Electric Discharge Machining for Silicon Carbide in Gases of Ar, Ar-CH₄ and Ar-CF₄ Mixtures T. Sugimoto, T. Noro, S. Yamaguchi, H. Majima and T. Kato	869

Chapter 6: SiC Devices

6.1 Schottky Barrier Diodes

Active Devices for Power Electronics: SiC vs III-N Compounds – The Case of Schottky Rectifiers

C. Brylinski, O. Ménard, N. Thierry-Jebali, F. Cayrel and D. Alquier 879

A New Generation of SiC Schottky Diodes with Improved Thermal Management and Reduced Capacitive Losses

R. Rupp, F. Björk, G. Deboy, M. Holz, M. Treu, J. Hilsenbeck, R. Otremba and H. Zeichen 885

Germanium – Silicon Carbide Heterojunction Diodes – A Study in Device Characteristics with Increasing Layer Thickness and Deposition Temperature

P.M. Gammon, A. Pérez-Tomás, M.R. Jennings, G.J. Roberts, V.A. Shah, J.A. Covington and P.A. Mawby 889

Fabrication of 1.2kV, 100A, 4H-SiC(0001) and (000-1) Junction Barrier Schottky Diodes with Almost Same Schottky Barrier Height

A. Kinoshita, T. Ohyanagi, T. Yatsuo, K. Fukuda, H. Okumura and K. Arai 893

4.6 kV, 10.5 mOhm×cm² Nickel Silicide Schottky Diodes on Commercial 4H-SiC Epitaxial Wafers

K. Vassilevski, I.P. Nikitina, A.B. Horsfall, N.G. Wright and C.M. Johnson 897

6.2 PiN Diodes

6.5 kV SiC PiN Diodes with Improved Forward Characteristics

D. Peters, W. Bartsch, B. Thomas and R. Sommer 901

Correlation between Carrier Recombination Lifetime and Forward Voltage Drop in 4H-SiC PiN Diodes

G.Y. Chung, M.J. Loboda, S.G. Sundaresan and R. Singh 905

Optimization of Bipolar SiC-Diodes by Analysis of Avalanche Breakdown Performance

W. Bartsch, R. Schörner and K.O. Dohnke 909

Analyses of High Leakage Currents in Al⁺ Implanted 4H SiC pn Diodes Caused by Threading Screw Dislocations

T. Tsuji, T. Tawara, R. Tanuma, Y. Yonezawa, N. Iwamuro, K. Kosaka, H. Yurimoto, S. Kobayashi, H. Matsuhata, K. Fukuda, H. Okumura and K. Arai 913

Preliminary Investigation of Laser Induced Photoconductivity in 4H-SiC PiN Diodes and HPSI Substrate

B. Vergne, S. Scharnholz, J.P. Konrath, V. Couderc, P. Lévêque and E. Spahn 917

Charge Collection Efficiency of 6H-SiC P⁺N Diodes Degraded by Low-Energy Electron Irradiation

N. Iwamoto, S. Onoda, T. Ohshima, K. Kojima, A. Koizumi, K. Uchida and S. Nozaki 921

4H-SiC PiN Diodes Fabricated Using Low-Temperature Halo-Carbon Epitaxial Growth Method

B. Krishnan, J.N. Merrett, G. Melnychuk and Y. Koshka 925

6.3 JFETs and MESFETs

Feasibility of Efficient Power Switching Using Short-Channel 1200-V Normally-Off SiC VJFETs; Experimental Analysis and Simulations

V. Veliadis, H. Hearne, E.J. Stewart, R. Howell, A.J. Lelis and C. Scozzie 929

Fast Switching with SiC VJFETs - Influence of the Device Topology

R. Elpelt, P. Friedrichs and J. Biela 933

Performance of 15 mm² 1200 V Normally-Off SiC VJFETs with 120 A Saturation Current

A. Ritenour, D.C. Sheridan, V. Bondarenko and J.B. Casady 937

Radiation Hardness Evaluation of SiC-BGSIT

Y. Tanaka, S. Onoda, A. Takatsuka, T. Ohshima and T. Yatsuo 941

Physics of Hysteresis in MESFET Drain I-V Characteristics: Simulation Approach J. Adjaye and M.S. Mazzola	945
Characterization of SiC JFETs and its Application in Extreme Temperature (over 450°C) Circuit Design J. Yang, J. Fraley, B. Western, M. Schupbach and A.B. Lostetter	949
Amplitude Shift Keyed Radio Communications for Hostile Environments D. Brennan, B. Miao, K. Vassilevski, N.G. Wright and A.B. Horsfall	953
Minimization of Drain-to-Gate Interaction in a SiC JFET Inverter Using an External Gate-Source Capacitor O. Berry, Y. Hamieh, S. Raël, F. Meibody-Tabar, S. Vieillard, D. Bergogne and H. Morel	957
Design and Gate Drive Considerations for Epitaxial 1.2 kV Buried Grid N-on and N-off JFETs for Operation at 250°C J.K. Lim, M. Bakowski and H.P. Nee	961
Circuit Modeling of Vertical Buried-Grid SiC JFETs G. Tolstoy, D. Peftitsis, J.K. Lim, M. Bakowski and H.P. Nee	965

6.4 MOSFETs

Performance, Reliability, and Robustness of 4H-SiC Power DMOSFETs S.H. Ryu, B.A. Hull, S. Dhar, L. Cheng, Q.C.J. Zhang, J. Richmond, M.K. Das, A.K. Agarwal, J.W. Palmour, A.J. Lelis, B. Geil and C. Scozzie	969
Effect of Band-Edge Interface Traps and Transition Region Mobility on Transport in 4H-SiC MOSFETs S. Potbhare, A. Akturk, N. Goldsman, A.J. Lelis, S. Dhar and A.K. Agarwal	975
Wafer-Level Hall Measurement on SiC MOSFET L.C. Yu, K.P. Cheung, V. Tilak, G. Dunne, K. Matocha, J.P. Campbell, J.S. Suehle and K. Sheng	979
Effect of ON-State Stress on SiC DMOSFET Subthreshold I-V Characteristics A.J. Lelis, R. Green, D.B. Habersat and N. Goldsman	983
1360 V, 5.0 mΩcm² Double-Implanted MOSFETs Fabricated on 4H-SiC(000-1) H. Kono, T. Suzuki, M. Mizukami, C. Ota, S. Harada, J. Senzaki, K. Fukuda and T. Shinohe	987
Improved Characteristics of 4H-SiC MISFET with AlON/Nitrided SiO₂ Stacked Gate Dielectrics T. Hosoi, Y. Kagei, T. Kirino, Y. Watanabe, K. Kozono, S. Mitani, Y. Nakano, T. Nakamura and H. Watanabe	991
Effect of Doping Concentration in Buried-Channel NMOSFETs on Electrical Properties of 4H-SiC CMOS Devices M. Okamoto, M. Iijima, T. Yatsuo, K. Fukuda and H. Okumura	995
Isotropic Channel Mobility in UMOSFETs on 4H-SiC C-Face with Vicinal Off-Angle S. Harada, S. Ito, M. Kato, A. Takatsuka, K. Kojima, K. Fukuda and H. Okumura	999
Comparison of Inversion Layer Electron Transport of Lightly Doped 4H and 6H SiC MOSFETs V. Tilak, K. Matocha and G. Dunne	1005
Electrical Characteristics of MOSFETs Using 3C-SiC with Buried Insulating Layer T. Tanehira, T. Nakano and M. Nakao	1009
Current Transient Effect in N-Channel 6H-SiC MOSFET Induced by Heavy Ion Irradiation K.K. Lee, J.S. Laird, T. Ohshima, S. Onoda, T. Hirao and H. Itoh	1013

6.5 Bipolar Transistors and Thyristors

9 kV, 1 cm² SiC Gate Turn-Off Thyristors A.K. Agarwal, Q.C.J. Zhang, R. Callanan, C. Capell, A.A. Burk, M.J. O'Loughlin, J.W. Palmour, V. Temple, R.E. Stahlbush, J.D. Caldwell, H. O'Brian and C. Scozzie	1017
Large Area >8 kV SiC GTO Thyristors with Innovative Anode-Gate Designs S.G. Sundaresan, H. Issa, D. Veeredy and R. Singh	1021
10 kV, 10 A Bipolar Junction Transistors and Darlington Transistors on 4H-SiC Q.C.J. Zhang, R. Callanan, A.K. Agarwal, A.A. Burk, M.J. O'Loughlin, J.W. Palmour and C. Scozzie	1025

SiC Heterojunction Bipolar Transistors with AlN/GaN Short-Period Superlattice Widegap Emitter	
H. Miyake, T. Kimoto and J. Suda	1029
2.2 kV SiC BJTs with Low V_{CESAT} Fast Switching and Short-Circuit Capability	
M. Domeij, C. Zaring, A.O. Konstantinov, M. Nawaz, J.O. Svedberg, K. Gumaelius, I. Keri, A. Lindgren, B. Hammarlund, M. Östling and M. Reimark	1033
Experimental Study of Degradation in 4H-SiC BJTs by Means of Electrical Characterization and Electroluminescence	
L. Farese, B.G. Malm, M. Domeij and M. Östling	1037
Optical Insights into the Internal Electronic and Thermal Behavior of 4H-SiC Bipolar Devices	
D. Werber, M. Aigner and G. Wachutka	1041
A 10 kV 4H-SiC Bipolar Turn Off Thyristor (BTO) with Positive Temperature Coefficient of V_F, Current Saturation Capability and Fast Switching Speed	
Q.C.J. Zhang, J. Richmond, C. Capell, A.K. Agarwal, J.W. Palmour, H. O'Brian and C. Scozzie	1045
Fast Switch-Off of High Voltage 4H-SiC npn BJTs from Deep Saturation Mode	
P.A. Ivanov, M.E. Levinshtein, J.W. Palmour, A.K. Agarwal and Q.J. Zhang	1049
3kV 4H-SiC Thyristors for Pulsed Power Applications	
A. Elasser, P.A. Losee, S. Arthur, Z. Stum, K. Matocha, G. Dunne, J.L. Garrett, M. Schutten and D. Brown	1053
Operation of Silicon Carbide BJTs Free from Bipolar Degradation	
A.O. Konstantinov, M. Domeij, C. Zaring, I. Keri, J.O. Svedberg, K. Gumaelius, M. Östling and M. Reimark	1057
Temperature Modeling and Characterization of the Current Gain in 4H-SiC Power BJTs	
B. Buono, R. Ghandi, M. Domeij, B.G. Malm, C. Zetterling and M. Östling	1061
Improvement of Current Gain with Etched Extrinsic Base Regions of Triple Ion Implanted SiC BJT	
T. Tajima, T. Nakamura, Y. Watabe, M. Satoh and T. Nakamura	1065
6.6 Sensors and Detectors	
Performance of Silicon Carbide Avalanche Photodiode Arrays and Photomultipliers	
A.V. Vert, S.I. Soloviev and P.M. Sandvik	1069
Optical Properties of Antireflective Subwavelength Structures on 4H-SiC for UV Photodetectors	
Y. Hirabayashi, S. Kaneko, K. Akiyama, M. Yasui and K. Sakurazawa	1073
Impact Ionization in 4H-SiC Nuclear Radiation Detectors	
A.M. Ivanov, M.G. Mynbaeva, A.V. Sadokhin, N.B. Strokan and A.A. Lebedev	1077
Characterisation of Low Noise 4H-SiC Avalanche Photodiodes	
J.E. Green, W.S. Loh, J. David, R.C. Tozer, S.I. Soloviev and P.M. Sandvik	1081
Fabrication and Characteristics of Micro Heaters Based on Polycrystalline 3C-SiC for High Temperature and Voltage	
G.S. Chung and J.M. Jeong	1085
Silicon Carbide APD with Improved Detection Sensitivity and Stability	
M. Bakowski, A. Schöner, I. Petermann and S. Savage	1089
Silicon Carbide Based Energy Harvesting Module for Hostile Environments	
S. Barker, B. Miao, D. Brennan, K. Vassilevski, N.G. Wright and A.B. Horsfall	1093
6.7 Circuits, System Applications	
New Generation of SiC Based Biodevices Implemented on 4" Wafers	
P. Godignon, I. Martin, G. Gabriel, R. Gomez, M. Placidi and R. Villa	1097
SiC vs. Si - Evaluation of Potentials for Performance Improvement of Power Electronics Converter Systems by SiC Power Semiconductors	
J. Biela, M. Schweizer, S. Waffler, B. Wrzecionko and J.W. Kolar	1101
Fully-Integrated 6H-SiC JFET Amplifiers for High-Temperature Sensing	
A. Patil, X.A. Fu, M. Mehregany and S. Garverick	1107
Application of SiC Normally-On JFETs in Photovoltaic Power Converters: Suitable Circuits and Potentials	
S.V. Araújo, B. Sahan, P. Zacharias, R. Rupp and X. Zhang	1111

Fabrication of SiC JFET-Based Monolithic Integrated Circuits X.A. Fu, A. Patil, T.H. Lee, S. Garverick and M. Mehregany	1115
Electrical and Thermal Performance of 1200 V, 100 A, 200°C 4H-SiC MOSFET-Based Power Switch Modules J.D. Scofield, J.N. Merrett, J. Richmond, A.K. Agarwal and S. Leslie	1119
Performance and Reliability of SiC MOSFETs for High-Current Power Modules K. Matocha, P.A. Losee, A. Gowda, E. Delgado, G. Dunne, R. Beaupre and L. Stevanovic	1123
Inverter Loss Reduction Using 3kV SiC-JBS Diode and High-Speed Drive Circuit K. Ishikawa, K. Ogawa, N. Kameshiro, H. Onose and M. Nagasu	1127
Demonstration of High Temperature Bandgap Voltage Reference Feasibility on SiC Material V. Banu, P. Brosselard, X. Jordá, P. Godignon and J. Millan	1131
Characterization of 6H-SiC JFET Integrated Circuits over a Broad Temperature Range from -150 °C to +500 °C P.G. Neudeck, M.J. Krasowski, L.Y. Chen and N.F. Prokop	1135
Electromigration Reliability of the Contact Hole in SiC Power Devices Operated at Higher Junction Temperatures S. Tanimoto, N. Nishio, T. Suzuki, Y. Murakami, H. Ohashi, H. Yamaguchi and H. Okumura	1139
NMOS Logic Circuits Using 4H-SiC MOSFETs for High Temperature Applications M. Le-Huu, F.F. Schrey, M. Grieb, H. Schmitt, V. Haeublein, A.J. Bauer, H. Ryssel and L. Frey	1143
600-V / 2-A Symmetrical Bi-Directional Power Flow Using Vertical-Channel JFETs Connected in Common Source Configuration V. Veliadis, D. Urciuoli, H. Hearne, H.C. Ha, R. Howell and C. Scozzie	1147
Design and Characterization of 50W Switch Mode Power Supply Using Normally-On SiC JFET I.H. Kang, S.J. Joo, W. Bahng, S.C. Kim and N.K. Kim	1151
A Step Toward High Temperature Intelligent Power Modules Using 1.5kV SiC-BJT D. Tournier, P. Bevilacqua, P. Brosselard and D. Planson	1155
Fabrication and Testing of 4H-SiC MESFETs for Analog Functions Circuits A. Devie, D. Tournier, P. Godignon, M. Vellvehi, J. Montserrat and X. Jordá	1159
Mixed Mode Modeling and Characterization of a 4H-SiC Power DMOSFET Based DC-DC Power Converter S. Potbhare, N. Goldsman, A. Akturk and A.J. Lelis	1163
SiC JFETs for Power Module Applications J. Hilsenbeck, Z. Xi, D. Domes, K. Rüschemschmidt, M. Treu and R. Rupp	1167
System Improvements of Photovoltaic Inverters with SiC-Transistors D. Kranzer, F. Reiners, C. Wilhelm and B. Burger	1171
Discussion of Turn on Current Peaks of SiC Switches in Half Bridges I. Koch and W.R. Canders	1177

Chapter 7: III-Nitrides, II-VI Compounds and Diamond

7.1 Growth of III-Nitrides

AlN Substrates and Epitaxy Results Y. Makarov, T.Y. Chemekova, O.V. Avdeev, N. Mokhov, S.S. Nagalyuk, M.G. Ramm and H. Helava	1183
Free Standing AlN Single Crystal Grown on Pre-Patterned and <i>In Situ</i> Patterned 4H-SiC Substrates G.R. Yazdi, K. Vassilevski, J.M. Córdoba, D. Gogova, I.P. Nikitina, M. Syväjärvi, M. Odén, N.G. Wright and R. Yakimova	1187
Growth of Nanocrystalline Translucent h-BN Films Deposited by CVD at High Temperature on SiC Substrates G. Younes, G. Ferro, M. Soueidan, A. Brioude and F. Cauwet	1191

7.2 Characterization of III-Nitrides

Deep-Level Defects in AlN Single Crystals: EPR Studies I.V. Ilyin, A.A. Soltamova, V.A. Soltamov, V.A. Khramtsov, E.N. Mokhov and P.G. Baranov	1195
--	------

Quality Control and Electrical Properties of Thin Amorphous (SiC)_{1-x}(AlN)_x Films Produced by Radio Frequency Dual Magnetron Sputtering
 G. Gálvez de la Puente, O. Erlenbach, J.A. Guerra, T. Hupfer, M. Steidl, F. De Zela, R. Weingärtner and A. Winnacker 1199

Calculations of the Spontaneous Polarizations and Dielectric Constants for AlN, GaN, InN, and SiC
 S.Y. Davydov and A.A. Lebedev 1203

7.3 III-Nitride Devices

2DEG HEMT Mobility vs Inversion Channel MOSFET Mobility
 A. Pérez-Tomás, M. Placidi, N. Baron, S. Chenot, Y. Cordier, J.C. Moreno, J. Millan and P. Godignon 1207

Evolution of the Electrical Behaviour of GaN and AlGa_N Materials after High Temperature Annealing and Thermal Oxidation
 F. Roccaforte, F. Iucolano, F. Giannazzo, S. Di Franco, C. Bongiorno, V. Puglisi and V. Raineri 1211

Effect of Temperature and Al Concentration on the Electrical Performance of GaN and Al_{0.2}Ga_{0.8}N Accumulation-Mode FET Devices
 M.J. Tadjer, K.D. Hobart, M.A. Mastro, T.J. Anderson, E.A. Imhoff, F.J. Kub, J.K. Hite and C.R. Eddy 1215

2H-AlGa_N/GaN HEMTs on 3C-SiC(111)/Si(111) Substrates
 K. Tonisch, W. Jatal, R. Granzner, M. Kittler, U. Baumann, F. Schwierz and J. Pezoldt 1219

Energy Optimization of As⁺ Ion Implantation on SiO₂ Passivation Layer of AlGa_N/GaN HEMTs
 J.Y. Lim, Y.H. Choi, Y.S. Kim, M.K. Kim and M.K. Han 1223

7.4 Other Related Materials

Characteristics of Diamond SBD's Fabricated on Half Inch Size CVD Wafer Made by the "Direct Wafer Fabrication Technique"
 S. Shikata, H. Umezawa, H. Yamada, T. Tsubouchi, Y. Mokuno and A. Chayahara 1227

High Temperature Characteristics of Diamond SBDs
 H. Umezawa, K. Ikeda, R. Kumaresan and S. Shikata 1231

Field Effect Transistors Based on Catalyst-Free Grown 3C-SiC Nanowires
 K. Rogdakis, E. Bano, L. Montes, M. Bechelany, D. Cornu and K. Zekentes 1235

Nitrogen Centers in Nanodiamonds: EPR Studies
 A.A. Soltamova, P.G. Baranov, I.V. Ilyin, A.Y. Vul', S.V. Kidalov, F.M. Shakhov, G.V. Mamin, N.I. Silkin, S.B. Orlinskii and M.K. Salakhov 1239

Silicon-on-SiC, a Novel Semiconductor Structure for Power Devices
 M.R. Jennings, A. Pérez-Tomás, O. Guy, M. Lodzinski, P.M. Gammon, S.E. Burrows, J.A. Covington and P.A. Mawby 1243