

Table of Contents

Preface

Chapter 1: Material Growth and Wafer Manufacturing

Models for Impurity Incorporation during Vapor-Phase Epitaxy	3
K. Mochizuki, F. Horikiri, H. Ohta and T. Mishima	
Liquid Si-Induced 4H-SiC Surface Structuring Using a Sandwich Configuration	8
Y. Joussemae, F. Cauwet and G. Ferro	
Defect Reduction in Epilayers for SiC Trench MOSFETs by Enhanced Epitaxial Growth	13
D. Baierhofer, B. Thomas, F. Staiger, B. Marchetti, C. Förster and T. Erlbacher	
High Temperature Etching for Threading Dislocation Investigation on GaN Epi-Layer	18
R. Anzalone, G. Greco, F. Roccaforte, P. Fiorenza, N. Piluso and A. Severino	
3C-SiC Heteroepitaxial Layers Grown on Silicon Substrates with Various Orientations	23
G. Ferro, T. Yeghoyan, F. Cauwet, S. Coindeau, T. Encinas and V. Soulière	
A Novel Approach of Utilizing Mechanically Flexible SiC Substrate to Grow Crack-Free AlN Bulk Crystal by Thermal Strain Relaxation Functionality	28
D. Dojima, M. Matsubara, H. Minamiyama and T. Kaneko	
The Impact of Defect Density on Mechanical Characteristics of 4H-SiC Substrates	33
B. Cafra, N. Piluso, A. Grasso, A.A. Moon and A. Severino	
Aluminum Activation in 4H-SiC Measured on Laterally Contacted MOS Capacitors with a Buried Current-Spreading Layer	38
K.L. Mletschnig, M. Rommel, G. Pobegen, W. Schustereder and P. Pichler	
Silicon Carbide Formation in Reactive Silicon-Carbon Multilayers	44
R. Grieseler, I. Gallino, N. DuboisKaya, J. Döll, D. Shekhawat, J. Reiprich, J.A. Guerra, M. Hopfeld, H.L. Honig, P. Schaaf and J. Pezoldt	
Impact of Epitaxial Defects on Device Behavior and their Correlation to the Reverse Characteristics of SiC Devices	49
E. Kodolitsch, V. Sodan, M. Krieger and N. Tsavdaris	
Advances in 200 mm 4H SiC Wafer Development and Production	54
I. Manning, K. Moeggenborg, A. Soukhojak, J. Seaton, M. Gave, G. Chung and E. Sanchez	
Toward the Reproducible Growth of Graphene on Wide SiC Steps: A Study of the Geometric Properties of 4H-SiC (0001) Substrates	59
H. Hrich, M. Moret, O. Briot, M. Paillet, J.M. Decams, P. Landois and S. Contreras	
Effect of N and Al Doping on 3C-SiC Stacking Faults	64
C. Calabretta, V. Scuderi, R. Anzalone, A. Cannizzaro, M. Mauceri, D. Crippa, S. Boninelli and F. La Via	
Impact of N Doping on 3C-SiC Defects	69
C. Calabretta, V. Scuderi, A. Cannizzaro, R. Anzalone, M. Mauceri, D. Crippa, S. Boninelli and F. La Via	
Large Area Growth of Cubic Silicon Carbide Using Close Space PVT by Application of Homoepitaxial Seeding	74
M. Kollmuss, M. Schöler, R. Anzalone, M. Mauceri, F. La Via and P.J. Wellmann	
In Situ Monitoring of Unintentionally Released Nitrogen Gas in the Initial PVT Silicon Carbide Growth Process Using Mass Spectrometry	79
J. Ihle and P.J. Wellmann	
Precise Control of Al Incorporation during CVD Growth of SiC Epilayers by Using Hydrogen Chloride	84
M. Zielinski, M. Bussel, H. Mank, S. Monnoye, M. Portail, A. Michon and Y. Cordier	
Analysis of the Morphology of the Growth Interface as a Function of the Gas Phase Composition during the PVT Growth of Silicon Carbide	89
M. Arzig, U. Künecke, M. Salamon, N. Uhlmann and P.J. Wellmann	
Designing SiC Based CMUT Structures: An Original Approach and Related Material Issues	94
M. Portail, S. Chenot, M. Ghorbanzadeh-Bariran, R. Khazaka, L. Nguyen, D. Alquier and J.F. Michaud	

Interfacial Dislocation Reduction by Optimizing Process Condition in SiC Epitaxy	99
T. Rana, G. Chung, A. Soukhojak, M.K. Ju, M. Gave and E. Sanchez	
Review of Sublimation Growth of SiC Bulk Crystals	
P.J. Wellmann, M. Arzig, J. Ihle, M. Kollmuss, J. Steiner, M. Mauceri, D. Crippa, F. La Via, M. Salamon, N. Uhlmann, M. Roder, A.N. Danilewsky, B.D. Nguyen and S. Sandfeld	104
Applicability of a Flat-Bed Birefringence Setup for the Determination of Threading Dislocations of Silicon Carbide Wafers	
J. Steiner, B.D. Nguyen, M. Roder, A.N. Danilewsky, S. Sandfeld and P.J. Wellmann	113
Chemical Vapor Deposition of 3C-SiC on [100] Oriented Silicon at Low Temperature < 1200°C for Photonic Applications	
M. Kollmuss, J. Köhler, H.Y. Ou, W.C. Fan, D. Chaussende, R. Hock and P.J. Wellmann	119
SiC Mass Commercialization: Present Status and Barriers to Overcome	
V. Veliadis	125
150 mm SiC Engineered Substrates for High-Voltage Power Devices	
S. Rouchier, G. Gaudin, J. Widiez, F. Allibert, E. Rolland, K. Vladimirova, G. Gélineau, N. Troutot, C. Navone, G. Berre, D. Bosch, Y.L. Leow, A. Duboust, A. Drouin, J.M. Bethoux, R. Boulet, A. Chapelle, E. Cela, G. Lavaitte, A. Bouville-Lallart, L. Viravaux, F. Servant, S. Bhargava, S. Thomas, I. Radu, C. Maleville and W. Schwarzenbach	131
Impact of Surface Emissivity on Crystal Growth and Epitaxial Deposition	
W. Fan, J. Lennartz, P. Schmidt-Sane, B. Kozak, B. Balland, A. Galyukov, D. Zimina and D. Feezell	136
Vanadium Incorporation in 3C-SiC Epilayers and its Consequences for Electrical Properties of 3C-SiC Material	
M. Zielinski, M. Bussel, C. Moisson, H. Mank, S. Monnoye, M. Portail, A. Michon and Y. Cordier	140
Opening through 200 mm Silicon Carbide Epitaxy	
D. Crippa, M. Azadmand, M. Mauceri, S. Preti, M. Puglisi and C. Vecchio	146

Chapter 2: Processing

Novel Vitrified-Bond Ultra-Fine Grinding Technology for SiC Polishing	155
D. Calvo Ruiz and C. Sileno	
Charge Trapping Mechanisms in Nitridated SiO₂/ 4H-SiC MOSFET Interfaces: Threshold Voltage Instability and Interface Chemistry	
P. Fiorenza, C. Bongiorno, A. Messina, M. Saggio, F. Giannazzo and F. Roccaforte	160
Impact of Dislocation on Warpage of Thinned 4H-SiC Wafers	
B. Cafra, R. Anzalone and A. Severino	165
Silicon Carbide - Graphene Nano-Gratings on 4H and 6H Semi-Insulating SiC	
S. Mathew, S.P. Lebedev, A.A. Lebedev, B. Hähnlein, J. Stauffenberg, E. Manske and J. Pezoldt	170
Polish Scratch Simulation vs. Polish Tool Type	
K. Moeggenborg and M.K. Ju	175
Study of Laser Backside Ohmic Contact Formation of SiC-Ni Interface to Evaluate the Process Influence on the Electrical Characteristics	
D. Lewke, F. Supplieh, M. von Ringleben and J. Ransom	180
Via Size-Dependent Properties of TiAl Ohmic Contacts on 4H-SiC	
A. May, M. Rommel, S. Beuer and T. Erlbacher	185
Engineering the Schottky Interface of 3.3 kV SiC JBS Diodes Using a P₂O₅ Surface Passivation Treatment	
A.B. Renz, O.J. Vavasour, A. Pérez-Tomás, Q.Z. Cao, V.A. Shah, Y. Bonyadi, V. Pathirana, T. Trajkovic, G.W.C. Baker, P.A. Mawby and P.M. Gammon	190
The Development of Monolithic Silicon Carbide Intracortical Neural Interfaces for Long-Term Human Implantation	
C. Frewin, M. Beygi, E. Bernardin, C.Y. Feng, F. La Via, W. Dominguez-Viqueria and S.E. Saddow	195
Graphite Assisted P and Al Implanted 4H-SiC Laser Annealing	
C. Calabretta, A. Pecora, M. Agati, S. Privitera, A. Muoio, S. Boninelli and F. La Via	204
A Novel Tool Layout and Process for Single Side Wet Electrochemical Processing of Porous Silicon Carbide Layers without Edge Exclusion	
X. Gay, N. Bay, F. Delahaye, S. Hansen and H.H. Kuehnlein	209

Multiscale Simulations of Plasma Etching in Silicon Carbide Structures	
M. Italia, I. Deretzs, A. Nastasi, S. Scalese, A. La Magna, M. Pircaci, D. Pagano, D. Tenaglia and P. Vasquez	214
Optimisation of Ti Ohmic Contacts Formed by Laser Annealing on 4H-SiC	
C. Berger, D. Alquier and J.F. Michaud	219
Ohmic Contact Formation on 4H-SiC with a Low Thermal Budget by Means of Shallow Phosphorous Ion Implantation	
V. Sundaramoorthy, S. Wirths and L. Knoll	224
Highest Quality and Repeatability for Single Wafer 150mm SiC CMP Designed for High Volume Manufacturing	
S. Yu, J.J. Hu, L.L. Xu, M. Liu, E. Liu, J. Givens and J. Leighton	229
Mechanism Governing Surface Roughening of Al Ion Implanted 4H-SiC during Annealing under a C-Cap	
M. Canino, F. Mancarella, F. Bonafe, F. Corticelli, C. Albonetti and R. Nipoti	235
Estimation of Activation and Compensation Ratios in Al⁺ Ion Implanted 4H-SiC: Comparison of Two Methodologies	
R. Nipoti, V. Boldrini, M. Canino, F. Tamarri, S. Vantaggio and A. Parisini	241
Decoration and Density Increase of Dislocations in PVT-Grown SiC Boules with Post-Growth Thermal Processing	
G. Chung, I. Manning, A. Soukhojak, M. Gave and C. Lee	246

Chapter 3: Characterization, Modelling and Defect Engineering

Identification of High Resolution Transient Thermal Network Model for Power Module Packages	
S. Fukunaga and T. Funaki	253
Transmission Electron Microscopy Study of Single Shockley Stacking Faults in 4H-SiC Expanded from Basal Plane Dislocation Segments Accompanied by Threading Edge Dislocations on both Ends	
J. Nishio, C. Ota and R. Iijima	258
Phosphorous and Aluminum Implantation for MOSFET Manufacturing: Revisiting Implantation Dose Rate and Subsequent Surface Morphology	
J. Woerle, M. Belanche, M. Negri, C. Lamontagne, F. Bonafe, R. Nipoti and U. Grossner	263
Evaluation of Defects in a SiC Substrate Using the Photoluminescence Measurement Method	
Y. Nishihara, K. Kamei, D. Shiomi and K. Momose	268
Effective Method (Selective E-V-C Technique) to Screen out the BPDs that Cause Reliability Degradation	
K. Takano and Y. Igarashi	273
Optical Characterization of 4H-SiC Thick Epitaxial Layer for Particle Detection	
A. Meli, A. Muoio, R. Reitano, A. Trotta, M. Parisi, L. Meda and F. La Via	278
Automatic Image Analysis of Stackingfault	
A. Muoio, C. Calabretta, V. Scuderi, M. Zimbone and F. La Via	283
Observation of Fast Near-Interface Traps in 4H-SiC MOS Capacitors Using Capacitance Voltage Analysis at Cryogenic Temperatures	
A.M. Vidarsson, J.R. Nicholls, D. Haasmann, S. Dimitrijev and E.Ö. Sveinbjörnsson	288
Enhanced Resonant Raman Scattering of GaN Functional Layers Using Al Thin Films - A Versatile Tool for Multilayer Structure Analysis	
A. Muravitskaya, A. Rumyantseva, A.J.E. Ndohi, C. Sonneville, D. Planson, P.M. Adam, S. Potiron and M. Lazar	293
Microscopic Evaluation of Al₂O₃/p-Type Diamond (111) Interfaces Using Scanning Nonlinear Dielectric Microscopy	
Y. Ogata, K. Yamasue, X. Zhang, T. Matsumoto, N. Tokuda and Y. Cho	298
Measurement of Dislocation Density in SiC Wafers Using Production XRT	
A. Soukhojak, T. Stannard, I. Manning, C. Lee, G. Chung, M. Gave and E. Sanchez	304
Computational Study of the Silicon Vacancy in 3C-SiC and Perspectives for Quantum Technologies	
T. Fazio, G. Fisicaro, I. Deretzs, E. Paladino and A. La Magna	309

Depth-Resolved Study of the SiO₂- SiC Interface Using Low-Energy Muon Spin Rotation Spectroscopy	315
P. Kumar, M.I.M. Martins, M.E. Bathen, J. Woerle, T. Prokscha and U. Grossner	
Residual Stress Measurement by Raman on Surface-Micromachined Monocrystalline 3C-SiC on Silicon on insulator	320
F. La Via, L. Belsito, F. Matteo, S. Sapienza, A. Roncaglia, M. Zielinski and V. Scuderi	
The Improved Reliability Performance of Post-Deposition Annealed ALD-SiO₂	325
A.B. Renz, O.J. Vavasour, P.M. Gammon, F. Li, T.X. Dai, G.W.C. Baker, N. Grant, J. Murphy, P.A. Mawby and V.A. Shah	
KPFM - Raman Spectroscopy Coupled Technique for the Characterization of Wide Bandgap Semiconductor Devices	330
N. Bercu, M. Lazar, O. Simonetti, P.M. Adam, M. Brouillard and L. Giraudet	
Surface Potential Fluctuations of SiO₂/SiC Interfaces Investigated by Local Capacitance-Voltage Profiling Based on Time-Resolved Scanning Nonlinear Dielectric Microscopy	335
K. Yamasue and Y. Cho	
4H-SiC PiN Diode Protected by Narrow Field Rings Investigated by the Micro-OBIC Method	341
D. Planson, C. Sonneville, P. Bevilacqua, L.V. Phung, B. Asllani, D. Tournier and P. Brosselard	
Sensitivity of D_{it} Extraction at the SiO₂/SiC Interface Using Quasi-Static Capacitance-Voltage Measurements	346
M. Belanche, P. Kumar, J. Woerle, R. Stark and U. Grossner	
Synchrotron X-Ray Topography Characterization of Power Electronic GaN Materials	351
Y. Liu, H.Y. Peng, Z.Y. Chen, Q.Y. Cheng, S.S. Hu, B. Raghethamachar, M. Dudley, R. Collazo, Z. Sitar, J. Tweedie, M. Bockowski, V. Meyers, F.S. Shahedipour-Sandvik, B.J. Li and J. Han	
Dislocation Contrast Analysis in Weak Beam Synchrotron X-Ray Topography	356
H.Y. Peng, Z.Y. Chen, Y. Liu, Q.Y. Cheng, S.S. Hu, X.R. Huang, L. Assoufid, B. Raghethamachar and M. Dudley	
Investigation of Lattice Strain in High Energy Implanted 4H-SiC Wafers by Al or N Atoms	361
Z.Y. Chen, H.Y. Peng, Y. Liu, Q.Y. Cheng, S.S. Hu, B. Raghethamachar, M. Dudley, R. Ghandi, S. Kennerly and P. Thieberger	
Ray-Tracing Simulation Analysis of Effective Penetration Depths on Grazing Incidence Synchrotron X-Ray Topographic Images of Basal Plane Dislocations in 4H-SiC Wafers	366
Q.Y. Cheng, H.Y. Peng, S.S. Hu, Z.Y. Chen, Y. Liu, B. Raghethamachar and M. Dudley	
Stability, Evolution and Diffusion of Intrinsic Point Defects in 4H-SiC	371
M.E. Bathen, R. Karsthof, U. Grossner and L. Vines	
Nitrogen Investigation by SIMS in Two Wide Band-Gap Semiconductors: Diamond and Silicon Carbide	376
M.A. Pinault-Thaury and F. Jomard	
Latest Advances in the Implementation and Characterization of High-K Gate Dielectrics in SiC Power MOSFETs	383
L. Knoll, G. Alfieri, G. Romano, A. Mihaila, Y. Arango, M. Wehrle, V. Sundaramoorthy and S. Wirths	
Fast Defect Mapping at the SiO₂/ SiC Interface Using Confocal Photoluminescence	389
J. Woerle, B.C. Johnson, R. Stark, M. Camarda and U. Grossner	
Evaluation of Line-Shape Defect in Epitaxial Wafer	395
L. Guo and D. Shiomi	
Electrical Scanning Probe Microscopy Investigation of Schottky and Metal-Oxide Junctions on Hetero-Epitaxial 3C-SiC on Silicon	400
F. Giannazzo, P. Fiorenza, E. Schiliro, S. Di Franco, S. Monnoye, H. Mank, M. Zielinski, F. La Via and F. Roccaforte	
A Deeper Look into the Effects of Extended Defects in SiC Epitaxial Layers on Device Performance and Reliability	406
H. Das, S. Sunkari, J. Justice and D. Hamann	
Ni/Heavily-Doped 4H-SiC Schottky Contacts	411
M. Vivona, G. Greco, S. Di Franco, P. Fiorenza, F. Giannazzo, A. La Magna and F. Roccaforte	
Structural and Electrical Characterization of Ni-Based Ohmic Contacts on 4H-SiC Formed by Solid-State Laser Annealing	417
P. Badalà, E. Smecca, S. Rascunà, C. Bongiorno, E. Carria, A. Bassi, G. Bellocchi, S. Castorina, C. Tringali, A. La Magna and A. Alberti	

Aluminum Acceptor Ionization Energies in 4H-SiC for Low Dose, Ultra-High Energy (> 1MeV) Implants	422
C. Hitchcock, R. Ghandi, P. Deeb, S. Kennerly, M. Torky and T.P. Chow	
Structural, Electronic and Optical Properties of 6H-SiC and 3C-SiC with the Application in Solar Cell Devices	427
I. Taibi and H. Abid	

Chapter 4: Power Devices and Applications

Design and Characterization of 10 kV High Voltage 4H-SiC p-Channel IGBTs with Low V_F	435
X.L. Tian, C.Z. Li, Y. Yang, W. Feng, J. Lu, C.W. Zheng, C.Y. Yang, Y. Bai and X.Y. Liu	
Localized Lifetime Control of 10 kV 4H-SiC PiN Diodes by MeV Proton Implantation	442
Z. Yuan, K. Jacobs, M. Bakowski, P. Ranstad, A. Schöner, S. Reshanov, W. Kaplan, H.P. Nee and A. Hallén	
Impact of Recovery Characteristics on Switching Loss of SiC MOSFETs	447
T. Tominaga, T. Iwamatsu, Y. Nakao, H. Amishiro, H. Watanabe, N. Miura, S. Yamakawa and S. Nakata	
Self-Turn-On Phenomenon of SiC MOSFETs by Fast Switching Operation	452
S. Nakata and Y. Sato	
Monolithic Integration of Graphene in SiC Radiation Sensors for Harsh-Environment Applications	458
S. Otero Ugobono, J.M. Rafi, P. Godignon, G. Pellegrini, G. Rius, M.C. Jiménez Ramos, J. García López and A. García Osuna	
Gate Bias Effects on SiC MOSFET Terrestrial-Neutron Single-Event Burnout	463
D.J. Lichtenwalner, D.A. Gajewski, S.H. Ryu, B. Hull, S. Allen and J.W. Palmour	
Visualization of Interface Trap Distribution for Pd/AlN/6H-SiC and Pd/HfO₂/6H-SiC MOS Capacitors at 700 K	468
S. Kotamraju and P. Vudumula	
Experimental Investigation of a 10 kV-70A Switch with Six SiC-MOSFETs in a Series-Connection Configuration	472
C. Mathieu de Vienne, P. Lefranc, B. Asllani, P.O. Jeannin and B. Lefebvre	
Demonstration of 2kV SiC Deep-Implanted Super-Junction PiN Diodes	477
R. Ghandi, C. Hitchcock and S. Kennerly	
AlGaN/GaN High Electron Mobility Transistors Grown by MOVPE on 3C-SiC/Si(111) for RF Applications	482
M. Lesecq, E. Frayssinet, M. Portail, M. Bah, N. Defrance, T.H. Ngo, M. Abou Daher, M. Zielinski, D. Alquier, J. De Jaeger and Y. Cordier	
Comparison of the H3TRB Performance of Silicon and Silicon Carbide Power Modules	487
F. Hoffmann, S. Schmitt and N. Kaminski	
Investigation of SiC Thyristors with Varying Amplifying Gate Design	493
S. Scharnholz, R. Hassdorf, D. Bauersfeld, B. Vergne, L.V. Phung and D. Planson	
Gate Oxide Reliability and V_{TH} Stability of Planar SiC MOS Technology	498
M. Domeij, J. Franchi, S. Maslougkas, P. Moens, J. Lettens, J. Choi and F. Allerstam	
Investigations of Short Circuit Robustness of SiC IGBTs with Considerations on Physics Properties and Design	504
L.Y. Zhang, T.X. Dai, P.M. Gammon, N. Lophitis, F. Udrea, A. Tiwari, J.O. Gonzalez, A.B. Renz, V.A. Shah, P.A. Mawby and M. Antoniou	
Neutron Detection Study through Simulations with Fluka	509
A. Muoio, A. Meli, A. Trotta, M. Parisi, L. Meda and F. La Via	
A Study of 4H-SiC Semi-Superjunction Rectifiers for Practical Realisation	514
G.W.C. Baker, F. Li, T.X. Dai, A.B. Renz, L.Y. Zhang, Y.Y. Qi, V.A. Shah, P.A. Mawby, M. Antoniou and P.M. Gammon	
DC Modeling of 4H-SiC nJFET Gate Length Reduction at 500°C	519
M.R. Mehta, P.G. Neudeck and J.W. Lawson	
A Study of High Resistivity Semi-Insulating 4H-SiC Epilayers Formed via the Implantation of Germanium and Vanadium	523
A.B. Renz, O.J. Vavasour, M. Rommel, G.W.C. Baker, P.M. Gammon, T.X. Dai, F. Li, M. Antoniou, P.A. Mawby and V.A. Shah	

Multi-Layer High-K Gate Stack Materials for Low D_{it} 4H-SiC Based MOSFETs L.K. Bera, N. Singh, Z.Y. Chen, C.C.H. Ming, K.J. Chui, R.P. Singh, Y.Y. Sheng, S. Chung, K.M. Han, K.R. Chong and D.L. Kwong	528
Electrothermal Modelling and Measurements of Parallel-Connected V_{TH} Mismatched SiC MOSFETs under Inductive Load Switching S. Mendy, R.Z. Wu, J.O. Gonzalez and O. Alatise	533
Advanced 1200V SiC MOSFET Concept Based on Singular Point Source MOS (S-MOS) Technology M.T. Rahimo, I. Nistor and D. Green	539
Failure Analysis of Atmospheric Neutron-Induced Single Event Burnout of a Commercial SiC MOSFET R. Coq Germanicus, K. Niskanen, A. Michez, N. Moultif, W. Jouha, O. Latry, J. Boch, U. Lüders and A.D. Touboul	544
SiC Diode with Vertical Superjunction Realized Using Channeled Implant and Multi-Step Epitaxial Growth R. Maloušek, J. Chochol, H. Das, S. Sunkari, J. Justice, K. Gummelius, J. Franchi, M. Domeij, F. Allerstam, R. Wada and T. Kuroi	549
Pulsed Forward Bias Body Diode Stress of 1700 V SiC MOSFETs with Individual Mapping of Basal Plane Dislocations S. Kochoska, M. Domeij, S. Sunkari, J. Justice, H. Das, T.T. Pham, J. Franchi, S. Maslougkas, H.J. Lee, X.Q. Hu and T. Neyer	554
Determination of Effective Critical Breakdown Field in 4H-SiC Superjunction Devices M. Torky and T.P. Chow	560
Comparative Performance Evaluation of Conventional and Superjunction Vertical 4H-SiC High-Voltage Power MOSFETs M. Torky and T.P. Chow	565
Edge Terminations for 4H-SiC Power Devices: A Critical Issue P. Godignon, J. Montserrat, J. Rebollo and D. Planson	570
Impact of Device Design Parameters on 15 kV SiC MOSFETs S. Sundaresan, J. Park, V. Mulpuri and R. Singh	576
Introducing Foundry-Compatible SiC and GaN Trench Processing Technologies for Reliable Automotive Application B. Jones, J. Mitchell, J. Evans, F. Monaghan, M. Jennings, C. Bolton, K. Riddel, H. Ashraf and O. Guy	582
Performance Comparison of 6.5 kV SiC PiN Diode with 6.5 kV SiC JBS and Si Diodes V. Sundaramoorthy, A. Mihaila, L. Spejo, R.A. Minamisawa and L. Knoll	588
A New Approach in the Field of Hydrogen Gas Sensing Using MEMS Based 3C-SiC Microcantilevers P. Shanmugam, L. Iglesias, M. Portail, I. Dufour, D. Certon, D. Alquier and J.F. Michaud	593
Compact Trench Floating Field Rings Termination for 10kV+ Rated SiC n-IGBTs N. Lophitis, P.M. Gammon, A.B. Renz, T.X. Dai, A. Tiwari, T. Trajkovic, P.A. Mawby, F. Udrea and M. Antoniou	598
Fabrication and Characterization of Epitaxial Graphene Field Effect Transistor Devices Based on a Monolithic Bottom Gate S. Aslanidou, A. García-García, G. Rius and P. Godignon	603
Modelling and Development of 4H-SiC Nanowire/Nanoribbon Biosensing FET Structures O. Karker, K. Zekentes, A. Bouchard, I. Gélard, X. Mescot, V. Stambouli and E. Bano	608
Design and Methodology of Silicon Carbide High Voltage Termination Extension for Small Area BJTs A. Ammar, L.V. Phung, D. Planson, H. Morel and C. Sonneville	613
Thermal Simulations of a New SiC Detector Design for Neutron Measurements in JSI Nuclear Research Reactor V. Valero, L. Ottaviani, A. Lyoussi, V. Radulović, L. Snoj, A. Volte, M. Carette and C. Reynard Carette	619
Clamped and Unclamped Inductive Switching of 3.3 kV 4H-SiC MOSFETs with 3D Cellular Layouts K. Naydenov, N. Donato, F. Udrea, A. Mihaila, G. Romano, S. Wirths and L. Knoll	627
On the Short Circuit Electro-Thermal Failure of 1.2 kV 4H-SiC MOSFETs with 3D Cell Layouts N. Donato, K. Naydenov, F. Udrea, A. Mihaila, G. Romano, S. Wirths and L. Knoll	632

Design of an Integrated Power Module for Silicon Carbide MOSFET with Self-Compensation of the Magnetic Field		
F. Abed Ali, Y. Avenas, P. Lefranc, P.O. Jeannin, H. Alawieh, T. Youssef and H. Moussa		637
Significant Differences in BTI and TDDB Characteristics of Commercial Planar SiC-MOSFETs		
E. Murakami, T. Takeshita and K. Oda		642
Temperature Dependence of On-State Inter-Terminal Capacitances (C_{gd} and C_{gs}) of SiC MOSFETs and Frequency Limitations of their Measurements		
A. Tsibizov, R. Stark and U. Grossner		647
SiC MOSFET C-V Characteristics with Positive Biased Drain		
I. Matacena, L. Maresca, M. Riccio, A. Irace, G. Breglio, S. Daliento and A. Castellazzi		653
A Scalable SPICE-Based Compact Model for 1.7 kV SiC MOSFETs		
A. Borghese, M. Riccio, L. Maresca, G. Breglio, S. Kicin and A. Irace		658
SiC MOSFET C-V Curves Analysis with Floating Drain Configuration		
I. Matacena, L. Maresca, M. Riccio, A. Irace, G. Breglio and S. Daliento		663
Experimental Analysis of C-V and I-V Curves Hysteresis in SiC MOSFETs		
I. Matacena, L. Maresca, M. Riccio, A. Irace, G. Breglio and S. Daliento		669
Behavior of Shockley-Type Stacking Faults in SiC Superjunction MOSFET under Body Diode Current Stress		
Y. Yamashiro, M. Okada, M. Baba, T. Tanaka, S. Tomohisa, H. Watanabe, K. Kojima, S. Harada and H. Yamaguchi		676
Robustness of Semi-Superjunction 4H-SiC Power DMOSFETs to Single-Event Burnout from Heavy Ion Bombardment		
J.A. McPherson, A.A. Woodworth, T.P. Chow and W. Ji		683
Performance Analysis of 4H-SiC Pseudo-D CMOS Inverter Circuits Employing Physical Charge Trapping Models		
M. Waltl, Y. Hernandez, C. Schleich, K. Waschneck, B. Stampfer, H. Reisinger and T. Grasser		688