

# Table of Contents

|                                                                                                                                                                                                                                 |    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>Investigation of the Sintering Behavior of Ultrapure <math>\alpha</math>-Alumina Containing Low Amounts of <math>\text{SiO}_2</math> or <math>\text{CaO}</math></b><br>N. Louet, T. Epicier and G. Fantozzi                  | 1  |
| <b>Sintering Behavior of Microstructured <math>\gamma</math>-Alumina with Nanosized <math>\gamma</math>-Alumina Additive</b><br>S.W. Oh, H. Muto, K. Muramoto, W. Minami and H.J. Kim                                           | 7  |
| <b>Control of Shrinkage during Sintering of Alumina Ceramics Based on Master Sintering Curve Theory</b><br>J. Tatami, Y. Suzuki, T. Wakihara, T. Meguro and K. Komeya                                                           | 11 |
| <b>Bulk Consolidation of Non-Oxide Ceramic Powders Derived from Polymer Precursors</b><br>S. Ishihara, T. Nishimura, J. Bill, F. Aldinger and F. Wakai                                                                          | 15 |
| <b>Centrifugal Sintering</b><br>Y. Kinemuchi, H. Morimitsu, H. Ishiguro, S. Uchimura and K. Watari                                                                                                                              | 19 |
| <b>Low-Temperature Sintering of <math>\alpha</math>- and <math>\beta</math>-SiC Powders with <math>\text{AlB}_2</math> Additive</b><br>H. Tanaka, T. Nishimura, N. Hirotsaki, Y. Kishi, H. Matsuo and Y. Ichikawa               | 23 |
| <b>Sintering and Characterization of <math>\text{Zr}_2\text{Al}_3\text{C}_5</math> Monolith</b><br>U. Leela-adisorn, S.M. Choi, S. Hashimoto, S. Honda, H. Awaji, K. Hayakawa and A. Yamaguchi                                  | 27 |
| <b>Thermal Evolution of Single Phase Lanthanum Zirconate</b><br>M.O.D. Jarligo, Y.S. Kang and A. Kawasaki                                                                                                                       | 31 |
| <b>Sinterability of Alumina-Dispersed 3Y-TZP</b><br>B.R. Cho and D.G. Yeoum                                                                                                                                                     | 37 |
| <b>Preparation of Ce-ZrO<sub>2</sub> Based Composites and Effect of Addition of 3Y-ZrO<sub>2</sub> on Their Microstructures</b><br>A. Nakahira, M. Ohta, T. Murakami and T. Kudo                                                | 41 |
| <b>Grinding of Agglomerate AlN Powder by Wet Milling</b><br>J.Y. Qiu, K. Watari, Y. Hotta, Y. Kinemuchi and K. Mitsuishi                                                                                                        | 45 |
| <b>Wet Jet Milling of Ceramics Powder</b><br>N. Omura, Y. Hotta, Y. Kinemuchi, S. Kume and K. Watari                                                                                                                            | 49 |
| <b>Hydrothermal Preparation and Characterization of Barium Titanate Powders</b><br>C.H. Lu and P.C. Wu                                                                                                                          | 53 |
| <b>Fabrication and Characterization of Various Calcium Phosphate Powders by Ultrasonic Spray Pyrolysis Technique</b><br>H.J. Wang, Y.K. Jeong, K.S. Oh, B.H. Kim, S.H. Lee and Y.H. Choa                                        | 57 |
| <b>Fabrication and Characteristics of Hypereutectic Prealloyed Al-Si Powders by Gas Atomization Process</b><br>Y.J. Kim, L.F. Wang, I.S. Chung, J.C. Kim and T.S. Jang                                                          | 61 |
| <b>Effect of Magnesium Ion on the Precipitation of Hollow Calcium Carbonate by Bubble Templating Method</b><br>G. Hadiko, Y.S. Han, M. Fuji and M. Takahashi                                                                    | 65 |
| <b>Effect of Different Salt on Fabrication of <math>\text{Sr}_{0.5}\text{Ba}_{0.5}\text{Nb}_2\text{O}_6</math> by Molten-Salt Synthesis</b><br>W. Chen, S. Kume, C. Duran and K. Watari                                         | 69 |
| <b>Processing and Property Evaluation of Alumina Aerogel Based Ceramic Nanocomposites</b><br>A. Yamuna, K. Tajiri, S. Honda, S. Hashimoto and H. Awaji                                                                          | 73 |
| <b>Dispersion of ZrO<sub>2</sub> Particles in the <math>\text{Al}_2\text{O}_3/\text{ZrO}_2</math> Ceramics by the Partial Chemical Dispersion Processes</b><br>M.J. Cho, S.H. Youn, J.J. Kim, K.H. Hwang, J.K. Lee and M. Iwasa | 77 |
| <b>Pre-Combustion CO<sub>2</sub> Capture Using Ceramic Absorbent and Methane Steam Reforming</b><br>M. Kato, Y. Maezawa, S. Takeda, Y. Hagiwara, R. Kogo, K. Semba and M. Hamamura                                              | 81 |
| <b>Kumada Rearrangement of Polydimethylsilane Using a Catalytic Process</b><br>Y. Kim, D.G. Shin, H.R. Kim, D.Y. Han, Y.U. Kang and D.H. Riu                                                                                    | 85 |
| <b>Effect of Additives on Hydrolysis of Ti Alkoxide and Microstructural Observation of TiO<sub>2</sub></b><br>A. Nakahira, Y. Fujita, T. Kubo, S. Eguchi, S. Nishida and T. Isshiki                                             | 89 |
| <b>Sol-Gel Preparation and Characterizations of Europium-Ion Doped Barium Magnesium Aluminate</b><br>C.H. Lu, C.H. Huang, C.T. Chen, S.M. Wang, S.J. Huang, D. Zhang and R. Kadam                                               | 93 |

|                                                                                                                                                                                                             |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Syntheses of Bulky Y-Zeolite by Hydrothermal Hot-Pressing (HHP) Technique</b><br>S. Takezoe, K. Hosoi, M. Tajika, Y. Yamasaki and A. Nakahira                                                            | 97  |
| <b>Densification and Strengthening of Tricalcium Phosphate/Titania Composite by Hot Pressing</b><br>J.K. Lee, D.S. Seo and H.C. Jung                                                                        | 101 |
| <b>Preparation of Mullite Composite Using Liquid Infiltration Technique</b><br>B.R. Cho and D.H. Heo                                                                                                        | 105 |
| <b>Liquid-Phase Sintered Silicon Carbide with Aluminum Nitride and Rare-Earth Oxide Additives</b><br>M. Hotta, N. Enomoto and J. Hojo                                                                       | 111 |
| <b>Effect of <math>\alpha</math>-Alumina as a Seed in Alumina/Silicon Carbide Composites</b><br>S.M. Choi, U. Leela-adisorn, S. Honda, S. Hashimoto and H. Awaji                                            | 115 |
| <b>Preparation and Morphology of C/C-SiC Composites by Si Melt Infiltration</b><br>I.S. Han, D.W. Seo, S.W. Lee, K.S. Hong, S.K. Woo, Y.H. Chung and J.C. Lee                                               | 119 |
| <b>Preparation and Properties of Silicon Nitride Ceramics by Nitrided Pressureless Sintering (NPS) Process</b><br>I.S. Han, S.H. Cheon, Y.H. Chung, D.W. Seo, S.W. Lee, S.K. Woo and K.S. Lee               | 125 |
| <b>Microwave Sintering BaTiO<sub>3</sub> Ceramics Using Liquid Phase Sintering</b><br>Y. Nishimura, M. Yasuoka, T. Nagaoka, Y. Kinemuchi and K. Watari                                                      | 131 |
| <b>Thermodynamical Calculations and Experimental Confirmation about the Mg-Al-Spinel Reaction Path in the Sol-Gel-Process</b><br>W. Wunderlich, K. Vishista, F.D. Gnanam and D.D. Jayaseelan                | 135 |
| <b>Fabrication and Structure of TiO<sub>2</sub> Coated Open-Cell Mullite Ceramics</b><br>S.H. Park, J.W. Kim, Y. Jung, J.H. Lee, U.Y. Paik and H.S. Lee                                                     | 139 |
| <b>Dispersion of Barium Ferrite Particles for Slip Casting in Magnetic Field</b><br>J.L. Li, S. Sano, A. Tsuzuki, A. Gotou, Y. Shibasaki, F.S. Zhang, J.T. Xiong, C.G. Zhang and T.J. Ma                    | 143 |
| <b>The Vibrative Casting with a Thixotropic Behavior</b><br>S.Y. Yoon, J.K. Lee, K.H. Hwang and B.S. Jun                                                                                                    | 147 |
| <b>Compositional Control in Solid Freeforming; Fabrication of 3D FGM</b><br>M.M. Mohebi, S.F. Yang and J.R.G. Evans                                                                                         | 151 |
| <b>Microstructural Characterization of Fine-Grained Pb(Zr<sub>0.52</sub>Ti<sub>0.48</sub>)O<sub>3</sub> Ceramics Fabricated by a Spark Plasma Sintering</b><br>S.M. Koo, S.H. Shim, J.W. Yoon and K.B. Shim | 155 |
| <b>Rapid Fabrication of C/C-SiC Composites</b><br>J. Wang, Z.H. Jin and G.J. Qiao                                                                                                                           | 159 |
| <b>Strengthening Effect of In-Situ Dispersed Hexagonal Boron Nitride in Ceramic Composites</b><br>G.J. Zhang, H. Kita, N. Kondo and T. Ohji                                                                 | 163 |
| <b>Biomorphic SiC Ceramics Prepared by Organic Template Method</b><br>G.J. Qiao, Z.H. Jin and J.M. Qian                                                                                                     | 167 |
| <b>Fabrication of a Strontium-Doped Lanthanum Chromite (LSC) Thin Film on SUS430 Substrate</b><br>H.J. Hwang, J.W. Moon, Y.H. Lim, S.H. Lee and E.A. Lee                                                    | 173 |
| <b>Influence of Nitride on Sinterability of the Composite of Lithium Aluminum Silicate and Silicon Carbide</b><br>M. Iguchi, M. Umezū, M. Kataoka, H. Nakamura and M. Ishii                                 | 177 |
| <b>Hydrogen Reduction and Sintering Behavior of Al<sub>2</sub>O<sub>3</sub>/CuO Powder Mixtures Prepared from Different Raw Powders</b><br>S.T. Oh and S.J. Yoon                                            | 181 |
| <b>Low Cost Si<sub>3</sub>N<sub>4</sub>/SiC Nanocomposites, Processing, RT and HT Properties</b><br>P. Šajgalík, M. Hnatko, Z. Lenčič, J. Dusza, M. Kašiarová, J. Kovalčík and V. Šída                      | 185 |
| <b>Fabrication of Si<sub>3</sub>N<sub>4</sub>-TiN Nanocomposites via Various Routes</b><br>J. Hojo, H. Kugimoto, M. Uehara and N. Enomoto                                                                   | 191 |
| <b>Hydrothermal Synthesis of Nano ZrO<sub>2</sub> Powders</b><br>C. Duran, J. Yu, K. Sato, Y. Hotta and K. Watari                                                                                           | 195 |
| <b>Synthesis of Nanocrystalline <math>\alpha</math>-Al<sub>2</sub>O<sub>3</sub> Using a 2-Step Calcination Method</b><br>M.J. Cho, S.H. Yoon, J.J. Kim, K.H. Hwang, B.S. Jun, S.Y. Yoon and J.K. Lee        | 199 |

|                                                                                                                                                                                                             |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Nano Magnetite Particles Prepared under the Combined Addition of Urea and Ammonia</b><br>Y.K. Jeong, D.K. Shin, H.J. Lee, K.S. Oh, J.H. Lee and D.H. Riu                                                 | 203 |
| <b>Synthesis of Nano-Scaled <math>\alpha</math>-Al<sub>2</sub>O<sub>3</sub> Particles by Combustion Spray Pyrolysis</b><br>B.S. Jun, S.J. Lee and G.L. Messing                                              | 207 |
| <b>Synthesis of SiC Nano-Powders by Solid-Vapor Reaction</b><br>S.S. Lee, J.W. Kim, Y. Jung, J.H. Lee, J.H. Yoon and C.Y. Jo                                                                                | 211 |
| <b>Formation Mechanism of Nano AlN Powder by Gas-Reduction-Nitridation</b><br>T. Yamakawa, J. Tatami, T. Wakihara, K. Komeya, T. Meguro and K. MacKenzie                                                    | 215 |
| <b>Synthesis of Metal Oxide Hollow Nanoparticles by Chemical Vapor Condensation Process</b><br>C.W. Lee, S.G. Kim and J.S. Lee                                                                              | 219 |
| <b>Microwave-Assisted Synthesis of MWO<sub>4</sub> and MMoO<sub>4</sub> (M = Ca, Ni) Nano-Powders Using Citrate Complex Precursor</b><br>J.H. Ryu, J.W. Yoon, C.S. Lim and K.B. Shim                        | 223 |
| <b>Synthesis and Microstructure of TiO<sub>2</sub>-SiO<sub>2</sub> Nanoparticles by a Reverse Micelle and Sol-Gel Processing</b><br>D.S. Bae, B.I. Kim, K.S. Han and J.H. Adair                             | 227 |
| <b>Fabrication and Applications of Nano-Metal Particle Composites by Ultrasonic Eco-Process</b><br>Y. Hayashi, H. Takizawa, Y. Saijo, T. Sekino, K. Suganuma and K. Niihara                                 | 231 |
| <b>Fabrication and Estimation of Au Coated <math>\gamma</math>-Fe<sub>2</sub>O<sub>3</sub> Nanoparticles for Separation and Purification of Biomolecules</b><br>S.H. Kim, J.K. Yang, K.J. Lee and Y.H. Choa | 235 |
| <b>Nano-Structured High Purity Copper Processed by Accumulative Roll-Bonding</b><br>S.H. Lee, S.Z. Han and C.Y. Lim                                                                                         | 239 |
| <b>Direct Hydrothermal Processing of Long Titanate Nanofibers from Natural Rutile</b><br>Y. Suzuki, S. Pavasupree, S. Yoshikawa and R. Kawahata                                                             | 243 |
| <b>Synthesis of Nanotubular Titanate from Titanium Using Hydrothermal Treatment</b><br>T. Kubo, W. Kato, Y. Yamasaki and A. Nakahira                                                                        | 247 |
| <b>Synthesis and Properties of Titania Nanotube Doped with Small Amount of Cations</b><br>T. Sekino, T. Okamoto, T. Kasuga, T. Kusunose, T. Nakayama and K. Niihara                                         | 251 |
| <b>High Pressure / Low Temperature Sintering of Nanostructured Titania by Internal Heating Method</b><br>C.H. Chiang, K.D. Pae and C.H. Lu                                                                  | 255 |
| <b>Growth of Carbon Nanotubes on Surface of Carbon Fibers Rod</b><br>Y.S. Lim, W.S. Kim, S.Y. Moon, D.Y. Han and J.Y. Lee                                                                                   | 259 |
| <b>On the Dissolution of WC in WC-Co Alloys</b><br>O. Seo and S.H. Kang                                                                                                                                     | 263 |
| <b>Conventional Sintering Route for the Production of Alumina-Based Nanocomposites: A Microstructural Characterization</b><br>P. Palmero, C. Esnouf, L. Montanaro and G. Fantozzi                           | 267 |
| <b>Energy Changes and the Lattice Resistance</b><br>W.J. Clegg, L. Vandeperre and J.E. Pitchford                                                                                                            | 271 |
| <b>Shot Peening - A New Method for Improving Mechanical Properties of Structural Ceramics</b><br>H. Tomaszewski, K. Godwod, R. Diduszko, F. Carrois and J.M. Duchazeaubeneix                                | 277 |
| <b>Critical Frontal Process Zone Size and R-Curve Behavior of Porous Ceramics</b><br>H. Awaji, C.H. Chen and N. Kishi                                                                                       | 281 |
| <b>Characteristics of Machining Damage and Their Influence on Strength in Alumina Ceramics System</b><br>S. Tanaka, K. Sato, S. Yonetani, T. Nakamura and K. Uematsu                                        | 285 |
| <b>Estimation of Residual Stress in a Ceramic Coating Layer</b><br>S. Ohtsuka, Y. Sekiguchi, S. Tochino and G. Pezzotti                                                                                     | 289 |
| <b>From Niihara's Equation to Peculiar Nanoindentation Deformation of Ceramics and Semiconductors</b><br>R. Nowak, A.T. Hirvonen and T. Sekino                                                              | 293 |
| <b>Fracture Toughness of Fibrous Si<sub>3</sub>N<sub>4</sub> Monolithic Ceramics</b><br>H. Guo, D.H. Yoon and D.W. Shin                                                                                     | 297 |
| <b>Prediction of Fracture Toughness in Fibrous Si<sub>3</sub> N<sub>4</sub> Monolithic Ceramics</b><br>H. Guo, D.H. Yoon and D.W. Shin                                                                      | 301 |

|                                                                                                                                                                                                                           |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Mechanical Properties of Transparent Polycrystalline Silicon Nitride</b><br>R.J. Sung, T. Kusunose, T. Nakayama, Y.H. Kim, T. Sekino, S.W. Lee and K. Niihara                                                          | 305 |
| <b>Electrical Resistance Behavior during Tensile Loading of Al<sub>2</sub>O<sub>3</sub> Fiber-Nano RuO<sub>2</sub>-Glass Composites</b><br>B.K. Jang and H. Matsubara                                                     | 309 |
| <b>Gas Pressure Dependence of Photon Emission Accompanying Fracture of Polycrystalline MgO in Nitrogen</b><br>T. Shiota, Y. Toyoshima, K. Yasuda and Y. Matsuo                                                            | 313 |
| <b>Mechanical Properties of Sol-Gel Inorganic-Organic Hybrid Films in Nanoindentation</b><br>J.Q. Zhang, A. Matsuda, H. Muto and M. Sakai                                                                                 | 317 |
| <b>The Change of Mechanical Properties for Anodic Aluminum Oxide by Heat Treatment</b><br>D.J. Park, S.H. Kim, J.H. Lee, S.H. Lee and Y.H. Choa                                                                           | 323 |
| <b>Microstructures and Mechanical Properties of Nano-Structured Aluminum Fabricated by Accumulative Roll-Bonding Using Different Rolling Methods</b><br>S.H. Lee, T. Sakai, C.H. Lee and Y.H. Choa                        | 327 |
| <b>The Microstructures and Mechanical Properties of Molybdenum Disilicide Preforms Infiltrated by Aluminum</b><br>X.L. Zhang, Z.H. Jin and Z.L. Lu                                                                        | 331 |
| <b>Development of Low Machining Cost Materials by Using Aluminum Borate</b><br>H. Takano, T. Kusunose, T. Sekino, R. Ramaseshan and K. Niihara                                                                            | 335 |
| <b>Estimation of Thermal Shock Resistance by Infrared Radiation Heating and Water Flow Cooling Techniques</b><br>S. Honda, H. Tanaka and H. Awaji                                                                         | 339 |
| <b>Improvement in Oxidation and Thermal Shock Resistance of Molten Glass-Coated Carbon Materials by Interfacial Control</b><br>M. Wada, S. Kitaoka, N. Kawashima, Y. Yasutomi, T. Yamada, N. Osa, K. Naitou and M. Koyama | 343 |
| <b>Microscopic Study of Sliding Wear Surfaces of Alumina</b><br>T. Senda, Y. Kawagoe, N. Kotani, K. Murakami and K. Adachi                                                                                                | 347 |
| <b>Dry Sliding Wear of Lu<sub>2</sub>O<sub>3</sub> Sialon Ceramics</b><br>M.I. Jones, K. Hirao, H. Hyuga and Y. Yamauchi                                                                                                  | 351 |
| <b>Increasing the Effectiveness of Aluminium Phosphate Binders</b><br>C.L. Mulcahy and W.J. Clegg                                                                                                                         | 355 |
| <b>Rolling Life Properties of Ceramic Bearings in Water</b><br>T. Yamamoto, H. Ito, S. Niizeki and S. Matsunaga                                                                                                           | 359 |
| <b>Tribological Properties and Thermal Conductivity of Si<sub>3</sub>N<sub>4</sub> / Si<sub>3</sub>N<sub>4</sub>-BN Alternate Layered Composites</b><br>T. Hirao, K. Hirao and Y. Yamauchi                                | 363 |
| <b>Wear Behavior of Nano-Sized Metal Particle Dispersed Al<sub>2</sub>O<sub>3</sub> Nanocomposites</b><br>S.T. Oh, S.J. Yoon, Y.H. Choa, Y.K. Jeong and K. Niihara                                                        | 369 |
| <b>Fabrication of Nanoabrasive Grinding Wheels and Their Application to Grinding Silicon Wafers</b><br>T.W. Kim, S.H. Hyun, J.S. Kim, J.H. Lee and H.W. Lee                                                               | 373 |
| <b>Tribological Property of Plasma Sprayed TiO<sub>2</sub> Coating</b><br>S.W. Lee, H. Du, H. Chen and B.Y. Hur                                                                                                           | 377 |
| <b>Adhesive and Wear Properties of Indium Tin Oxide (ITO) Thin Films Deposited by RF Magnetron Sputter</b><br>Y.N. Kim, M.S. Jeon, M.C. Shin, S.M. Lee and H.S. Lee                                                       | 381 |
| <b>Tribological Properties of TiN/DLC Nanocomposite Coatings</b><br>W.J. Yang, T. Sekino, J.W. Yoon, K.B. Shim, K. Niihara and K.H. Auh                                                                                   | 385 |
| <b>Corrosion Resistance of Commercial Si<sub>3</sub>N<sub>4</sub> Bearing Balls</b><br>O. Chimal-Valencia, M.S. Corral-García, H. Kume, Y. Nishikawa, M. Iwasa and S.D. De la Torre                                       | 389 |
| <b>Characteristic Evaluation of High Corrosion Resistant Ti/ (Pt + B<sub>2</sub>O<sub>3</sub>) Electrode with New Microstructure of Coat</b><br>D.Y. Ju, S. Koga, P. Bian and T. Mitamura                                 | 393 |
| <b>Effect of Chemical Composition of Intergranular Glass on Superplastic Deformation of <math>\beta</math>-Silicon Nitride</b><br>E. Narimatsu, Y. Shinoda, T. Akatsu and F. Wakai                                        | 399 |

|                                                                                                                                                                                                                                               |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Superplastic Deformation of Silicon Nitride Nanocomposite at High Strain Rates</b><br>K. Chihara, Y. Shinoda, T. Akatsu and F. Wakai                                                                                                       | 403 |
| <b>Superplastic Behavior in GeO<sub>2</sub> - TiO<sub>2</sub> Doped TZP</b><br>H. Ito, H. Yoshida, Y. Ikuhara, T. Yamamoto and T. Sakuma                                                                                                      | 407 |
| <b>Surface Diffusion and Incorporation Process of Adatom in Fe-Al Multilayer System</b><br>C.H. Kim, I.Y. Kang and Y.C. Chung                                                                                                                 | 411 |
| <b>Oxygen Diffusion along Symmetric [0001] Tilt Grain Boundaries in <math>\alpha</math>-Alumina</b><br>T. Nakagawa, I. Sakaguchi, K. Matsunaga, T. Yamamoto, H. Haneda and Y. Ikuhara                                                         | 415 |
| <b>Oxynitride Glasses and Their Properties - Implications for High Temperature Performance of Silicon Nitride-Based Ceramics</b><br>S. Hampshire and M.J. Pomeroy                                                                             | 419 |
| <b>High-Temperature Properties of Silicon Nitride with Lu-Si-O-N Grain Boundary Phases</b><br>Y. Yamamoto, T. Nishimura, N. Hirotsaki, S. Guo, J. Cao and M. Mitomo                                                                           | 425 |
| <b>Analysis of Internal Friction on Silicon Nitride with Visco-Elastic Model</b><br>S. Sakaguchi                                                                                                                                              | 429 |
| <b>Deformation Behavior of SiO<sub>2</sub> Doped Nanocrystalline Monoclinic Zirconia at Low Temperatures</b><br>M. Yoshida, Y. Shinoda, T. Akatsu and F. Wakai                                                                                | 433 |
| <b>Microstructure and High Temperature Strength Characteristics of Unidirectionally Solidified Al<sub>2</sub>O<sub>3</sub>/GdAlO<sub>3</sub> Eutectic Composite</b><br>H. Ohtsubo, N. Nakagawa, K. Shimizu, K. Shibata, A. Mitani and Y. Waku | 437 |
| <b>Influence of Grain Boundary Properties on Microcracking of AlN in Sliding Test</b><br>Y. Kobayashi, T. Hayase and N. Yamada                                                                                                                | 441 |
| <b>The Effect of Particle Migration on the Creep-Rate of Nanocomposites</b><br>J.E. Pitchford, E. Lidén, S. Gustafsson, L.K.L. Falk, E. Carlström and W.J. Clegg                                                                              | 445 |
| <b>Crack Propagation Behavior of Alumina with Different Grain Sizes under Static and Cyclic Fatigue</b><br>H. El Attaoui, M. Saâdaoui, J. Chevalier and G. Fantozzi                                                                           | 449 |
| <b>Crack-Healing under Cyclic Stress and Improvement of the Resultant Fatigue Strength of Si<sub>3</sub>N<sub>4</sub>/SiC</b><br>K. Takahashi, K. Ando and S. Saito                                                                           | 453 |
| <b>Evaluation and Control of Crack Propagation in Dense Porcelain/ Porous Alumina Layered Structures for Dental Material Applications</b><br>J.W. Kim, S.H. Park, Y. Jung and H.S. Lee                                                        | 457 |
| <b>Critical Conditions for Crack-Healing of Structural Ceramics under Constant or Cyclic Stress</b><br>M. Ono, W. Nakao, K. Takahashi and K. Ando                                                                                             | 461 |
| <b>Simultaneous Removal of SO<sub>x</sub> and NO<sub>x</sub> by Catalytic Cordierite Filter</b><br>M.C. Shin, J.S. Cha, J.H. Lee, S.H. Lee and H.S. Lee                                                                                       | 465 |
| <b>Indentation Contact Deformation of 3Y-TZP at Elevated Temperatures</b><br>H. Muto, R. Yamada, A. Matsuda and M. Sakai                                                                                                                      | 469 |
| <b>High Temperature Characteristics of Melt Growth Composites and Their Application to Ultra High Efficiency Gas Turbine Components</b><br>Y. Waku                                                                                            | 473 |
| <b>Development and Evaluation of Ceramic Components for a Gas Turbine</b><br>T. Fukudome, S. Tsuruzono, T. Tatsumi, Y. Ichikawa, T. Hisamatsu and I. Yuri                                                                                     | 481 |
| <b>Effect of Reactive Filler Addition for Matrix of SiC Fiber/SiC Composite</b><br>T. Inoue, M. Suzuki, T. Tanaka and S. Sodeoka                                                                                                              | 487 |
| <b>Thermal and Electrical Conductivities of Porous Carbon-Coated Ceramic Fiber Composites</b><br>J.C. Lee, J.S. Yu, J.H. Sung, S. Park and S.C. Choi                                                                                          | 491 |
| <b>Laser Chemical Vapor Deposition of Thick Oxide Coatings</b><br>T. Goto and T. Kimura                                                                                                                                                       | 495 |
| <b>La<sub>2</sub>O<sub>3</sub> Doped Y<sub>2</sub>O<sub>3</sub> Stabilized ZrO<sub>2</sub> TBC Prepared by EB-PVD</b><br>M. Matsumoto, N. Yamaguchi and H. Matsubara                                                                          | 501 |
| <b>Deposition Behavior of YSZ Nano-Coating Layer by EB-PVD</b><br>T.H. Shin, J.H. Yu, S.W. Lee, I.S. Han, S.K. Woo, B.K. Jang and S.H. Hyun                                                                                                   | 505 |
| <b>Thermal Conductivity of Nano-Pore Dispersed Y-PSZ Fabricated by EB-PVD</b><br>B.K. Jang, N. Yamaguchi and H. Matsubara                                                                                                                     | 509 |

|                                                                                                                                                                                                                          |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Thermal Stability and Mechanical Properties of Plasma Sprayed Al<sub>2</sub>O<sub>3</sub>/ZrO<sub>2</sub> Nano-Composite Coating</b><br>S. Sodeoka, M. Suzuki and T. Inoue                                            | 513 |
| <b>Investigation of Strontium-Niobium Oxides for Application to Thermal Barrier Coatings</b><br>M. Shida, K. Akiyama, I. Nagano, Y. Murakami and S. Ohta                                                                 | 517 |
| <b>Thermal Conductivity of Zirconia for Thermal Barrier Coatings: A Perturbed Molecular Dynamics Study</b><br>M. Yoshiya, M. Matsumoto, A. Harada, M. Takeuchi and H. Matsubara                                          | 521 |
| <b>Mechanical Properties and Damage Durability of Thermal Barrier Coatings with Thermal Fatigue</b><br>H.J. Jang, D.B. Kim, Y. Jung, J.C. Chang, S.C. Choi and U.Y. Paik                                                 | 525 |
| <b>Advances in YSZ Coatings Prepared by Sol-Gel Route. Applications to Fuel Cells or Thermal Barrier Coatings</b><br>F. Ansart, J.P. Bonino, P. Lenormand, C. Robert and C. Viazzi                                       | 529 |
| <b>New Challenge of Plasma Spray Coatings in Nano Oxide Ceramics</b><br>S.W. Lee, H. Chen, Y. Zeng and C.X. Ding                                                                                                         | 533 |
| <b>Development of Nanostructured Al<sub>2</sub>O<sub>3</sub>-Ni HVOF Coatings</b><br>S.P. Hannula, E. Turunen, J. Keskinen, T. Varis, T. Fält, T.E. Gustafsson and R. Nowak                                              | 539 |
| <b>Process Optimization for Nanostructured HVOF -Sprayed Al<sub>2</sub>O<sub>3</sub>-Based Ceramic Coatings</b><br>E. Turunen, T. Varis, T.E. Gustafsson, J. Keskinen, P. Lintunen, T. Fält, R. Nowak and S.P. Hannula   | 545 |
| <b>Quest and Evaluation of Topcoat Materials for Environmental Barrier Coatings of SiC/SiC Composites</b><br>H. Nakayama, K. Morishita, S. Ochiai, T. Sekigawa, K. Aoyama, T. Oi, M. Yamamoto, K. Okamura and M. Sato    | 549 |
| <b>Reliability during Thermal Shock Testing of NiCr Films on Mn-Ni-Co Oxide Substrates</b><br>M.S. Jeon, J.K. Song, E.J. Lee, H.S. Lee, T.H. No, D.H. Kim and I.G. Park                                                  | 553 |
| <b>Comparison of Water Vapor Corrosion Behaviors of Ln<sub>2</sub>Si<sub>2</sub>O<sub>7</sub> (Ln=Yb and Lu) and ASiO<sub>4</sub> (A=Ti, Zr and Hf) EBC's</b><br>S. Ueno, D.D. Jayaseelan, H. Kita, T. Ohji and H.T. Lin | 557 |
| <b>Characterization and Photocatalytic Properties of Plasma Sprayed TiO<sub>2</sub> Coatings Deposited from Nanoparticles</b><br>H. Chen, T.H. Kim, S.W. Lee, H.S. Aum, B.Y. Hur, Y. Zeng and C.X. Ding                  | 561 |
| <b>Titania Nanocrystals-Dispersed Coatings from SiO<sub>2</sub>-TiO<sub>2</sub> Gel Films through Hydrolysis and Dissolution</b><br>A. Matsuda, T. Kogure, H. Muto, M. Sakai, K. Tadanaga, T. Minami and M. Tatsumisago  | 565 |
| <b>Preparation and Characterization of Titania Thin Films</b><br>C.H. Lu, J.H. Huang, H.H. Chen and P.H. Huang                                                                                                           | 569 |
| <b>Development of Silicon Carbide Coating on Al<sub>2</sub>O<sub>3</sub> Ceramics from Precursor Polymers by Radiation Curing</b><br>R.A. Wach, M. Sugimoto and M. Yoshikawa                                             | 573 |
| <b>Accelerated Degradation Test of Indium Tin Oxide (ITO) Thin Films Deposited by RF Magnetron Sputter</b><br>H.G. Shin, Y.N. Kim, J.K. Song and H.S. Lee                                                                | 577 |
| <b>Local Acceleration Effects of Adatom at the Vicinity on the Surface: Case of Co Nano Thin-Films on Al Surface</b><br>S.C. Lee, S.P. Kim, K.R. Lee and Y.C. Chung                                                      | 581 |
| <b>Laser-Assisted Synthesis of Amorphous/Pseudoamorphous GaN Thin Films and Nanostructures</b><br>S.H. Shim, N. Koshizaki, J.W. Yoon and K.B. Shim                                                                       | 585 |
| <b>The Effects of Nitrogen and Annealing on the Electrical Property of the Diamond-Like Carbon (DLC) Films</b><br>B.G. Choi, J.K. Kim, W.J. Yang, K. Niihara, J.W. Yoon and K.B. Shim                                    | 589 |
| <b>The Anisotropic Properties of the Tape Cast Si<sub>3</sub>N<sub>4</sub> Ceramics with Rod-Like β-Si<sub>3</sub>N<sub>4</sub> Seeds Addition</b><br>Y.P. Zeng, N. Kondo, K. Hirao, H. Kita, T. Ohji and S. Kanzaki     | 593 |
| <b>Fabrication and Characterization of Zirconia-Based New Ceramic Composites for Thermal Barrier Coatings</b><br>A.T. Hirvonen, Y. Yamamoto, T. Sekino, R. Nowak and K. Niihara                                          | 597 |

|                                                                                                                                                                                                        |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Design and Characterization of Porosity Gradient for the Laminated Alumina Tubes</b><br>C.H. Chen, S. Ishiguro, S. Honda and H. Awaji                                                               | 601 |
| <b>Alumina-Based Nanocomposites Fabricated by a Novel Soaking Method</b><br>U. Leela-adisorn, T. Matsunaga, S.M. Choi, S. Honda and H. Awaji                                                           | 607 |
| <b>Properties and Microstructure of Mullite-Based Iron Nanocomposite</b><br>H. Wang, T. Sekino, T. Kusunose, T. Nakayama and K. Niihara                                                                | 611 |
| <b>High-Toughness Tetragonal Zirconia/Alumina Nano-Ceramics</b><br>O. Vasylykiv, Y. Sakka and V. Skorokhod                                                                                             | 615 |
| <b>Microstructures and Mechanical Properties of Fine-Scale Fibrous Alumina / Zirconia Bi-Phase Composite Fabricated by Co-Extrusion Process</b><br>H. Miyazaki, Y. Yoshizawa and K. Hirao              | 619 |
| <b>Nanocomposite Formation in the Fe<sub>3</sub>O<sub>4</sub>-M (M=Al, Ti) Systems by Mechanical Alloying</b><br>C.H. Lee, S.H. Lee, S.J. Lee, Y.H. Choa and J.S. Kim                                  | 623 |
| <b>Fabrication of <math>\alpha</math>-Sialon Nano-Ceramics</b><br>X. Xu, T. Nishimura, N. Hirotsaki, R.J. Xie, Y. Yamamoto and H. Tanaka                                                               | 629 |
| <b>Fabrication and Evaluation of <math>\beta</math>-SiAlON Nanoceramics</b><br>D. Hiratsuka, J. Tatami, T. Meguro, K. Komeya, I. Hayashi, J.F. Yang and M. Omori                                       | 633 |
| <b>Fabrication and Properties of Machinable AlN-BN Ceramic Nanocomposites</b><br>H.Y. Jin, W. Wang, J.Q. Gao, G.J. Qiao and Z.H. Jin                                                                   | 637 |
| <b>Electrical Properties of AlN-SiC Ceramics</b><br>R. Kobayashi, J. Tatami, T. Wakihara, T. Meguro and K. Komeya                                                                                      | 641 |
| <b>Fabrication of Electronic Conductive Silicon Nitride Ceramics by Convenient Powder Metallurgical Process</b><br>Y.H. Kim, T. Sekino, H. Kawaoka, R.J. Sung, T. Kusunose, T. Nakayama and K. Niihara | 645 |
| <b>Effect of Oxynitride Grain Boundary Phase on Toughening of Silicon Nitride Ceramics</b><br>T. Kusunose, T. Sekino, P.E.D. Mogan and K. Niihara                                                      | 649 |
| <b>Electrically Conductive Aluminum Nitride Ceramics Containing In-Situ Synthesized Boron Carbonitride</b><br>J. Yoshikawa, Y. Katsuda, N. Yamada and H. Sakai                                         | 653 |
| <b>Fabrication of Conductive Alumina by Gelcasting and Reduction Sintering</b><br>M. Takahashi, K. Adachi, R.L. Menchavez and M. Fuji                                                                  | 657 |
| <b>Preparation and Electrical Properties of Carbon Nanotubes Dispersed Zirconia Nanocomposites</b><br>T. Ukai, T. Sekino, A.T. Hirvonen, N. Tanaka, T. Kusunose, T. Nakayama and K. Niihara            | 661 |
| <b>Synthesis and Densification of CNTs/Fe/Al<sub>2</sub>O<sub>3</sub> Nanocomposite Powders by Chemical Vapor Deposition</b><br>S.H. Yoo, H.J. Wang, S.T. Oh, S.G. Kang and Y.H. Choa                  | 665 |
| <b>Preparation of Organic/Inorganic Nanocomposites with Microwave Process</b><br>D.H. Kim, S.S. Park, B.S. Jun, J.K. Lee, K.H. Hwang, H.C. Park and S.Y. Yoon                                          | 669 |
| <b>Fabrication of Yttria Stabilized Tetragonal Zirconia Polycrystals Containing TiNi Intermetallic Compounds</b><br>N. Tanaka, T. Sekino, T. Kusunose, H. Wang, T. Nakayama and K. Niihara             | 673 |
| <b>Synthesis of Monodispersed Inorganic-Organic Hybrid Particles from Phenyltriethoxysilane</b><br>K. Shimoike, A. Matsuda, H. Muto and M. Sakai                                                       | 677 |
| <b>Evaluation of Thermal Stability of Porous Material by Sintering Stress</b><br>F. Wakai, Y. Shinoda and T. Akatsu                                                                                    | 683 |
| <b>Preparation and Properties of Porous Alumina Ceramics with Oriented Pores</b><br>T. Isobe, Y. Kameshima, A. Nakajima and K. Okada                                                                   | 689 |
| <b>Fabrication and Characteristic of Porous Alumina Developed with SiC Nano-Fiber or Nano-Whisker</b><br>S.J. Je, J.W. Kim, Y. Jung and U.Y. Paik                                                      | 693 |
| <b>Preparation of Ceramic Honeycomb Filter Supported Zeolite Membrane Modules by Microwave-Assisted In-Situ Crystallization</b><br>C.D. Madhusoodana, R.N. Das, Y. Kameshima and K. Okada              | 697 |
| <b>In-Situ Formation and Coating of Cordierite Whiskers on Cordierite Based Honeycomb Support</b><br>D.D. Jayaseelan, S. Ueno, H. Kita, N. Kondo and T. Ohji                                           | 701 |

|                                                                                                                                                                                              |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Fabrication of Porous Ni-ZrO<sub>2</sub> for SOFC Using NiO-ZrO<sub>2</sub> Composite Powders</b><br>K. Sato, S. Honda, T. Nishikawa and H. Awaji                                         | 705 |
| <b>Synthesis and Application of Nano Porous La<sub>0.6</sub>Sr<sub>0.4</sub>CoO<sub>3-δ</sub> on an Oxygen Separation Membrane</b><br>K.J. Lee, J.W. Park, J.K. Yang, K.S. Lee and Y.H. Choa | 709 |
| <b>Durability of Ceramic Filter for Hot Gas Cleaning</b><br>M.C. Shin, J.S. Cha, J.H. Lee, S.H. Lee and H.S. Lee                                                                             | 713 |
| <b>Macroporous Ceramics Coated with Mesoporous Layer for Enzyme Encapsulation</b><br>S. Seelan, K. Kato and Y. Yokogawa                                                                      | 717 |
| <b>Preparation of Bimodal Porous Apatite Ceramics through Slip Casting Using Fine Hydroxyapatite Powders</b><br>Y. Zhang, Y. Yokogawa and T. Kameyama                                        | 723 |
| <b>Fabrication of Uniformly Nano-Sized Macroporous Silica Structure Using Templates</b><br>D.S. Chang, Y.J. Kwon, C.S. Lim, J.W. Yoon and K.B. Shim                                          | 729 |
| <b>Fabrication of Large Ceramic Components with Controlled Microstructure by Powder Thermoset Molding</b><br>H.W. Lee, J.S. Kim, J.H. Lee and H. Song                                        | 733 |
| <b>Mineral Sand as a Low Cost Source of Nanomaterials</b><br>R. Kawahata and Y. Suzuki                                                                                                       | 739 |
| <b>Fabrication and Characterization of Zeolite-Carbon Composite from Industrial Wastes</b><br>N.F. Gao, K. Watari and S. Kume                                                                | 743 |
| <b>Evaluation of Energy Consumption in Ceramic Fabrication Process for Alumina Ceramics with Diverse Particle Sizes</b><br>S. Nagano and K. Watari                                           | 747 |
| <b>Fabrication of Al<sub>2</sub>O<sub>3</sub> Ceramics by Environmentally Friendly Process</b><br>T. Nagaoka, T. Tsugoshi, Y. Hotta, K. Sato and K. Watari                                   | 751 |
| <b>Characteristics of Wall and Floor Tiles Using Waste Glass</b><br>Y.K. Kim, Y. Jung, J.B. Song, M.C. Shin and H.S. Lee                                                                     | 755 |
| <b>Honeycomb Supports, Filters and Catalysts for Cleaner Environment</b><br>S.P. Shukla, C.D. Madhusoodana and R.N. Das                                                                      | 759 |
| <b>Preparation of Porous Hydroxyapatite Using Extrusion of PAN</b><br>M. Ohta, M. Tajika and A. Nakahira                                                                                     | 765 |
| <b>Synthesis and Characterization of Calcium Phosphate-AMP Layered Materials</b><br>M. Kaneno, K. Sakamoto, S. Yamaguchi and K. Suganuma                                                     | 769 |
| <b>Finite Element Analysis on Proof Testing of Ceramic Ball Heads for Total Hip Replacements: Trauma Loading Considerations</b><br>D.G. Carillo, M.C. Curiel, H.S. Aum and S.W. Lee          | 773 |
| <b>Application of Zeolites on Cellulose Fiber</b><br>H.M. Lim, J.S. Jung, B.Y. Kim and S.H. Lee                                                                                              | 777 |
| <b>Formation of Hydroxyapatite from Mechanochemically Treated β-Tricalcium Bis (Orthophosphate)</b><br>M. Kaneno, K. Sakamoto, S. Yamaguchi and K. Suganuma                                  | 781 |
| <b>Transmission Electron Microscopic Study on Thermal Decomposition Process of Calcium-Deficient Hydroxyapatite</b><br>M. Tamai, K. Nishio, T. Isshiki and A. Nakahira                       | 785 |
| <b>Dissolution and Mechanical Properties of Sintered Hydroxyapatite Immersed in Water</b><br>D.S. Seo, H. Kim, K.H. Hwang and J.K. Lee                                                       | 789 |
| <b>Correlation of Physical Properties of Inorganic Carrier and Microbial Survival Rate</b><br>H.M. Lim, S.H. Lee, J.B. Park, J.A. Kwon and Y.S. Yu                                           | 793 |
| <b>Luminescence Properties of Rare-Earth Doped α-SiAlONs</b><br>R.J. Xie, M. Mitomo and N. Hirosaki                                                                                          | 797 |
| <b>Effects of Sn<sup>2+</sup> Co-Doping on the Photoluminescence of Eu<sup>3+</sup> Ion in Strontium Phosphate</b><br>C.H. Lu and V. Natarajan                                               | 803 |
| <b>Synthesis of WO<sub>3</sub> Electrochromic Sensor by Sol-Gel Method and Characterization of Its Electrochemical and Optical Properties</b><br>C.Y. Kim, J.W. Choi, T.Y. Lim and D.K. Choi | 807 |
| <b>Thermoelectric Properties of Al-Doped ZnO Prepared by Electrical Field-Assist Sintering</b><br>H. Kaga and R. Asahi                                                                       | 811 |

|                                                                                                                                                                                                                                                                                                                                                                                                     |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Photocatalytic Activity of Titania and Zirconia-Doped Titania Nanocrystals Prepared by Surfactant-Assisted Templating Method</b><br>S. Sakulkhaemaruethai, Y. Suzuki and S. Yoshikawa                                                                                                                                                                                                            | 815 |
| <b>Comparison of Adsorption Capability and Photocatalytic Activity for Methylene Blue Decomposition of <math>\text{LiInO}_2</math> with <math>\text{NaInO}_2</math></b><br>J.H. Wang and T. Nonami                                                                                                                                                                                                  | 819 |
| <b>The Preparation of Visible Light-Responsive <math>\text{TiO}_2</math> Thin Films by Applying a RF-Magnetron Sputtering Deposition Method and Their Photocatalytic Reactivity for the Decomposition of Water with a Separate Evolution of <math>\text{H}_2</math> and <math>\text{O}_2</math></b><br>M. Kitano, H. Kikuchi, T. Hosoda, M. Takeuchi, M. Matsuoka, T. Eura, M. Anpo and J.M. Thomas | 823 |
| <b>The Intelligent Catalyst: Pd-Perovskite Having the Self-Regenerative Function in a Wide Temperature Range</b><br>H. Tanaka, I. Tan, M. Uenishi, M. Taniguchi, Y. Nishihata and J. Mizuki                                                                                                                                                                                                         | 827 |
| <b>The Self-Regenerative "Intelligent" Catalyst for Automotive Emissions Control</b><br>I. Tan, M. Taniguchi, H. Tanaka, M. Uenishi, N. Kajita, Y. Nishihata, J. Mizuki and K. Niihara                                                                                                                                                                                                              | 833 |
| <b>Removal of Heavy Metal Ions from Aqueous Pb-EDTA and Cu-EDTA Solutions Using Nanosized <math>\text{ZnO}</math> Powders by Solution-Combustion Method</b><br>J.H. Lee, J.U. Seo, Y.J. Chung, J.C. Lee and S. Park                                                                                                                                                                                 | 837 |
| <b>Synthesis of Solution-Combusted <math>\text{ZnO}</math> Nanopowder and Its Application to Gold Recovery</b><br>S. Park, J.C. Lee, J.U. Seo, J.H. Lee and H.J. Kim                                                                                                                                                                                                                                | 841 |
| <b>Effect of Additives on Dielectric Loss of <math>\text{AlN}</math> Ceramics</b><br>S. Kume, M. Yasuoka, N. Omura and K. Watari                                                                                                                                                                                                                                                                    | 845 |
| <b>Dielectric and Piezoelectric Properties of <math>x\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3 - y\text{Pb}(\text{Mn}_{1/3}\text{Nb}_{1/3}\text{Sb}_{1/3})\text{O}_3 - (1-x-y)\text{Pb}(\text{Zr}_{0.48}\text{Ti}_{0.52})\text{O}_3</math> Ceramics</b><br>H.J. Sun, W. Chen, X.F. Liu, Q. Xu, J. Zhou and H. Wang                                                                        | 849 |
| <b>Effect of Sintering Temperature on Structure, Piezoelectric and Ferroelectric Properties of <math>(\text{Na}_{0.5}\text{Bi}_{0.5})_{0.90}\text{Ba}_{0.10}\text{TiO}_3</math> Ceramic</b><br>Q. Xu, X.L. Chen, S.J. Wu, W. Chen, H. Wang, B.H. Kim and J.H. Lee                                                                                                                                   | 853 |
| <b>Thermodynamic and Dielectric Properties of <math>\text{MgSiN}_2</math> Ceramics</b><br>Z. Lenčič, K. Hirao, P. Šajgalik and M.J. Hoffmann                                                                                                                                                                                                                                                        | 857 |
| <b>Ultrasonic Spray Nozzle System with Piezoelectric Ceramics for Water Treatment Applications</b><br>J.S. Koh, J.C. Lee, S.H. Cho and S.C. Choi                                                                                                                                                                                                                                                    | 861 |
| <b>Pressure Sensing Using Electrostatic Capacitance</b><br>N. Bamba, N. Endo, T. Takagi and T. Fukami                                                                                                                                                                                                                                                                                               | 865 |
| <b>Preparation and Evaluation of Metal/Ceramic Nanocomposites for High Frequency Inductive Devices</b><br>J.K. Yang, D.J. Park, J. Kim, S.Y. Chang, C.H. Lee, T. Sekino, K. Niihara and Y.H. Choa                                                                                                                                                                                                   | 869 |
| <b>Microstructural and Electrical Characterisation of <math>\text{La}_x\text{Ba}_{1-x}\text{Ti}_{1-x}\text{Y}_x\text{O}_3</math> (<math>0 \leq x \leq 0.50</math>) Ceramics</b><br>A. Feteira, D.C. Sinclair and M. Lanagan                                                                                                                                                                         | 873 |
| <b>A Structural Consideration of a Solid Solution <math>\text{La}_4\text{Ni}_{3-x}\text{Mn}_x\text{O}_{10}</math></b><br>S. Ueno, H.B. Misram and N. Kamegashira                                                                                                                                                                                                                                    | 877 |
| <b>Extraction of Crystal Structures Based on Euclidean Voronoi Diagram and Angle Distributions among Atoms</b><br>D.S. Kim, Y.C. Chung, S.W. Seo, S.P. Kim and C.M. Kim                                                                                                                                                                                                                             | 881 |
| <b>Sintering and Electronic Conducting Properties of <math>\text{La}_{0.8}\text{Ca}_{0.2}\text{CrO}_3</math> Perovskite-Type Complex Oxides Synthesized by Different Methods</b><br>Q. Xu, W.F. Guo, W. Chen, H. Wang, D.P. Huang and B.T. Wang                                                                                                                                                     | 885 |
| <b>Magnetic and Electronic Properties of Transition Metal Doped <math>\beta</math>-<math>\text{SiC}</math> - A Diluted Magnetic Semiconductor</b><br>Y.S. Kim, H.C. Kim and Y.C. Chung                                                                                                                                                                                                              | 889 |
| <b>Development of Ferrite Magnetic Materials with High Strength by a Low-Temperature Sintering Method</b><br>D.Y. Ju and P. Bian                                                                                                                                                                                                                                                                    | 893 |
| <b>Processing and Mechanical Properties of Microcellular Ceramics</b><br>Y.W. Kim, S.H. Kim, C.B. Park and H.D. Kim                                                                                                                                                                                                                                                                                 | 899 |

|                                                                                                                                                   |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Preparation and Properties of a Novel Anode of Interpenetrating Phase Composite Structure</b>                                                  |     |
| J.Y. Park, J.H. Lee, J.S. Kim and H.W. Lee                                                                                                        | 905 |
| <b>Fabrication and Fuel Cell Properties of Gd-Doped CeO<sub>2</sub> Micro-Tube Ceramics Reactors Prepared by Gel Precursor</b>                    |     |
| Y. Fujishiro, K. Hamamoto, R.V. Mangalaraja and M. Awano                                                                                          | 909 |
| <b>Preparation of YSZ Electrolyte for SOFC by Electron Beam PVD</b>                                                                               |     |
| T.H. Shin, J.H. Yu, S.W. Lee, I.S. Han, S.K. Woo, B.K. Jang and S.H. Hyun                                                                         | 913 |
| <b>Effect of Alumina Additions on Mechanical and Electrical Properties of 8mol% Yttria-Stabilized Zirconia Prepared by Spark Plasma Sintering</b> |     |
| J.K. Kim, K.H. Kim, Y.H. Choa, J.W. Yoon and K.B. Shim                                                                                            | 917 |
| <b>Sealing Behavior of Visco-Elastic Composite Seals for SOFC Applications</b>                                                                    |     |
| J.C. Lee, S. Park, J.S. Yu, J.H. Lee, J.S. Kim and H.W. Lee                                                                                       | 921 |