

Table of Contents

Preface and Conference Organization

Chapter 1: Thermal and Heat Engineering

The Influence of Intake Temperature and Excessive Air Coefficient on the Performance of a Gasoline HCCI Engine	
J.L. Zhou, Y.C. Shen, C.H. Zhang and J.R. Pan	3
Analysis of Steam Reclaim in Cooling Tower	
J.L. Liang, H. Li and X.Y. Geng	7
Investigation on Heat Transfer Performance of External Heat Exchanger for Circulating Fluidized Bed Boiler	
D.L. Zhang, D.H. Yang, G.S. Yang, Z. Li and J.F. Lv	11
Experimental and Numerical Study on Diluted Premixed Laminar Dimethyl Ether-Air Flames	
Z.Y. Chen and C.L. Tang	18
Fuel Common Rail Injection System of RT-Flex Marine Intelligent Diesel Engine and its Simulation Dynamic Model	
Y.J. Wang, J.F. Chen and S.Q. Li	23
Modeling of the Coal-Fired Utility Boiler in a Thermal Power Plant Based on Macro Energy Balance	
T. Yu and J.Q. Yuan	29
Numerical Analysis on Solid-Liquid Phase Change Heat Transfer Process between PCM and FCPCM	
Q. Sheng and Y.M. Xing	37
Numerical Study of Dynamic Behavior of Joule-Heated Pool	
M.J. Zhang, X.H. Zhang and L.J. Chen	42
Research on NO_x Concentration Field Distribution of a Turbo-Jet Engine Emissions	
Q. Wang, Y.F. Ma and X.M. Hu	46
Study on Energy Consumption Analysis Method of Distributed Cryogenic Separation System	
Z.G. Wang, L. Zhang and C.L. Yin	52
A Nonlinear Lumped-Parameter Dynamic Model of Power Plant Boiler Superheater	
Y.W. Kang, Y. Xue, W. Huang and Y.F. Li	57
A Preliminary Study on Lean Blowout of One Combustion Stability Device	
Y.X. Yuan, P.F. Xie, W.Y. Cao, C. Chen, C. Yu, D.J. Zhan and C.Q. Tan	63
An Empirical Correlation for Steam Condensing and Flowing Downward in a 50mm Diameter Inclined Tube	
J.G. Yang, X.L. Ju and S. Ye	67
An Experiment Investigation of Heat Transfer Enhancement by Pulsating Laminar Flow in Rectangular Grooved Channels	
Y. Li, D.X. Jin, Y.Q. Jing and B.C. Yang	74
An Experimental Investigation on the Heat Transfer Coefficient of Oscillating Heat Pipes	
L. Gao, W.G. Geng, X.X. Ma, X.L. Ma, G.L. Luo and X.Y. Li	78
An Integral Method for Solving the Point Reactor Neutron Kinetics Equations with Newtonian Temperature Feedback	
G. Fan and W.B. Liu	83
Analysis and Solution of Fouling on Flow Path for Supercritical Steam Turbine	
W.L. Jiang, J.Q. Xu, T. Yang and Y.F. Shi	90
Analysis and Solution of Hydrogen-Cooled Generator Hydrogen Purity Decline	
Y.L. Xu, H. Xie, H.R. Li and W.L. Wu	98
Comparison of Borehole Thermal Resistance Values of Ground Heat Exchanger Obtained by Several Methods	
H.B. Kang, S. Yoon, G.H. Go and S.R. Lee	103

Enhanced Geothermal Systems Projects and its Potential for Carbon Storage C.Y. Feng	109
Experimental Study on Gas Atmosphere near Side Walls of Swirl Opposed Supercritical Boiler X.S. Yang and X.G. Zhou	116
Numerical Analysis of Hot Ends Length Effect on the Performance of Energy Separation in Vortex Tube Z.Y. Wu, X.J. Fang and W.L. Sun	120
Numerical Simulation of Effects of Gravity on the Micro Jet Flame in the Confined Space Y.H. Gan and Y.L. Luo	127
Numerical Simulation of O₂/CO₂ Pulverized Coal in 300MW Boiler L.L. Li and C. Qu	133
Research and Application of GPR in Detection of Heating Pipelines on Complex Highway S.G. Sun, J. Wang, A.W. Miao and W.B. Liu	138
The Effect of Wind Speed on Cooling Tower Plume Dispersion R.P. Guo, C.L. Yang and C.M. Zhang	144
Study on Thermal Model of Operation in Steady for Hot Pipe Y. Xu, Z.H. Dai and X.Y. Liu	148
Simulation and Experimental Research on Screw Ground Source Heat Pump Unit Q. Wang, Z.L. Ding, H.Y. Wang and W.C. Lv	152
Design and Analysis of Distributed Pump-System in District Heating Network J. Jiao, H. Wang and H.Y. Wang	156
Experimental and Numerical Study on Thermal Characteristics of High-Power LED Street Lamp A.C. Ma, Y.H. Wang, J.P. Ou and C.J. Zhou	161
Operation Characteristic of a Mechanical Vapor Recompression Heat Pump Driven by a Centrifugal Fan W.K. Pang, L.W. Yang and Z.T. Zhang	165
Research of Vacuum Degree Influence on Performance of Vacuum Heat Insulation Oil Pipe Z.H. Wang and H.Q. Zhao	172
The Research of the Exergy Transfer Characteristic in the Process of Steady Heat Conduction during Constant-Section Straight Ribs B. Wei, W. He and X.C. Fan	176
Thermal Bridges in Insulation Systems V. Petranek, R. Šubrt, J. Plachy, L. Nevřivová, T. Petricek, L. Kalousek and Z. Caha	182
CFD Design and Analysis on Circular Slotted Fin Surfaces of Two-Row Tubes Heat Exchangers J.Z. Zhang	186
Experimental Investigation of Methane/Air Penetration Combustion and Flame Stability Characteristics on Porous Wall Surface X.F. Zheng, Y. Feng and M.S. Jia	190
Flow Patterns Identification in a High-flux Circulating Fluidized Bed with Shannon Entropy Increment Rate S.Y. Yin, B.S. Jin and W.Q. Zhong	194
Performance Characteristics of a Class of External Combustion Engines S.Y. Zheng and H.S. Yang	199
Quantitative Study on Model and Basic Concepts of Thermodynamic System Z.G. Wang, J. Chen and C.L. Yin	204
Thermodynamic Modeling of Air Reservoir for CAES Power Plant X.N. Song, Y.P. Hu, J. Zheng, P. Li, X.X. Hou and W.Y. Liu	209
Working Fluid Selection for an Organic Rankine Cycle for Waste Heat Recovery under Different Heat Source Temperatures S. Yang, B. Zhang, J.L. Xu, W. Zhang and C.X. Wang	213
A New Modified SVD Method Applied in 3D Acoustic Temperature Field Reconstruction W. Yang and X.L. Zhu	218
Distribution Characteristics of Exergy Dissipation of a Large-Scale Coal-Fired Power Generation Units J.L. Deng, Z.P. Yang, P. Fu and J.Z. Liu	224

Experimental Analysis on Non-Dimensional Parameters of Closed-Loop Pulsating Heat Pipes	
X. Wang, X.W. Zhang and C.S. Yang	230
Influence of Boiler Combustion Adjustment on NO_x Emission and Boiler Efficiency	
B.T. Zhang, C.Y. Wang, Q. Qin and L. Li	234
Influence of Parameters of Insulation Layer on Performance of Vacuum Heat Insulation Oil Pipe	
Z.H. Wang	238
Investigation and Application of Forced Cooling of WH 600MW Steam Turbine	
Y.F. Shi, J.Q. Xu and L. Ma	242
Numerical Research on the Drying Process of Single Lignite Particle by High Temperature Flue Gas	
A.X. Dong, S.Y. Zhang, X. Guo, H.J. Zheng, W.X. Deng, J.F. Lu, D.Z. Shi and J.X. Dong	250
Numerical Simulation of Internal Fire Whirls in an Inclined Shaft	
Y. Huo, Y. Gao and D.X. Huang	254
Numerical Study of Selective Non-Catalytic Reduction Process in Large Utility Boiler	
Q.X. Cao, H. Liu, S.H. Wu, W.Y. Wu, S.Y. Yu, Z.Z. Li and C.H. Yang	258
On Application of Looped Pulsating Heat-Pipe in High-Power LED for Street Light	
W.W. Tang, G.X. Kou, L.L. Hu, H.W. Zhou and B. Feng	265
Research on Aerodynamic Characteristics of Air-Cooled Turbine Blade with Conjugate Heat Transfer Method	
J.J. Zhang, L.F. Wang and X.J. Fang	270
Research on Coordinated Control System for Boiler-Turbine Units Based on Fractional-Order Control	
L. Wang, J.J. Li, Y.H. Wang and Q.X. Guan	276
Simulation of Main Steam Temperature Control System Based on Fuzzy PID and Improved Smith Predictor	
C.L. Liu and Y.B. Zhang	280
Study on the Contamination Coefficient of Convective Heating Surface in a Circulating Fluidized Bed Boiler	
Y.Z. Wang, X.M. Liu, A.C. Liu, Q. Liu, J.C. Zhang and W.B. Jiang	286
Study on the Optimal Running Temperature of Circulating Fluidized Bed Boiler Burning Fujian Anthracite	
H.Z. He and H.H. Zhuang	291
The Calculation of Heat Transfer of Surface Type Heat Exchanger	
Y.R. Wang and P.R. Wang	297
The Design Optimization Method of Steam Turbine Cold End in Coal-Fired Power Plant	
Y.M. Wang, H.L. Ma and X.F. Zhang	301
The Experimental Research on Instantaneous Efficiency of PV/T Module Based on Micro Heat Pipe Array	
Z.H. Quan, L.C. Wang, Y.H. Zhao, Y.C. Deng, G. Wang and H.M. Liu	306
Thermal Parameter Optimization of Waste Heat Power Generation System that Used in a Float Method Glass Klin	
G.H. Chen, J.M. Cheng and C.H. Miao	312
Visualization Experiment on the Steady Operating Process of the close Loop Pulsating Heat Pipe	
X. Wang, Y.Z. Li, C.S. Yang and X.W. Zhang	318
Dynamic Thermal Characteristics of a Conduction-Cooled HTS SMES System	
M. Song, X.Z. Deng, K.N. Cao, D.D. Wang, L. Ren and Y.J. Tang	322

Chapter 2: Power Machinery and Engineering

Calculation of the Remaining Life of Corroded Tan	
A.F. Wang, Q. Li, X.L. Liu and H.G. Wang	329
Design Calculation and Test of Lubricating System for Model 190 Diesel Engine	
A.J. Yang and J.H. Ma	333

Development of Simulation Model for Series Hybrid Electric Crawler Bulldozer (SHECB) Based on ADVISOR	
B.D. Zhang, X. Zhang, X. Zhang and L.H. Xi	337
Influence of Dynamic Characteristics of Wheels between Vehicle with Traditional and Articulated Bogie	
H.S. Yuan	344
Mechanical Model of Pelletization in the Impressing Roller System	
X.P. Huang, F.X. Wan and J.F. Wu	348
Optimization Research on a Nature Gas Engine Compression Ratio	
G.D. Feng, Y. Gao, J. Li and Y. Qin	352
Properties Database of Working Medium for Full Scope Simulation of Coal-Fired Power Plant	
T. Yu and J.Q. Yuan	357
Study on the Load of Crankshaft of Hybrid Ship Main Diesel Engine	
H.Y. Ren, P.T. Sun and D. Wang	362
The Model of a Free Piston System Based Organic Rankine Cycle and the Analysis of Sensitive Factors	
Y.Q. Han, J. Zeng and C. Qiao	368
The Prime Mover Selection Analysis of Distributed Energy System	
Y.Z. Yuan, P.Y. Zheng, X.W. Chen, Z.Y. Zhou and J.G. Wang	376
Research and Discussion on Electro-Magnetic Treatment in Circulating Cooling Water of Power Plant	
N.Z. Xiao, N.Z. Xiao, L.W. Wen, R.J. Zhao and C.L. Zhang	382
Analysis on the Mixing Process in a Heavy-Duty Diesel Engine under Different Conditions of Spray Position	
Y. Yuan, G.X. Li, Y.S. Yu and Y.J. Xu	387
Experimental Analysis of FWX Series Cyclone-Static Micro-Bubble Flotation Column	
B.Q. Dai, W. Li, C.Q. Ma, Y.Y. Shao and K.H. Geng	392
Fault Diagnosis Based on Rough Set and BP Neural Network (RS-BP) for Gas Turbine Engine	
N.B. Zhao, S.Y. Li, S. Yi, Y.P. Cao and Z.T. Wang	397
Multi-Objective Optimization Design of Screw Conveyor Using Genetic Algorithm	
D.Y. Wang	402
Screw Expander for Waste Heat Utilization in Heating Furnace	
Y.H. Lu	407

Chapter 3: Fluid Engineering and Machinery

Comparison of Finite Difference and Finite Volume Method for Numerical Simulation of the Incompressible Viscous Driven Cavity Flow	
J. Wang, J.F. Li, W.X. Cheng, L. Yuan, B. Li, Z.Z. Fu and L. Jin	413
Mechanical Stress Analysis of Different Shapes Pillars with Cnoidal Internal Wave Action	
X.C. Fan, R.J. Shi, F.T. Li, B. Wei and Y. Dang	417
Multifunction Expansion Design of the Wellbore Multiphase-Flow Experimental System	
H.R. Liang, J.N. Xu and D.Y. Zhu	421
Numerical Simulation and Analysis of Interior Shear Stress in Centrifugal Cardio Pump	
X.B. Dai, J.P. Xu and L. Zhang	426
Numerical Simulation of the Effects of Baffle on Flow Field in a Stirred Tank	
Z.R. Hao, J. Xu, H.Y. Bie and Z.H. Zhou	432
Numerical Study on the Flow Characteristics of Low Head Small Hydraulic Turbine	
S.S. Byeon, J.H. Boo, C.Y. Park, S.S. Kim and Y.J. Kim	436
Parametric Study of Crowned Blade in Horizontal Axial Turbine	
J.W. Zhou and D.Z. Wang	443
Wicket Gate Closure Control Law to Improve the Transient of a Water Turbine	
X.Q. Li, J.S. Chang and P. Chen	451
Turbulent Characteristics of the Stratified Flow in the Braided River with Two Symmetrical Anabranches	
L. Gu, H. Hui, Z.L. Hua, Q.L. Li, Z.N. Jiao and M. Yan	457

Experiment Study on Improved Closed Loop Pulsating Heat Pipe with Silver/Water Nanofluid	
W.X. Shi, W.Y. Li and L.S. Pan	462
CFD Simulation of Gas Residence Time Distribution in Agitated Tank	
L.C. Li	467
Experimental Analysis of Effects of Non-Structural Factors on Performance of Liquid-Gas Ejector Driven by Aqueous LiBr Solution	
R. Wang and H.T. Gao	472
New Technologies of Pressure Pre-Cooling Flow Field Uniformity	
J.H. Niu, H.C. Tian and J.R. Qin	476
Numerical Investigation for Inner Flow Fields and Structure Improvements of Medium Speed Mill	
X.R. Zhu, C.Y. Liu and L. Cheng	481
Numerical Simulation of Transient Flow in Products Pipeline	
Z.Y. Wang, J.F. Li, L. Yuan, Z.Z. Fu, B. Li, W.X. Cheng, L. Jin and L. Liu	487
Numerical Simulation on Water Mist Fire Suppression System Operation in Typical Environment	
P. Liu	491
Research on Calculation Method of Engine Cooling Fan	
K. Shen, H. Chen, S.F. Gu and J.M. Ni	495
The Research of Anti-Slip Control for Slurry Pump Based on PLC	
X.S. Zhao, J. Hu and P.C. Shi	501

Chapter 4: HVAC, Air Conditioning and Refrigeration

Application and Economic Analyses of Ice Storage Air Conditioner in a Holiday Plaza of Shenzhen	
X. Zhang, K. Ma and X.T. Zhang	509
Integration of Multiple in-House Heat Stations into One Energy Flexible Heat System - Part 2	
R. Riise	513
Thermodynamic Analysis of a R32/CO₂ Cascade Refrigeration Cycle	
J. Xiao and Y.F. Liu	527
Research Progress of Liquid Desiccant Evaporative Cooling Air Conditioning System	
T.H. Zou, M. Wang, S.F. Deng and Y. Li	531
The Design and Economic Analysis of Ice Cold-Storage Air Conditioning Unit on a Municipal Project in Seoul	
J.J. Yang, L. Zhang and X.L. Wang	537
The Pressure Differential Analysis of LiCl Solution Absorption Process	
C.L. Tang and Q. Wang	541
Application Study of Cold Air Distribution System	
X.M. Zhang, C.C. Sun, X. Zhang and J.Z. Li	548
Simulation and Optimization on Outlet Velocity of Industrial Plant Air Supply Cylinder	
G.X. Kou, H.Q. Wang, B. Feng and L.L. Hu	552
Solar Energy, Methane, China Kang Integrated System Design	
H.G. Ren	558
Study on Ground Source Heat Pump System of Combined Office and Residential Building in Hot Summer and Warm Winter Region	
Y.N. Hu, Y.Z. Liu, J. Lin and Y. Wang	564
Effect of Inlet Prewhirl on Flow Field of Axial Flow Fan	
Z. Ye, H.Y. Zhao, Y. Yang, C. Li and W. Gao	571
Numerical Simulation on Axial Flow Fan Performance with Changing Tip Clearance	
Z. Ye, H.Y. Zhao, L. Zhang, C. Li and W. Gao	577
Analysis of Influencing Factors of Pressure Pre-Cooling Rate for Fruits and Vegetables	
Q. Wang, F. Wang, Q. Wang and F.Z. Liu	581
Design of Ground Source Heat Pump Air Conditioning System for the Office and the Restaurant	
K.W. Huang	585

Dynamic Simulation and Analysis of the Process of Cold-Storage Plate Release Cool in Refrigerator Vehicle X.Y. Li, S.Q. Du and Y.M. Li	589
Experimental Study on Heat Transfer Characteristics and Pressure Drops for Water Flowing in Spiral Coil Heat Exchanger X.Y. Zhang, F.F. Jiang, S.Y. Zhao, W.F. Tian and X.H. Chen	593
Investigation and Analysis of the Heating Present Situation in Shenyang H.W. Wang, H. Song, G.H. Feng and B.L. Wang	600
Multiple Criteria Decision Method Used in Selection of Green Air-Conditioning System C. Zhou and Y.Y. Li	605
Performance Test on a Solar Powered Two-Stage Solid Wheel Desiccant Air Conditioning System T.H. Zou, G. Jia, F.L. Cao and R. Yu	609
Simulation and Energy-Saving Algorithm Based on MRAC of VAV BOX J.S. Chen, Z.S. Wu, Y. Liu and S.C. Lin	615

Chapter 5: Power System, Control and Automation

OLTC Voltage and Reactive Power Control in Area Transmission System for Improvement Line Loss and Voltage Variation Y.S. Chuang and S.Y. Lee	623
A Distributed Protection and Control Scheme for Distribution Network with DG B.B. Tong, G.B. Zou and M.L. Shi	628
A New Methodology of Harmonic Detection Based on Windowed FFT and Wavelet Transform X. Zheng, S. Wang and Y.B. Zhang	634
A Novel Method of Static Security Analysis Based on Multithread Technology B.Q. Tang, Y.J. Yu, S.H. Feng and F. Li	639
An Islanding Detection Method Based on Q-Axis Disturbance Signal Injection J. Liu, H.H. Fang and X.F. Li	646
Case Study on the OOPP Theory Using AHP Method-Application in Improvement of Long Feng Hydropower Y. Gao and S.J. Wang	653
Distribution System Restoration Based on Hybrid Particle Swarm L.Z. Tang, J. Du, K.P. Xu and X.Q. Qi	662
Fast Static Security Analysis of Day-Ahead Generation Scheduling 96 Period Cases Adapting to Large Power System F. Li, Z.H. Wang and H.C. Li	669
Methods of Failure Analysis of 35-110 kV Overhead Transmission Lines A.I. Khalyasmaa, S.A. Dmitriev and S.E. Kokin	677
Mid-Long Term Load Forecasting Based on Fuzzy Soft Set and D-S Evidence Theory D.X. Niu, L.L. Fan, Q.L. Wu, Q.G. Ma and Q.L. Tan	682
Modeling and Fault Analysis of VSC-HVDC Supplying Passive Network T.L. Zhao and S.W. Xiao	686
Optimizing the Operation of Distributed Generation Using Genetic Algorithms J. Du, D.Y. Zhao and Y.B. Wang	691
Research and Simulation of Excitation Regulator Model Based on DSP Z.T. Zhang, X.P. Shi and X.L. Shi	697
Rife-Vincent (I) Window Interpolated FFT Algorithm Based on Cubic Spline Function L.L. An, R. Zhu, Y.M. Yang, M. Xu and F. Chen	702
Simulation Analysis of Zhengzhou Metro Power Supply System Rectifier Unit B. Lou, X.P. Guo, J. Xin, G.Y. Chen, J.F. Yang and X.Y. Chen	707
Simulation and Analysis of Transformer Inrush Current and its Impact on Current Differential Protection H. Wang, K. Yan, H.L. Gao and X.W. Chen	712

Chapter 5: Power System, Control and Automation

Study of the Emergency DC Power Support Strategy Based on the Principles of the Generalized Dynamics J.T. Liu, C.L. Li and K. Wang	719
Study on Relationship between Power Grid GIC (Geomagnetically Induced Currents) and Interplanetary Disturbances G.N. Du, L.G. Liu and K.R. Wang	726
The Application of Monte Carlo Simulation in Present Earning Value Method — Case Study of a Medium Hydropower Station A.L. Zhang and S.J. Wang	731
The Renovation of Noise Reduction and Ventilation for Indoor Substations R. Xu and T.F. Yu	738
Wind Farm Voltage Control Scheme to Improve Dynamic Voltage Stability P. Guo, W.Y. Liu, W. Wang, N.B. Wang and H.S. Jia	745
Research on AC/DC Power Flow Algorithm Considering Control Transformation of HVDC System P. Ye, H.F. Gu and W. Dang	752
A New Topology for Simultaneous AC-DC Distribution with the same Line L. Zhang, Q. Yu, L. Cao, L. Zou and T. Zhao	757
Research on the Reliability Evaluation Method for DC Grid H.Y. Dai, Y.L. Li, J.H. Hao and M.Y. Li	762
Design of Voltage Reactive Optimizing Closed-Loop Control System in Local Power Grid Y.F. Wu, C.Q. Wu and L. Liang	767
The Coordinated Control Strategies of Voltage Stability Based on Expert Rules F. Zhang, C.L. Guo, L.Y. Jiang, L. Yang and J. Zhang	772
Investigation on the Dynamic Characteristics of PMFCLs for Large Capacity Applications L. Zou, J.X. Xu, Q. Yu, T. Liu and X.S. Yang	778
An Optimal Evaluation Model for Grid Short-Circuit Current Limitation Measures J.H. Chen, W.Y. Liu, W. Zheng and C. Liang	782
A Fast Searching Scheme for Power Flow Transferring Identification in Complex Power Grid S.L. Gu and Z.P. Wang	789
A New Method to Solve Static Voltage Collapse Point with Hybrid Power Network Equations T. Yi, J.P. Li, S. Zhang and Y.B. Zhang	796
Air-Fuel Ratio Fuzzy PID Control for Coal-Bed Gas Engine Based on Fuzzy PID Feedforward J.J. Shao, S. Gao, D.R. Tan and H.T. Fang	800
An Active Equalizer for Serially Connected Lithium-Ion Battery Cells H.R. Liu and C.Y. Xia	809
Analysis of Wavelet Transform for Interharmonic Measurement D.H. Zhang, J. He, Z.G. Tian and B. Li	813
CFBB Bed Temperature Control Strategy Based on Improved DMC C.L. Liu and F.F. Li	817
Coordinative Optimal Design for PSS and Auxiliary Damping Controller on SVC under Multi-Operating Conditions X.G. Miao, B.H. Zhang, Z.C. Li, J.L. Wu, C.X. Mao, X.P. Li, J.B. Sun, M. Li and D.H. Li	823
Development of a Measuring Device and Software for Measurement of Electric Power Quantities Based on IEEE Standard 1459-2010 C. Tanthadiloke and T. Tayjasanant	830
Dynamic Process of Generator Self-Excitation Considering the Load in Power Grid Y.F. Teng, L.J. Ding and H. Zhang	835
Energy Information Model for Power Systems Monitoring A.I. Khalyasmaa, S.A. Dmitriev and S.E. Kokin	841
Fast Analysis of Power System Stability by Artificial Neural Network C.C. Li and P.H. Huang	848

Fault Analysis of 10kV Distribution System Composed by a Battery Swap Station Y.D. Zhang, N. Liu and J.H. Zhang	852
Geometric Parameterization Technique Based Continuation Power Flow and its Applications in AC/DC Hybrid Power System C.J. Guan, J.Q. Zhao, J.H. Yin, K. Men and C. Hong	857
ILC-Based Internal Model Control of Superheater Steam Temperature W. Lu and M.C. Wang	864
Impact Analysis of Effective Inertia Competition on Power System Inter-Area Damping Characteristics C. Liu, W.Y. Liu, W. Zheng and C. Liang	870
Impacts of Distributed Generators on Voltage Sag Analysis J. Boonnamol and T. Tayjasananant	877
Mid-Term Stability Assessment of Jiangxi Power Grid Y.C. Su and H.W. Jia	882
New Eigenvalue Method for Power System Stability Analysis C.C. Li, T.H. Tseng and P.H. Huang	888
New Method Based on the Optimal Decomposition Scale for Daily Load Forecasting in Power System J.B. Sun, C.Y. Yi and B.H. Zhang	892
Novel Scheme of Fast Protection and Control for Feeder Automation G.B. Zou and H.L. Gao	899
Power System Stability Study with Empirical Mode Decomposition C.L. Lu and P.H. Huang	905
Real-Time Dispatching Operation Risk Assessment Based on Fault Tree Theory E. Wang, W. Wei, B.D. Wang and Z. Liu	909
Reliability Evaluation of HVDC System Using FTA-FD Method Considering Different Capacities of AC Filters X.Z. Wang, Y. Zeng, X. Xu, J.S. Li, Y.S. Su and P. Li	915
Research and Application on the Reactive Power Optimization of the Regional Grid Planning S.B. Chen, H. Zhang and J. Zhang	920
Research of Load Forecasting Based on General Regression Neural Network C.M. Wu, W.W. Yao and W.J. Dong	926
Research on the Transformer Condition Assessment Based on the Entropy Weight Method H.F. Liang and D.S. Lin	930
Simulation Analysis for the Impact of Voltage Distribution of Distribution System with Distributed Generation S.Q. Sheng, L.T. Fan and X.L. Tan	936
State Estimation of Equivalent Current Measurement Transformation Based on Generalized Tellegen's Theorem G.H. Lin, Y.J. Zhang, T. Wang and Y.Y. Wang	941
Study on Electric Energy Metering Program under the Impact of Distorted Waveform J.L. Ba, H.M. Wang, M. Yao, X.L. Deng, X. Fang and G.Y. Chen	948
Study on the Power Transformers Deterioration State Evaluation Index System Q. Xie, S.S. Hou, F. Liao and W.T. Hu	954
The Feasible Analysis of Transformer Fast Reenergizing with Neutral Point Ungrounded Y. Zhao, Y.D. Yang, Y.H. Pan and L. Qi	958
The Realization of Induction Cooker Power Control Based on Fuzzy Control Theory M.M. Shi, H.B. Chen and X.H. He	965
Unbiased Direct DGM(1,1) Model of Non-Homogeneous Exponential Sequence and its Application in Electric Load Forecasting D.Q. Zhou	972
Using Phase Shifter and OLTC to Improve Reliability during Load Transferring and System Protection C.J. Wu, H.S. Huang and J.H. Too	976
Energy Storage Based Adaptive Control of Disturbed Load Interconnected Power Systems G.P. Zhou, S.J. Cheng, J.H. Huang and D. Liu	981

Research on a Novel Hybrid Adjustable Reactor	
M. Song, H.D. Dong, D.D. Wang, K.N. Cao, L. Ren and S.F. Shen	988
Analysis of a Transformer Time-Varying Outage Model for Operational Risk Assessment	
K. Tian, D.H. You, Y.L. Li, K. Pan and K. Wang	993
Effect of Shielding Lines on Power Frequency Electric Field under Overhead Lines	
Y.Z. Jiang, Z.G. Liang, W.J. Ma and H.C. Wang	999
Cooperated Control Strategy of DFIG Wind Power Generation System under Unbalanced Grid Condition	
Y. Deng, S.J. Hu, Y.F. Meng and H.H. Xu	1005
Heuristic Topology Analysis of the Shipboard Power Systems Based on Petri Net Modify	
X.G. Hou, J.L. Wang, G.B. Du and L.P. Bu	1010
Investigating the Impact of Pulsed Load on Different Isolated Power Systems	
L. Xia, X.Z. Wang and C. Zhang	1016
Distribution Network Reactive Power Planning Based on Improved Evolutionary Strategy Theory	
S.Q. Sheng, X. Li and Y. Lu	1023
Grid Lagrange Stability Analysis Based on Chaos Analysis	
C.L. Luo, H. Qi and X.C. Huang	1029
Long-Term Multi-Objective Optimization Dispatch and its Evaluation in Wind Integrated Power Systems	
K. Wang, D.H. You and K. Pan	1033
Transient Stability Assessment of Power System Using Support Vector Machine with Generator Phase Plane Trajectory Inputs	
K. Wang, D.H. You, C. Long, W.H. Chen and G. Wang	1038

Chapter 6: High Voltage and Insulation Technology

Design and Full-Scale Test for Steel Tubular Tower of UHV and EHV Quadruple-Circuit Transmission Line on the same Tower	
Q.H. Li, J.B. Yang and J.K. Han	1045
Structural Optimization and Electric Field Analysis on the Insulation Structure of UHVV Wall Bushing	
Y.M. Li, T. Ding and Z.T. Chen	1052
A New Method of Fault Phase Identification for High Voltage Transmission Lines Based on the Fault Component of Phase Voltage	
Y. Chen, Y. Hu and N.L. Tai	1056
Damping Analysis of Subsynchronous Oscillation Caused by HVDC	
S.W. Xiao and L.L. Shu	1065
Computation of Radial Electromagnetic Forces on Power Transformer LV Windings due to Short-Circuit Currents	
H.B. Zheng, J.H. Han, W. Wang, X.G. Li and Y.Q. Li	1069
Design and Full-Scale Test for Cup-Type Steel Tubular Tower of UHV Transmission Line in Heavy Icing Area	
Z.F. Zhang, J.B. Yang, F.L. Yang and Q.H. Li	1074
Research on a New Digital Algorithm to Improve the Monitoring Accuracy of the Dielectric Loss Factor	
T. Zhao, T.X. Xia, Q. Yu, L. Zhang and L. Zou	1081
Seismic Performance Analysis of Tower Lines System under Multiple Support Excitation	
J.M. Sun, J.Q. Li and F.G. Yang	1085
Prototype Test for Confirming the Concept of HTS Magnetically Controlled Saturable Reactor	
H.D. Dong, L. Ren, Y. Xu, Y.J. Tang, M. Song, D.D. Wang and K.N. Cao	1090

Chapter 7: Motor and Electrical

Chaos Synchronization Control of an Indirect Field-Oriented Induction Motor	
D.D. Wang and Y.M. Lu	1097

Design of Eddy Current Retarder Generator/Starter Integrated System C.X. Liu, R. He, X.J. Liu and E.L. Zhang	1101
Design of Fuzzy Self-Tuning Controller for Permanent Magnet Synchronous Motor X.F. Peng, P. Xu, L. Zhang and W.L. Wan	1105
Pitch Control for Smoothing Doubly Fed Induction Generator Rotor-Side Power Fluctuations Q. Tian and X.L. Wang	1110
Speed Control of Switched Reluctance Motors Drive System Based on Fuzzy Control J.W. Li, Z.D. Zhang and Y.Y. Ni	1115
The Influence of Motor Low Voltage Trip on under-Frequency Load Shedding in the Electric Network of Refinery Enterprise T.Z. Han, Q. Yang, Y.T. Song, X.J. Tang, Q.K. Guo, Y.Y. Yuan and J.J. Sun	1119
The Novel Control Technologies Used in Permanent Magnet Synchronous Motor J.L. Zhang, Y.R. Li and L.L. Xie	1125
A Novel Power Limiter Based on Newton-Raphson Method for Doubly-Fed Induction Generator under Unbalanced Voltage Drop Conditions X.M. Qiu, L.L. Wang, S.J. Hu and B. Zhao	1129
Analysis for Impacts of Internal Impedance on the Load Characteristic of a Permanent Magnet Synchronous Generator Y. Shen, L.T. Zhang, L.M. Sheng and L. Li	1135
Automatic Measurement of Stator Resistance for Permanent Magnet Synchronous Motors Based on Simple Linear Regression Model F. Li and C.Y. Xia	1142
Experimental Study of Linear Motor Direct-Driven Thermocompressor X.H. Wu, L.W. Yang, J.L. Yang and W.Y. Lin	1147
Research on Mechanical-Electric Brake Simulation in Electric Drive Tracked Vehicle Based on Virtual Prototyping S.Y. Zhang, Y. Lin, P. Tian, N.M. Yan and Y.H. Shang	1153
Emergency Control Strategy Study on Multi-Send HVDC Project from Central China to East China Power Grid J. Zhang, X.F. Song and F. Xue	1157

Chapter 8: Power Electronics and Power Drives

DC-Bus Voltage Control Strategy Based on Low-Pass Filter for Three-Phase Four-Wire APF X. Feng, X.J. Zhong, Q.W. Xu and G.Z. Chen	1167
Energy Scavenging Device Based on Electric Field in Substations H.W. Li, C.H. Yu and L. Zhang	1171
Research on the Half-Bridge Three-Level DC/DC Converter with High Frequency and High Voltage H. Zhang, G.X. Wang, H. Yan and L.Z. Zhang	1175
The Coupling of Electrostatic Discharge to Electronic Equipment Z.G. Liang and M.Y. Yang	1179
A Improved LVRT Control Strategy Based on Active and Reactive Power for Direct-Drive PMSG Wind Generation System G.L. Yang, S.Y. Liu, X.Y. Chang and E.B. Zhang	1184
A Method for <i>In Situ</i> Testing and Calibration of Moving-Coil Geophones R. Zeng, Y.J. Zhao and J. Lin	1188
Analysis of Direct Cooling High Temperature SMES Device Leakage Magnetic Field Based on Finite Element Method X. Li, G. Wu, G. Zhou, K. Bi, Z.Y. Tang, Q.Z. Zhang and J. Ma	1193
Calculation and Analysis of Geo-Magnetically Induced Current in Earth Based on Plane Wave Method X. Wang, L.G. Liu and C.M. Liu	1197
Implementation of a High Reliability IGBT Power Device S.L. Chen and Y.T. Hsueh	1202

Influence of a Deep NBL Structure on ESD/Latch-Up Immunities in the Power Device nLDMOS	
S.L. Chen and T.S. Wu	1207
Research on Parameters Matching of Ultralight Electric Aircraft Propulsion System	
G.W. Kang, Y. Hu, Y.D. Li and W.H. Jiang	1212
Square of Voltage Out-Loop Based Feedback Linearization Control of Voltage Source Converter (VSC) in SMES	
X.K. Dai, B.H. Zhang and Y. Chen	1216
An ANFIS Solution for Real-Time Control of the EGR & VGT in a Diesel Engine	
Z.J. Peng, L. Cheng, W.J. Wang, B. Gao and A. Aitouche	1222
MotoTron-Based Rapid Prototyping Development Platform	
X.W. Zhou, C.J. Zhu, D.W. Qu and L.X. Wang	1226
Design of Heating Control System for UEGO Sensor	
J.F. Lu, C.J. Zhu, D.W. Qu and X. Lu	1231
Design and Application of Inverter Efficiency Test System Based on LabVIEW	
W.Y. Yao and J.P. Du	1236
A Method for Improving Compensation Performance of the Active Power Filter	
W.S. Deng, B.H. Zhang, H.F. Ding, J. Shao and B.J. Jin	1240
A Non-Isolated Buck-Boost Grid-Connected Inverter with no Shoot-Through Problem	
Z.L. Yao, J.R. Kan and G.W. Hu	1247
Dynamic Response Improvement of the DPC-SVM Three-Phase Grid-Connected Inverter	
Z.L. Yao, L. Xiao and J. Xu	1251
Investigation of Gate Degradation Characteristics of AlGaIn/GaN HEMTs under PWM Stress	
C. Chen, G. Xie, C. Tang and K. Sheng	1255
Performance Improvement of SVPWM-Based Three-Phase Grid-Connected Inverters	
Z.L. Yao, L. Xiao and J. Xu	1261
Study on SVG Simulation with the Voltage and Current Dual Closed-Loop PWM Control Strategy	
X.C. Shi, W. Zhang and P.R. Liu	1265
Unified Controller Design for Two-Stage Converter Based on Feed-Forward Compensation	
T. Xia, Z.C. Yuan, Y.X. Li, H.F. Guo and B.H. Zhang	1271

Chapter 9: Smart Grid Technologies

A Method of Distributed State Estimation in Dispatch Central Based on Ripe Data and Topology Model of Substation	
J. Liu, D.W. Su, K.J. Qian, F. Shi and L.W. Wang	1283
A Proposed Communication System for Field Area Networks of Smart Grid	
Z.W. Sun and T. Jia	1288
Comprehensive Fuzzy Evaluation for Transmission Network Planning Scheme Based on Gray Correlation Analysis	
L.G. Liu, W.L. Zhao and Y.W. Chen	1292
Distributed Optimization and Control of Microgrid Considering Environmental Protection and Stability	
Y.C. Hao, X.B. Dou, Z.J. Wu, M.Q. Hu, T. Li and B. Zhao	1297
Efficiency Evaluation Model of Power Transmission & Transformation Project Investment Based on AHP-Fuzzy Method	
G.S. Tian, J.C. Liu, J.J. Zhou, J.L. Liu and B. Li	1303
Improved Genetic Projection Pursuit Method Based on Measured Data on Power Quality Comprehensive Evaluation of the Application	
X.F. Jia, K. She, S.M. Huang and J.H. Ma	1308
Substation Optimization Planning Considering Distributed Generation	
Z.F. Liu, G. Liu and W. Zhang	1314
Fault Location Method in Complex Power Network Based on Power Quality Monitoring Data	
J. Lan, D.X. Wang, X. Zheng, K.P. Liu and C.X. Yang	1320

Distribution Network Fault Reconfiguration with Distributed Generation Based on Ant Colony Algorithm	
Q. Wang and L. Meng	1328
Strategy for Breaker Failure by Communication Implementation	
Y.K. Ke and P.H. Huang	1334
A Framework for Business Model Generation and Economic Analysis of Smart Grid Hub	
K.S. Shin, W.C. Hur, W.J. Kim and Y.M. Moon	1338
Analysis and Control on Oscillation Characteristics of Smart Grid with Large-Scale Wind Power Integration	
J.C. Zhong, W.Y. Liu and W. Zheng	1342
Analysis on Guarantee Strategies of Reliability for Hengqin Power System	
H. Chen, W.J. Zheng and Y.R. Zheng	1348
Decoupling Droop Control Method for Power Distribution of Microgrid	
S.W. Yang, P. Li, C. Wang and J.M. Li	1354
Design and Implementation of Microgrid SCADA Platform	
Z.Q. Shen, W. Deng, W. Pei, L.S. Mu and H. Ouyang	1358
Smart Grid in China: A Review	
J.K. Shen, C.H. Zhao and J.H. Yuan	1365
Studies from Establishment of a Chinese Provincial Microgrid Standard	
M. Zhao, S.W. Huang, X.Y. Wu, X.Q. Huang and Q.B. Xu	1370
The Analysis of Influences of Source-Network-Load's Operation Mode on Power Grids Self-Organized Criticality	
W.T. Cai, W.Y. Liu, W. Zheng and C. Liang	1375

Chapter 10: Power System Management

Optimization Scheduling of Cascade Hydropower Stations in Energy Conservation and Emission Reduction	
Z.H. Li	1385
A Stochastic Programming Method for Unit Commitment of Wind Integrated Power System	
J. Shao, B.H. Zhang, W.S. Deng, K.M. Zhang, B.J. Jin and T.Y. Ge	1390
Demand Side Response Based on TOU Price and Economic Compensation	
D.X. Niu, Y.L. Song, Y. Lu and L. Mei	1396
Study on Integrated Resource Strategic Planning for Power Industry	
Z. Zhao, J.H. Yuan and W.J. Huang	1401
System Dynamics Model about the Mode of Energy Transmission	
S.X. Yang and Q. Han	1406
A Power Quality Monitoring Data Management Scheme Based on Distributed Database	
Q.Q. Zhang, Q.Y. Wang, G.F. Zhang, Y. Zhang and L.X. Wu	1410
A Research on Suppression of SSO Based on the Real Time Digital Simulation	
C.L. Guo, J.T. Xu, Y. Zhao and X.N. Xiao	1415
Forecast of Power Quality Index Based on the Discrete Fourier Decomposition and AR Model	
C.X. Wen, S. Gao, X.N. Xiao, Y.H. Xu and S. Tao	1420
Interruptible Load Risk Analysis Based on Portfolio Theory	
J.F. Wang, R. Zhu and Y. Jiang	1427
Modal Sensitivity Analysis for Parallel Harmonic Resonance in Power System	
C.X. Yang, K.P. Liu, X. Zheng and D.X. Wang	1432
Novel Bidding Decision Model for Generation Company Based on CVaR Model	
P.J. Xie, J.C. Hou and Q.S. Shi	1438
Reactive Power Compensation for Unbalanced Fluctuating Loads by Using Two-Dimensional Instantaneous Space Vector Approach	
C.J. Wu and Y.W. Liu	1444